



LIVE, LOVE, TRAVEL



French Charm
& Expertise

SERIE C

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



C55

C56

C86

VEHICLE DIMENSIONS (M)			
Overall length	6,72	5,99	6,99
Overall width	2,17	2,17	2,17
Overall « garage » width with rear view mirrors open	2,55	2,55	2,55
Overall height [A]	2,75	2,75	2,75
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4	4	4
Number of dining seats	5	5	4
Sleeping spaces	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T	LIGHT : 5,5 T	LIGHT : 5,5 T
Unladen weight in running order (kg)	2890	2760	2935
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	3,8	3,45	4,035
STORAGE AREA/GARAGE (CM)			
Internal dimensions (max H x max W)	115 x 100	64 x 110	110 x 100
Access right side (H x W)	100 x 75	-	100 x 75
Access left side (H x W)	100 x 75	55 x 60	100 x 75
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS
BED SIZES (MM)			
Rear bed	800 x 1990 + 800 x 1850 or king size 1370 x 1980	1330 x 2040	1400 x 1960
Extra dinette bed	780/1100 x 1880	780/1100 x 1880	740 x 1930
AUTONOMY (L)			
Capacity of fresh water tank [C]	110/20	110/20	120/20
Capacity of waste water tank	90	90	90
Type of refrigerator	Compression	Compression	Compression
Refrigerator capacity	90	90	133

[A] Overall height = +45 mm with 16" wheels

[B] GVW 3500/3650 kg → GCW 5500 kg

[C] Fresh water tank can be filled up to 110 L (120 L for the C86), which results in a lower payload.

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

Equipment and comfort

LOW PROFILE

C55

C56

C86

CONSTRUCTION	WEIGHT (KG)	
NOVATECH Construction		•
Impact-resistant polyester panels		•
Impact-resistant polyester roof		•
Polyester floor external protection		•
Floor bodywork with polyurethane		•
Styrofoam® insulation (walls + roof + floor)		•
BODYWORK AND OPENINGS		
White bodywork, skirt and bumpers		•
Living area door with 2-point locking, fixed window	P	
Living area door mosquito screen	P	
Remote control locking of the cab and living area doors	•	
Retractable electric living area step	•	
Living area windows with polyurethane frame	•	
Double glazed living area windows with blind/fly-screen combination	•	
SKYVIEW panoramic roof	•	
Large living room skylight with TEP* finish	•	
Transparent skylights with fly-screen and blind	•	
External lighting above the living area door	LED	
Aluminium side skirt line	•	
External 230 V and fresh water magnetic hatches	•	
HEATING		
TRUMA Combi 4 DIESEL heating with CP PLUS control panel		•
TRUMA Combi 6 EH DIESEL (diesel + electricity) heating with CP PLUS control panel & iNet	1	RHD PACK
Floor heating in living area (230 V)	7	O
TRUMA SKYVIEW heating duct		•
Heated waste water tank	15	RHD PACK
STORAGE		
Access to storage area/garage from left and right side *only on the C55 and C86		*
Storage area/garage with left and right lowered floor *only on the C55 and C86		*
Height-adjustable storage area/garage *only on C86		*
Heated storage area/garage		•
Storage area LED ceiling light rail		•
External shower with hot and cold water	1	RHD PACK
STYLE		
NACARAT (with solid maple wood) or BELLAGIO furniture		•
Gloss overhead cupboard doors (BELLAGIO)		O
DENVER fabric upholstery		•
Fabric/TEP* upholstery: MANCHESTER, MONTREAL and PARIS	5	O
Leather upholstery: AUSTIN	8	O
Curtains		•
LIVING ROOM		
Telescopic table leg/Extra occasional berth		•
High density resistant foam on living room seats		•
Magnetic bench seat backs *only on the C86		*
Laminated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•
Folding table		•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 430 L x 550 H x 70 D		•
Speakers in the living area		•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•
3 assorted cushions to living room style		•
Day/night partition *only on the C55 and C86		*
3-point retractable safety belts (cab and living space)	2+2	
Height-adjustable headrests *only on the C55 and C56		*
Face-to-face bench seat armrests *only on the C86		*
Internal living area lighting	LED	
Ambience lighting in the living room/kitchen/bedroom	LED	
Living area and cab carpet kit	11	RHD PACK
KITCHEN		
Laminated worktop		•
Worktop extension		•
Lighting under the bench	LED	
Backlit kitchen window cladding with built in spice rack		•
Kitchen unit drawers with glossy white fronts		•
Self-closing drawers with electric central locking		•
Sliding storage *only on the C56		*
Chromed brass kitchen tap with ceramic cartridge		•
Overhanging 2-hob screen-printed glass camping stove with glass cover		•
Built-in cooker hood with LED lighting		•
18-litre oven no grill *only on C86	13	*RHD PACK
23-litre oven with grill *only on C55 and C56	22	*RHD PACK
BATHROOM		
Chrome finish bathroom accessories		•
Central XXL bathroom with double partition *only on the C86		*
Shower column with slate grey Plexiglas finish		•
Independent shower *only on the C86		*
DUO SPACE for optimised spaces *only on the C55		*
Water-saving shower head (-22%)		•
Clothes drying rack		•
Stainless steel basin with brass mixer tap and ceramic cartridge *only on the C56		*
White basin with brass mixer tap and ceramic cartridge *only on the C55		*
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge *only on the C86		*
Teak-style shower duckboard *only on the C55 and C56		*
Camping toilet with removable tank, telescopic handle and castors		•
Quick-clean thermoformed toilet cassette compartment *only on the C55 and C86		*

BEDROOM	WEIGHT (KG)	
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•
Permanent height-adjustable bed (≈ 20 cm), adjustment using hydraulic jack *only on C86	15	*
Wall-mounted wardrobes with push lock system *only on the C86		*
Side storage alcoves with USB plugs and 12 V outlet *only on the C86		*
Fabric-covered backlit headboard		•
Raisable footboard for easier wardrobe access (high twin beds) *only on the C55		*
Mattress topper with memory foam on permanent bed	6	O
4 assorted cushions to bedroom style		•
Second TV space in bedroom with 12V/coaxial/HDMI wiring *only on the C55 and C86		*
ENERGY & COMFORT		
« Maintenance-free » leisure battery with coupler and separator (100 Ah)		•
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)	24	P
92 Ah AGM leisure battery + second 92 Ah AGM leisure battery	6	O
« Coming-home » mode with automatic awning light and electric entry step		•
Control panel		•
Centralised Fuse box with protected « accessories » exits		•
External 230 V connection		•
Internal 230 V plug		5
Internal 12 V plug *5 on C55 and C86 / 4 on C56		*
Internal 5 V USB port *4 on C55 and C56 / 5 on C86		*
Solar panel wiring setup		•
Centralised water distribution (access to all fittings)		•
EQUIPMENT OF THE CARRIER		
2.3-litre 140 hp engine		•
2.3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	O
2.3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp)		O
ECO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp)	3	O
AdBlue® tank (litres)		19
75 L diesel tank		•
Automatic 9-speed gearbox (requires 16" light alloy rims and ECO PACK)	15/58**	O
Chassis 35L: possibility of 3.65T GVW		•
ABS braking		•
Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P
Traction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK
Cruise control with limiter		P
SAFETY PACK with emergency braking system, centre line crossing alert, smart headlights, road sign recognition system and light/rain sensors	1	O
Driver and passenger air bags		•
Engine cold start assistance (Blow-by)		•
Engine immobiliser		•
TPMS (automatic tyre pressure monitoring system)		O
2nd remote key		P
Glossy black grill		•
Daytime running lights		•
LED day running lights		O
Fog lights	1	RHD PACK
Electric de-frosting side mirrors		P
Stabilising jacks at the back or in the wheelbase	5	RHD PACK
Light alloy FIAT rims: 15"	-5	O
Light alloy FIAT rims: 16" (+4.5 cm vehicle height)	12	O
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		*
*65 on C55/56 and 70 on C86		
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg) *105 on C55/56 and 110 on C86		*
Motorcycle carrier [A] (option weight ± 5 kg) *80 on C55/56 and 85 on C86		*
Fix and go kit		•
EQUIPMENT OF THE CAB		
Cab door(s) with electric windows		•
Cab seats height adjustable		P
Original rotating cab seats with fabric to match the living area		•
Embroidered cab headrest covers (embossed for leather upholstery)		•
TOUCH reading spotlight in cab		•
Cup holder		•
Manual cab air-conditioning		•
Automatic cab air-conditioning	1	O
Chrome-ringed instruments		RHD PACK
Leather steering wheel and gear knob		RHD PACK
DAB KENWOOD® multimedia system with 6,8" screen		P
DAB KENWOOD® multimedia system with 6,8" screen and APPLE CAR PLAY/ANDROID AUTO functions		O
Rear view camera with control screen built into the dashboard		P
GPS navigation	2	O
Radio controls on steering wheel		RHD PACK
Mechanical sunshades		•
Tinted windows		•
Thermal flap blinds for cab doors and runner blinds for windscreen		P
Winter exterior insulation	5	O
Inside rear mirror		•

* TEP: Polyamide-coated fabric.

** 140 hp: 58 kg, 160/180 hp: 15 kg.

[A] Possible reduction in registered seats.

[B] See back page.

• = Standard, O = Option, P = SELECT Pack

SERIE 6F

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



656F



Low beds

ALDE Standard

665F

VEHICLE DIMENSIONS (M)		
Overall length	6,79	7,49
Overall width	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76
Overall height [A]	2,90	2,90
SEATS		
Number of seatbelts	2+2	2+3
Number of seats (vehicle certificate)	4	4*
Number of dining seats	4	5
Sleeping spaces	2+1	2+1
Sleeping spaces (with drop-down bed option)	2+2	2+2+1
WEIGHT		
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	2985	3105
CHASSIS		
Chassis	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	3,8	4,035
Wider rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Internal dimensions (max H x max W)	91 x 87	80 x 80
Access right side (H x W)	75 x 60	55 x 60 + 35 x 65
Access left side (H x W)	-	35 x 65
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 4 CP PLUS	ALDE
BED SIZES (MM)		
Rear bed	1350 x 1950	2 x (760 x 1980)
Extra dinette bed (without drop-down bed)	820/850 x 2080	840/1000 x 2080
Extra dinette bed (with drop-down bed)	-	840/1000 x 1650
Drop-down bed in lounge area (Option)	1150/1300 x 1950	1150/1300 x 1950
AUTONOMY (L)		
Capacity of fresh water tank [C]	120/20	120/20
Capacity of waste water tank	90	90
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	142	149

* 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650/4400 kg = 5 registered seats


** HEAVY chassis: GVW = 4400 kg (160 hp/180 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500 kg → GCW 5500 kg ; 3650 kg → 5650 kg ; 4400 kg → 6000 kg

[C] Fresh water tank can be filled up to 120 L, which results in a lower payload.

ULTIMATE
line **2021**

ULTIMATE
line **2021**

ULTIMATE
line **2021**
**666F****686F****696F**

VEHICLE DIMENSIONS (M)			
Overall length	7,49	7,20	7,49
Overall width	2,35	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76
Overall height [A]	2,90	2,90	2,90
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4	4	4
Number of dining seats	5	4	5
Sleeping spaces	2+1	2+1	2+1
Sleeping spaces (with drop-down bed option)	2+2	2+2	2+2
WEIGHT			
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	3020	3020	3045
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	4,035	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98
STORAGE AREA/GARAGE (CM)			
Internal dimensions (max H x max W)	120 x 114	88 x 114	88 x 114
Access right side (H x W)	105 x 87	100 x 87	100 x 87
Access left side (H x W)	85 x 87	70 x 87	70 x 87
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 6 EH CP PLUS & iNet	Truma Combi 6 EH CP PLUS & iNet	Truma Combi 6 EH CP PLUS & iNet
BED SIZES (MM)			
Rear bed	2 x (850 x 2050) or king size 1370 x 2060	1500 x 1940	1600 x 1960
Extra dinette bed (without drop-down bed)	870/980 x 2080	740/800 x 2080	870/980 x 2080
Drop-down bed in lounge area (Option)	1150/1300 x 1950	1150/1300 x 1950	1150/1300 x 1950
AUTONOMY (L)			
Capacity of fresh water tank [C]	120/20	120/20	120/20
Capacity of waste water tank	90	90	90
Type of refrigerator	Absorption	Absorption	Absorption
Refrigerator capacity	149	142	149

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 6F

Equipment and comfort

LOW PROFILE

		656F	665F	666F	686F	696F
CONSTRUCTION		WEIGHT (KG)				
NOVATECH Construction		•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•
Polyester floor external protection		•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•
Styrofoam® insulation (walls + roof + floor)		•	•	•	•	•
BODYWORK AND OPENINGS						
White bodywork, skirt and bumpers		•	•	•	•	•
Cab and front bumper in metallic iron grey		-	-	O	O	O
Living area door with 2-point locking, fixed window and inbuilt bin		P	P	P	P	P
Large living area door L: 540mm		-	•	•	-	•
Living area door mosquito screen		P	P	P	P	P
Remote control locking of the cab and living area doors		•	•	•	•	•
Insulated fixed step		•	-	-	-	-
Insulated fixed step L		-	•	•	-	•
Living area windows with polyurethane frame		•	•	•	•	•
Double glazed living area windows with blind/fly-screen combination		•	•	•	•	•
Panoramic opening cab roof		•	•	•	•	•
Large living room skylight with TEP* finish		•	•	-	-	-
Large living room skylight with backlit TEP* finish		-	-	•	•	•
Bedroom skylight with backlit TEP* finish		-	-	•	•	•
Transparent skylights with fly-screen and blind		-	•	•	•	•
External lighting above the living area door		LED	LED	LED	LED	LED
External 230 V and fresh water magnetic hatches		•	•	•	•	•
HEATING						
TRUMA Combi 4 heating with CP PLUS control panel		•	-	-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	RHD PACK	-	•	-	•
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control		-	•	-	-	-
Floor heating in living area (230 V)	7	O	O	O	O	O
Heated waste water tank	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
External heating inspection hatch (drain access, maintenance)		-	•	-	-	-
STORAGE						
Access to storage area/garage from left and right side		-	-	•	•	•
Height-adjustable storage area/garage		-	-	-	•	•
Heated storage area/garage		•	•	•	•	•
Storage area LED ceiling light rail		•	•	•	•	•
External shower with hot and cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
STYLE						
NACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•
Gloss overhead cupboard doors (BELLAGIO)		O	O	O	O	O
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•
TEP* cab edging strip with RAPIDO embroidery and double stitching		•	•	•	•	•
DENVER fabric upholstery		•	•	O	O	O
Fabric/TEP* upholstery: MANCHESTER, MONTREAL and PARIS	5	O	O	O	O	O
Leather upholstery: AUSTIN	8	O	O	O	O	O
TEP* upholstery: MILAN		-	-	•	•	•
Curtains		•	•	•	•	•
Living room and bedroom indirect lighting dimmer		-	-	•	•	•
LIVING ROOM						
Telescopic table leg/Extra occasional berth (no drop-down bed)		•	•	•	•	•
Telescopic table leg/Extra occasional berth (with drop-down bed)		-	•	-	-	-
High density resistant foam on living room seats		•	•	•	•	-
Magnetic bench seat backs		•	•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•	•	•	•	•
Folding table	1	•	RHD PACK	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		•	•	•	•	•
Speakers in the living area		•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•	•	•	•	•
3 assorted cushions to living room style		•	•	•	•	•
Day/night partition		•	-	-	-	-
Day/night partition with machined decor		-	•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+3	2+2	2+2	2+2
Height-adjustable headrests		-	•	-	-	-
Face-to-face bench seat armrests		•	-	•	•	•
Right side bench armrest		-	•	-	-	-
Internal living area lighting		LED	LED	LED	LED	LED
Ambience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
Double berth electrically-controlled drop-down bed with direct and indirect lighting	45	O	O	O	O	O
Living area and cab carpet kit	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
KITCHEN						
Laminated worktop		•	•	•	•	•
Worktop extension		•	-	•	•	•
Removable serving hatch shelf		-	•	-	-	-
Lighting under the bench		LED	LED	LED	LED	LED
Backlit kitchen window cladding with built in spice rack		•	•	•	•	•
Kitchen unit drawers with glossy white fronts		•	•	•	•	•
Self-closing drawers with electric central locking		•	-	•	•	•
Full-height sliding storage		•	-	-	-	-
Chromed brass kitchen tap with ceramic cartridge		•	•	•	•	•
2-burner stainless steel stove with separate black covers and piezo ignition		•	•	•	•	•
3-burner stainless steel stove with separate black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Refrigerator grill covers (for winter use)		•	•	•	•	•
Built-in cooker hood with LED lighting		•	•	•	•	•
28-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available, P = SELECT Pack

LOW PROFILE

		656F	665F	666F	686F	696F
BATHROOM		WEIGHT (KG)				
Chrome finish bathroom accessories		•	•	•	•	•
Central XXL bathroom with double partition		-	-	•	•	•
Shower column with slate grey Plexiglas finish		•	•	•	•	•
Independent shower		-	-	•	•	•
Water-saving shower head (-22%)		•	•	•	•	•
Clothes drying rack		•	•	•	•	•
Stainless steel basin with brass mixer tap and ceramic cartridge		•	-	-	-	-
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		-	•	•	•	•
Camping toilet with removable tank, telescopic handle and castors		•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		-	-	•	•	•
BEDROOM						
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•
Permanent height-adjustable bed (≈ 20 cm), adjustment using hydraulic jack	15	-	-	-	•	•
Wall-mounted wardrobes with push lock system		-	-	-	•	•
Storage drawer on foot of central bed		-	-	-	•	•
Side storage alcoves with USB plugs and 12 V outlet		-	-	-	•	•
Fabric-covered backlit headboard		•	•	•	•	•
Reclinable headboard on permanent bed		-	-	-	•	•
Retractable central bed base		-	-	-	•	•
Raisable footboard for easier wardrobe access (high twin beds)		-	-	•	-	-
Mattress topper with memory foam on permanent bed	6	0	0	0	0	0
4 assorted cushions to bedroom style		•	•	•	•	•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•
ENERGY & COMFORT						
« Maintenance-free » leisure battery with coupler and separator (100 Ah)		•	•	•	•	•
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)	24	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
92Ah AGM leisure battery	3	0	0	0	0	0
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	0	0	0	0	0
« Coming home » mode with automatic awning light		•	•	•	•	•
Control panel		•	•	•	•	•
Centralised Fuse box with protected « accessories » exits		•	•	•	•	•
External 230 V connection		•	•	•	•	•
Internal 230 V plug	4	4	4	4	4	4
Internal 12 V plug	5	5	5	5	5	5
Internal 5 V USB port	5	5	5	5	5	5
Automatic inverter with anti-crash system, enabling you to travel with the heating on	P	P	P	P	P	P
Solar panel wiring setup		•	•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•
EQUIPMENT OF THE CARRIER						
2.3-litre 140 hp engine (only available for the LIGHT chassis)		•	•	•	•	•
2.3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	0	0	0	0	0
2.3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp)		0	0	0	0	0
ECO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp)	3	0	0	0	0	0
AdBlue® tank (litres)		19	19	19	19	19
75 L diesel tank		•	•	•	•	•
Automatic 9-speed gearbox (requires 16" light alloy rims and ECO PACK)	15/58**	0	0	0	0	0
Chassis 35L: possibility of 3.65T GVW		•	•	•	•	•
Heavy chassis = GVW 4,4 T (160 hp/180 hp)	40	-	0	0	0	0
ABS braking		•	•	•	•	•
Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P	P	P	P	P
Traction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Cruise control with limiter		P	P	P	P	P
SAFETY PACK with emergency braking system, centre line crossing alert, smart headlights, road sign recognition system and light/rain sensors	1	0	0	0	0	0
Driver and passenger air bags		•	•	•	•	•
Engine cold start assistance (Blow-by)		•	•	•	•	•
Engine immobiliser		•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		0	0	0	0	0
2nd remote key		P	P	P	P	P
Glossy black grill		•	•	•	•	•
Daytime running lights		•	•	•	•	•
LED day running lights		0	0	0	0	0
Fog lights	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Electric de-frosting side mirrors		P	P	P	P	P
Stabilising jacks at the back or in the wheelbase	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Light alloy FIAT rims: 15"	-5	0	0	•	•	•
Light alloy FIAT rims: 16" (+4.5 cm vehicle height)	12	0	0	O / • HEAVY version	O / • HEAVY version	O / • HEAVY version
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		65	70	70	70	70
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		105	-	-	110	-
Motorcycle carrier [A] (option weight ± 5 kg)		80	-	-	85	-
Fix and go kit		•	•	•	•	•
EQUIPMENT OF THE CAB						
Cab door(s) with electric windows		•	•	•	•	•
Cab seats height adjustable		P	P	P	P	P
Original rotating cab seats with fabric to match the living area		•	•	•	•	•
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•
TOUCH reading spotlight in cab		•	•	•	•	•
Cup holder		•	•	•	•	•
Manual cab air-conditioning		•	•	•	•	•
Automatic cab air-conditioning	1	0	0	0	0	0
Chrome-ringed instruments		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
DAB KENWOOD® multimedia system with 6,8" screen		P	P	P	P	P
DAB KENWOOD® multimedia system with 6,8" screen and APPLE CAR PLAY/ANDROID AUTO functions		0	0	0	0	0
Rear view camera with control screen built into the dashboard		P	P	P	P	P
GPS navigation	2	0	0	0	0	0
Radio controls on steering wheel		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Mecanical sunshades		•	•	•	•	•
Tinted windows		•	•	•	•	•
Thermal flap blinds for cab doors and runner blinds for windscreen		P	P	P	P	P
Winter exterior insulation	5	0	0	0	0	0
Inside rear mirror		•	•	•	•	•

** 140 hp: 58 kg, 160/180 hp: 15 kg.
All data (weight / measures) are indicated with a tolerance of 5%.
FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.


SERIE 8F

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



856F

866F

VEHICLE DIMENSIONS (M)		
Overall length	6,79	7,49
Overall width	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76
Overall height [A]	2,89	2,89
SEATS		
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	4	4*
Number of dining seats	4	5
Sleeping spaces	2+2	2+2
Sleeping spaces (with option of no cab bed)	2+1	2+1
WEIGHT		
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	3055	3120
CHASSIS		
Chassis	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	3,8	4,035
Wider rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Internal dimensions (max H x max W)	96 x 87	126 x 114
Access right side (H x W)	85 x 60	110 x 87
Access left side (H x W)	-	85 x 87
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZES (MM)		
Rear bed	1350 x 1950	2 x (850 x 2050) or king size 1370 x 2060
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (L)		
Capacity of fresh water tank [C]	120/20	120/20
Capacity of waste water tank	120	120
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	142	149

* GVW 3500 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability, or 140 hp Automatic gearbox ; GVW 3650/4400 kg = 4 registered seats

** GVW 3500 kg = 4 registered seats / 3 registered seats in 140 hp automatic gearbox ; GVW 3650/4400 kg = 4 registered seats

*** GVW 3500 kg = 4 registered seats with 140 hp manual gearbox, or 160 hp/180 hp without towing capability / 3 registered seats with 140 hp automatic gearbox, or 160 hp/180 hp with towing capability ; GVW 3650/4400 kg = 4 registered seats

**** HEAVY chassis: GVW = 4400 kg (160 hp/180 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500 kg → GCW 5500 kg ; 3650 kg → 5650 kg ; 4400 kg → 6000 kg

[C] Fresh water tank can be filled up to 120 L (883F = 140 L), which results in a lower payload.

2021**883F****886F****896F**

VEHICLE DIMENSIONS (M)			
Overall length	6,99	7,20	7,49
Overall width	2,35	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76
Overall height [A]	2,89	2,89	2,89
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4**	4**	4***
Number of dining seats	5	4	5
Sleeping spaces	2+2	2+2	2+2
Sleeping spaces (with option of no cab bed)	2 + 1	2 + 1	2+1
WEIGHT			
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	3070	3065	3100
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	4,035	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98
STORAGE AREA/GARAGE (CM)			
Internal dimensions (max H x max W)	116 x 99	85 x 114	85 x 114
Access right side (H x W)	110 x 87	110 x 87	110 x 87
Access left side (H x W)	70 x 87	70 x 87	70 x 87
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZES (MM)			
Rear bed	1300/1400 x 2030	1500 x 1940	1600 x 1960
Overcab drop-down bed	1400 x 1910	1400 x 1910	1400 x 1910
AUTONOMY (L)			
Capacity of fresh water tank [C]	140/20	120/20	120/20
Capacity of waste water tank	120	120	120
Type of refrigerator	Absorption	Absorption	Absorption
Refrigerator capacity	149	142	149

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 8F

Equipment and comfort

A-CLASS

		856F	866F	883F	886F	896F
CONSTRUCTION	WEIGHT (KG)					
NOVATECH Construction		•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•
Polyester floor external protection		•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•
Styrofoam® insulation (walls + roof + floor)		•	•	•	•	•
BODYWORK AND OPENINGS						
White bodywork, skirt and bumpers		•	•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		P	P	P	P	P
Large living area door L: 540mm		-	•	-	-	•
Living area door mosquito screen		P	P	P	P	P
Remote control locking of the cab and living area doors		•	•	•	•	•
Insulated fixed step		•	-	•	•	-
Insulated fixed step L		-	•	-	-	•
Retractable electric living area step		•	•	•	•	•
Living area windows with polyurethane frame		•	•	•	•	•
Double glazed living area windows with blind/fly-screen combination		•	•	•	•	•
Large living room skylight with TEP* finish		•	•	•	•	•
Transparent skylights with fly-screen and blind		•	•	•	•	•
External lighting above the living area door		LED	LED	LED	LED	LED
External 230 V and fresh water magnetic hatches		•	•	•	•	•
HEATING						
TRUMA Combi 6 heating with CP PLUS control panel		•	•	•	•	•
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Floor heating in living area (230 V)	7	O	O	O	O	O
Additional Webasto 2kW fuel-powered cab heating	8	O	O	O	O	O
Heated waste water tank	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
STORAGE						
Internal underfloor storage boxes (volume in litres)		80	110	110	110	110
Sliding external storage drawer (volume = 45 L; max. load = 25 kg)	18	O	O	O	O	O
Access to storage area/garage from left and right side		-	•	•	•	•
Height-adjustable storage area/garage		-	-	-	•	•
Heated storage area/garage		•	•	•	•	•
Storage area LED ceiling light rail		•	•	•	•	•
External shower with hot and cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
STYLE						
NACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•
Gloss overhead cupboard doors (BELLAGIO)		O	O	O	O	O
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•
Cab bed bottom with stitched TEP* design		•	•	•	•	•
Cab bed skirt with embroidered RAPIDO pattern		•	•	•	•	•
DENVER fabric upholstery		•	•	•	•	•
Fabric/TEP* upholstery: MANCHESTER, MONTREAL and PARIS	5	O	O	O	O	O
Leather upholstery: AUSTIN	8	O	O	O	O	O
Curtains		•	•	•	•	•
LIVING ROOM						
High density resistant foam on living room seats		•	•	•	•	•
Magnetic bench seat backs		•	•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•	•	•	•	•
Folding table		•	•	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		•	•	•	•	•
Speakers in the living area		•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•	•	•	•	•
3 assorted cushions to living room style		•	•	•	•	•
Day/night partition		•	-	•	-	-
Day/night partition with machined decor		-	•	-	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2
Face-to-face bench seat armrests		•	•	•	•	•
Internal living area lighting		LED	LED	LED	LED	LED
Ambience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
Living area and cab carpet kit	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
KITCHEN						
Laminated worktop		•	•	•	•	•
Worktop extension		•	•	•	•	•
Lighting under the bench		LED	LED	LED	LED	LED
Backlit kitchen window cladding with built in spice rack		•	•	•	•	•
Kitchen unit drawers with glossy white fronts		•	•	•	•	•
Self-closing drawers with electric central locking		•	•	•	•	•
Full-height sliding storage		•	-	-	-	-
Chromed brass kitchen tap with ceramic cartridge		•	•	•	•	•
2-burner stainless steel stove with separate black covers and piezo ignition		•	•	•	•	•
3-burner stainless steel stove with separate black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Refrigerator grill covers (for winter use)		•	•	•	•	•
Built-in cooker hood with LED lighting		•	•	•	•	•
28-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available, P = SELECT Pack

A-CLASS

		856F	866F	883F	886F	896F
BATHROOM		WEIGHT (KG)				
Chrome finish bathroom accessories		•	•	•	•	•
Central XXL bathroom with double partition		-	•	-	•	•
Shower column with slate grey Plexiglas finish		•	•	•	•	•
Independent shower		-	•	•	•	•
Water-saving shower head (-22%)		•	•	•	•	•
Clothes drying rack		•	•	•	•	•
Stainless steel basin with brass mixer tap and ceramic cartridge		•	-	•	-	-
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		-	•	-	•	•
Camping toilet with removable tank, telescopic handle and castors		•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		-	•	•	•	•
BEDROOM						
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack	15	-	-	-	•	•
Wall-mounted wardrobes with push lock system		-	-	-	•	•
Side storage alcoves with USB plugs and 12 V outlet		-	-	-	•	•
Fabric-covered backlit headboard		•	•	•	•	•
Reclinable headboard on permanent bed		-	-	-	•	•
Retractable central bed base		-	-	-	•	•
Raisable footboard for easier wardrobe access (high twin beds)		-	•	-	-	-
Mattress topper with memory foam on permanent bed	6	0	0	0	0	0
4 assorted cushions to bedroom style		•	•	•	•	•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•
ENERGY & COMFORT						
« Maintenance-free » leisure battery with coupler and separator (100 Ah)		•	•	•	•	•
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)	24	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
92Ah AGM leisure battery	3	0	0	0	0	0
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	0	0	0	0	0
« Coming-home » mode with automatic awning light and electric entry step		•	•	•	•	•
Control panel		•	•	•	•	•
Centralised Fuse box with protected « accessories » exits		•	•	•	•	•
External 230 V connection		•	•	•	•	•
Internal 230 V plug		4	4	4	4	4
Internal 12 V plug		5	5	5	5	5
Internal 5V USB port		5	5	5	5	5
Automatic inverter with anti-crash system, enabling you to travel with the heating on		P	P	P	P	P
Solar panel wiring setup		•	•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•
EQUIPMENT OF THE CARRIER						
2.3-litre 140 hp engine (only available for the LIGHT chassis)		•	•	•	•	•
2.3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	0	0	0	0	0
2.3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp)		0	0	0	0	0
ECO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp)	3	0	0	0	0	0
AdBlue® tank (litres)		19	19	19	19	19
75 L diesel tank		•	•	•	•	•
Automatic 9-speed gearbox (requires 16" light alloy rims and ECO PACK)	15/58**	0	0	0	0	0
Chassis 35L: possibility of 3.65T GWV		•	•	•	•	•
Heavy chassis = GWV 4,4 T (160 hp/180 hp)	40	-	0	0	0	0
ABS braking		P	P	P	P	P
Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		•	•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Cruise control with limiter		P	P	P	P	P
Driver and passenger air bags		•	•	•	•	•
Engine cold start assistance (Blow-by)		•	•	•	•	•
Engine immobiliser		•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		0	0	0	0	0
2nd remote key		P	P	P	P	P
LED day running lights		•	•	•	•	•
Fog lights	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Bus-style wing mirrors: electric and de-icing/white		P	P	P	P	P
Bus-style wing mirrors: electric, de-icing, double-view (Fixed wide angle lens)/ white		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Stabilising jacks at the back or in the wheelbase	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Light alloy FIAT rims: 15"	-5	0	0	0	0	0
Light alloy FIAT rims: 16" (+4.5 cm vehicle height)	12	0	0	0	0	0
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		65	70	70	70	70
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		105	110	110	110	110
Motorcycle carrier [A] (option weight ± 5 kg)		80	85	85	85	85
Fix and go kit		•	•	•	•	•
EQUIPMENT OF THE CAB						
Driver door with electric windows		•	•	•	•	•
Driver door with 2-point locking		P	P	P	P	P
Cab seats height adjustable		P	P	P	P	P
Original rotating cab seats with fabric to match the living area		•	•	•	•	•
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•
Cup holder		•	•	•	•	•
Manual cab air-conditioning		•	•	•	•	•
Automatic cab air-conditioning	1	0	0	0	0	0
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•	•	•
Black thermoformed dashboard		•	•	•	•	•
Chrome-ringed instruments		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
DAB KENWOOD® multimedia system with 6,8" screen		P	P	P	P	P
DAB KENWOOD® multimedia system with 6,8" screen and APPLE CAR PLAY/ANDROID AUTO functions		0	0	0	0	0
Rear view camera with control screen built into the dashboard		P	P	P	P	P
GPS navigation	2	0	0	0	0	0
Radio controls on steering wheel		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Mechanical wind-down sunshade		•	•	•	•	•
Tinted windows		•	•	•	•	•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P	P	P	P	P
Winter exterior insulation	5	0	0	0	0	0
Double-glazed side bays in cab (except driver's door)	10	0	0	0	0	0
Without cab bed, with retractable table leg for bed position		0	0	0	0	0

** 140 hp: 58 kg, 160/180 hp: 15 kg.
All data (weight / measures) are indicated with a tolerance of 5%.
FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload. 11

SERIE 80dF

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.


It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

ULTIMATE *line* 2021



ALDE Standard

8065dF



Option ALDE

8066dF

VEHICLE DIMENSIONS (M)		
Overall length	7,49	7,49
Overall width	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76
Overall height	2,89 [A]	2,94
SEATS		
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	3*	4**
Number of dining seats	5	5
Sleeping spaces	2+2	2+2
Sleeping spaces (with option of no cab bed)	2+1	2+1
WEIGHT		
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	3170	3125
CHASSIS		
Chassis	FIAT AL-KO	FIAT AL-KO
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	4,3	4,3
Wider rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(17,5 - 20) x (55 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 47	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM)		
Internal dimensions (max H x max W)	93 x 114	120 x 114
Access right side (H x W)	72 x 89	112 x 89
Access left side (H x W)	23 x 89	112 x 89
Heated	Yes	Yes
HEATING		
Type of heating	ALDE	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)		
Rear bed	2 x (760 x 1980)	2 x (850 x 2050) or king size 1370 x 2060
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (L)		
Capacity of fresh water tank [C]	130/20	130/20
Capacity of waste water tank	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	167	167

* GVW 3500 kg = 3 registered seats manual gearbox, or automatic gearbox without towing capability / 2 registered seats Automatic gearbox with towing capability ; GVW 3650/4400 kg = 4 registered seats

** GVW 3500 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability ; 140 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

*** GVW 3500 kg = 4 registered seats, except 140 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability ; 160 hp/180 hp Automatic gearbox = 4 registered seats without towing capability, 3 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

****HEAVY chassis: GVW = 4400 kg (160 hp/180 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500/3650 kg → GCW 5500 kg ; 4400 kg → 6000 kg

[C] Fresh water tank can be filled up to 130 L, which results in a lower payload.

ULTIMATE
line **2021**
**8086dF**
ULTIMATE
line **2021**
**8094dF**

Option ALDE

8096dF

VEHICLE DIMENSIONS (M)			
Overall length	7,20	7,49	7,49
Overall width	2,35	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76
Overall height	2,94	2,89 [A]	2,94
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4***	4**	4**
Number of dining seats	4	5+5	5
Sleeping spaces	2+2	2+2	2+2
Sleeping spaces (with option of no cab bed)	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	3085	3125	3125
CHASSIS			
Chassis	FIAT AL-KO	FIAT AL-KO	FIAT AL-KO
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	4,035	4,3	4,3
Wider rear track (m)	1,98	1,98	1,98
STORAGE DOUBLE FLOOR (CM)			
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 37	23 x 47 + 23 x 62	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes	Yes
STORAGE AREA/GARAGE (CM)			
Internal dimensions (max H x max W)	90 x 114	60 x 114	90 x 114
Access right side (H x W)	117 x 89	52 x 89	117 x 89
Access left side (H x W)	112 x 89	52 x 89	112 x 89
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 6 EH CP PLUS & iNet	Truma Combi 6 CP PLUS	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)			
Rear bed	1500 x 1940	1480 x 2100	1600 x 1960
Overcab drop-down bed	1400 x 1910	1400 x 1910	1400 x 1910
AUTONOMY (L)			
Capacity of fresh water tank [C]	130/20	130/20	130/20
Capacity of waste water tank	110	110	110
Type of refrigerator	Absorption	Absorption	Absorption
Refrigerator capacity	142	167	167

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 80dF

Equipment and comfort

A-CLASS

		8065dF	8066dF	8086dF	8094dF	8096dF
CONSTRUCTION	WEIGHT (KG)					
NOVATECH Construction		•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•
Polyester floor external protection		•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•
Styrofoam® insulation (walls + roof + floor)		•	•	•	•	•
Storage area in robust polyurethane		•	•	•	•	•
BODYWORK AND OPENINGS						
White bodywork, skirt and bumpers		•	•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		P	P	P	P	P
Large living area door L: 540mm		•	•	-	•	•
Living area door mosquito screen		P	P	P	P	P
Remote control locking of the cab and living area doors		•	•	•	•	•
Insulated fixed step		-	-	•	-	-
Insulated fixed step L		•	•	-	•	•
Retractable electric living area step		•	•	•	•	•
Living area windows with polyurethane frame (except left rear window on 8094dF)		•	•	•	•	•
Double glazed living area windows with blind/fly-screen combination		•	•	•	•	•
Large living room skylight with TEP* finish		•	-	-	-	-
Large living room skylight with backlit TEP* finish		-	•	•	-	•
Bedroom skylight with backlit TEP* finish		-	•	•	-	•
Transparent skylights with fly-screen and blind		•	•	•	•	•
External lighting above the living area door		LED	LED	LED	LED	LED
External 230 V and fresh water magnetic hatches		•	•	•	•	•
HEATING						
TRUMA Combi 6 heating with CP PLUS control panel		-	-	-	•	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	-	•	•	RHD PACK	•
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	•	O	-	-	O
Heating distributed via the living room table leg (except telescopic leg)		•	•	•	•	•
ALDE living area floor heating with hot water (only available with ALDE heating)	8	O	O	-	-	O
TRUMA windscreen heating duct (not compatible with WEBASTO)		-	•	•	•	•
Additional Webasto 2kW fuel-powered cab heating	8	O	O	O	O	O
Heated waste water tank		•	•	•	•	•
External heating inspection hatch (drain access, maintenance)		•	•	•	•	•
STORAGE						
Transverse storage double floor with internal and external access		•	•	•	•	•
Heated, lit double floor		•	•	•	•	•
Access to storage area/garage from left and right side		•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•
Height-adjustable storage area/garage		-	-	•	-	•
Heated storage area/garage		•	•	•	•	•
Storage area LED ceiling light rail		•	•	•	•	•
External shower with hot and cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
STYLE						
NACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•
Gloss overhead cupboard doors (BELLAGIO)		O	O	O	O	O
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•
Cab bed bottom with stitched TEP* design and LED lights		•	•	•	•	•
Cab bed skirt with embroidered RAPIDO pattern		•	•	•	•	•
DENVER fabric upholstery		•	O	O	•	O
Fabric/TEP* upholstery: MANCHESTER, MONTREAL and PARIS	5	O	O	O	O	O
Leather upholstery: AUSTIN	8	O	O	O	O	O
TEP* upholstery: MILAN		-	•	•	-	•
Curtains		•	•	•	•	•
Living room and bedroom indirect lighting dimmer		-	•	•	-	•
LIVING ROOM						
High density resistant foam on living room seats		•	•	•	•	•
Magnetic bench seat backs		•	•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•	•	•	•	•
Folding table		•	•	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		-	-	-	-	-
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 805 L x 500 H x 70 D		•	•	•	•	•
Built in TV unit with backlighting and storage		•	•	•	•	•
Speakers in the living area		•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•	•	•	•	•
8 cushions matching the living room style (rear lounge)		-	-	-	-	-
3 assorted cushions to living room style		•	•	•	•	•
Day/night partition with machined decor		•	•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2
Face-to-face bench seat armrests		•	•	•	•	•
Internal living area lighting		LED	LED	LED	LED	LED
Ambience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
Living area and cab carpet kit	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
KITCHEN						
Laminated worktop		•	•	•	•	•
Worktop extension		•	•	•	•	•
Lighting under the bench		LED	LED	LED	LED	LED
Backlit kitchen window cladding with built in spice rack		•	•	•	•	•
Kitchen unit drawers with glossy white fronts		•	•	•	•	•
Self-closing drawers with electric central locking		•	•	•	•	•
Chromed brass kitchen tap with ceramic cartridge		•	•	•	•	•
2-burner stainless steel stove with separate black covers and piezo ignition		•	•	•	•	•
3-burner stainless steel stove with separate black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Extra-deep fridge		•	•	-	•	•
Refrigerator grill covers (for winter use)		•	•	•	•	•
Built-in cooker hood with LED lighting		•	•	•	•	•
28-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
BATHROOM						
Chrome finish bathroom accessories		•	•	•	•	•
Central XXL bathroom with double partition		-	•	•	•	•
Shower column with slate grey Plexiglas finish		•	•	•	•	•
Independent shower		-	•	•	•	•
Water-saving shower head (-22%)		•	•	•	•	•
Clothes drying rack		•	•	•	•	•
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		•	•	•	•	•
Camping toilet with removable tank, telescopic handle and castors		•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		-	•	•	•	•

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available, P = SELECT + Pack

A-CLASS

		8065dF	8066dF	8086dF	8094dF	8096dF
BEDROOM	WEIGHT (KG)					
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack	15	-	-	•	-	•
Backlit wall-mounted wardrobes with push lock system		-	-	•	-	•
Storage drawer on foot of central bed		-	-	•	-	•
Side storage alcoves with USB plugs and 12 V outlet		-	-	•	-	•
Fabric-covered backlit headboard		•	•	•	•	•
Reclinable headboard on permanent bed		-	-	•	-	•
Retractable central bed base		-	•	•	-	•
Raisable footboard for easier wardrobe access (high twin beds)		-	•	-	-	-
Mattress topper with memory foam on permanent bed	6	O	O	O	O	O
LED projector with large screen and electric remote + subwoofer with speakers + KENWOOD® navigation system	6	-	-	-	O	-
4 assorted cushions to bedroom style		•	•	•	-	•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•
ENERGY & COMFORT						
« Maintenance-free » leisure battery with coupler and separator (100 Ah)		•	•	•	•	•
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)	24	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
LITHIUM living area battery prewiring - SUPER B READY		•	•	•	•	•
92Ah AGM leisure battery	3	O	O	O	O	O
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	O	O	O	O	O
« Coming home » mode with automatic awning light and electric entry step		•	•	•	•	•
Living area entry step backlighting when door opens		•	•	•	•	•
Control panel		•	•	•	•	•
NOVABOX: Better access to service area		•	•	•	•	•
Centralised Fuse box with protected « accessories » exits		•	•	•	•	•
External 230 V connection		•	•	•	•	•
Internal 230 V plug		6	6	6	7	6
Internal 12 V plug		5	5	5	6	5
Internal 5V USB port		5	5	5	5	5
Automatic inverter with anti-crash system, enabling you to travel with the heating on		P	P	P	P	P
Solar panel wiring setup		•	•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•
EQUIPMENT OF THE CARRIER						
2.3-litre 140 hp engine (only available for the LIGHT chassis)		•	•	•	•	•
2.3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	O	O	O	O	O
2.3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp)		O	O	O	O	O
ECO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp)	3	O	O	O	O	O
AdBlue® tank (litres)		19	19	19	19	19
75 L diesel tank		•	•	•	•	•
90 L diesel tank		• HEAVY version	• HEAVY version	• HEAVY version	• HEAVY version	• HEAVY version
Automatic 9-speed gearbox (requires 16" light alloy rims and ECO PACK)	15/58**	O	O	O	O	O
Chassis 35L: possibility of 3.65T GVW		•	•	•	•	•
Heavy chassis = GVW 4,4 T (160 hp/180 hp)	40	O	O	O	O	O
ABS braking		•	•	•	•	•
Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P	P	P	P	P
Traction+ with Hill Descent Control (helps control speed downhill)		P	P	P	P	P
Cruise control with limiter		P	P	P	P	P
Driver and passenger air bags		•	•	•	•	•
Engine cold start assistance (Blow-by)		•	•	•	•	•
Engine immobiliser		•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		O	O	O	O	O
2nd remote key		P	P	P	P	P
LED day running lights		•	•	•	•	•
Fog lights	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Bus-style wing mirrors: electric and de-icing/white		P	P	P	P	P
Bus-style wing mirrors: electric, de-icing, double-view (Fixed wide angle lens)/white		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Reinforced front axle suspension		• HEAVY version	• HEAVY version	• HEAVY version	• HEAVY version	• HEAVY version
Air Premium rear suspension x2 (HEAVY version >= 4.4 T only)	45	O	O	O	O	O
Air Premium front/rear suspension x4 (HEAVY >= 4.4 T only) = Full Air	55	O	O	O	O	O
ALC AL-KO rear suspension	20	O	O	O	O	O
ACS front suspension (not compatible with Air Premium x4 suspension)	3	O	O	O	O	O
Independent rear wheel suspension (AL-KO)		•	•	•	•	•
Stabilising jacks at the back or in the wheelbase	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Stabilising jacks HEAVY model specifics		• HEAVY version	• HEAVY version	• HEAVY version	• HEAVY version	• HEAVY version
Light alloy FIAT rims: 16" (+4.5 cm vehicle height)	12	O		O	O	•
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		53	53	53	53	53
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		100	100	100	100	100
Motorcycle carrier [A] (option weight ± 5 kg)		65	65	65	65	65
Fix and go kit		•	•	•	•	•
EQUIPMENT OF THE CAB						
Driver door with electric windows		•	•	•	•	•
Driver door with 2-point locking		P	P	P	P	P
Cab seats height adjustable		P	P	P	P	P
Original rotating cab seats with fabric to match the living area		•	•	•	•	•
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•
Cup holder		•	•	•	•	•
Manual cab air-conditioning		•	•	•	•	•
Automatic cab air-conditioning	1	O	O	O	O	O
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•	•	•
Black thermoformed dashboard		•	•	•	•	•
Chrome-ringed instruments		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
DAB KENWOOD® multimedia system with 6,8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P	P	P	P	P
Rear view camera with control screen built into the dashboard		P	P	P	P	P
GPS navigation	2	O	O	O	O	O
Radio controls on steering wheel		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Mechanical wind-down sunshade		•	•	•	•	•
Tinted windows		•	•	•	•	•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P	P	P	P	P
Winter exterior insulation	5	O	O	O	O	O
Double-glazed side bays in cab (except driver's door)	10	O	O	O	O	O
Without cab bed, with retractable table leg for bed position		O	O	O	O	O

** 140 hp: 58 kg, 160/180 hp: 15 kg.

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload. 15

SERIE DISTINCTION

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



VEHICLE DIMENSIONS (M)			
Overall length	7,54	7,25	7,54
Overall width	2,35	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76
Overall height	2,94	2,94	2,94
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4***	4*	3**
Number of dining seats	5	4	5
Sleeping spaces	2+2	2+2	2+2
Sleeping spaces (with option of no cab bed)	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight	LIGHT : 3,65 T*** HEAVY : 4,4 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T	LIGHT : TRUMA 3,5 T / 3,65 T - ALDE 3,65 T**** HEAVY : 4,4 T
Permissible GCW (Gross Combined Weight) [A]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	3265	3125	3210
CHASSIS			
Chassis	FIAT AL-KO	FIAT AL-KO	FIAT AL-KO
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	4,3	4,035	4,3
Wider rear track (m)	1,98	1,98	1,98
STORAGE DOUBLE FLOOR (CM)			
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 62	23 x 47 + 23 x 37	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes	Yes
STORAGE AREA/GARAGE (CM)			
Internal dimensions (max H x max W)	120 x 114	120 x 114	120 x 114
Access right side (H x W)	112 x 89	117 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89	112 x 89
Heated	Yes	Yes	Yes
HEATING			
Type of heating	ALDE iNet	Truma Combi 6 EH CP PLUS & iNet	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)			
Rear bed	2 x (850 x 2050) or king size 1370 x 2060	1500 x 1940	1600 x 1960
Extra dinette bed	-	-	-
Overcab drop-down bed	1400 x 1910	1400 x 1910	1400 x 1910
AUTONOMY (L)			
Capacity of fresh water tank [B]	130/20	130/20	130/20
Capacity of waste water tank	110	110	110
Type of refrigerator	Absorption	Absorption	Absorption
Refrigerator capacity	177	133	177

* GVW 3500 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability or 140 hp Automatic gearbox ; GVW 3650/4400 kg = 4 registered seats

** GVW 3500 kg = 3 registered seats without towing capability (except 140 hp Automatic gearbox) / 2 registered seats with towing capability or 140 hp Automatic gearbox ; GVW 3650/4400 kg = 4 registered seats (except 3650 kg 140 hp Automatic gearbox = 3 registered seats)


*** i66: weight downgrade to 3,5 T not possible. GVW 3650 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability or 140 hp Automatic gearbox ; 4400 kg = 4 registered seats

****ALDE Option requires GVW = 3650 or 4400 kg (weight downgrade to 3,5 T not possible)

[A] GVW 3500/3650 kg → GCW 5500 kg ; 4400 kg → 6000 kg

[B] The tank can be filled to a capacity of 130 L (190 litres for the i165 and i190, 300 litres for the i1066 and i1090). This increased capacity reduces the payload.

A-class models with FIAT AL-KO chassis, extra-wide rear track and storage double floor



VEHICLE DIMENSIONS (M)				
Overall length	7,99	7,99	8,79	8,79
Overall width	2,35	2,35	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height	2,94	2,94	3,05	3,05
SEATS				
Number of seatbelts	2+3	2+3	2+3	2+3
Number of seats (vehicle certificate)	5	5	5	5
Number of dining seats	7	7	7	7
Sleeping spaces	2+2+2	2+2+2	2+2+1	2+2+1
Sleeping spaces (with option of no cab bed)	2+2	2+2	-	-
WEIGHT				
Gross vehicle weight	HEAVY : 4,5 T	HEAVY : 4,5 T	HEAVY : 5 T	HEAVY : 5 T
Permissible GCW (Gross Combined Weight) [A]	HEAVY : 6 T	HEAVY : 6 T	HEAVY : 6 T	HEAVY : 6 T
Unladen weight in running order (kg)	3580	3580	4220	4220
CHASSIS				
Chassis	FIAT AL-KO	FIAT AL-KO	FIAT AL-KO TAG AXLE	FIAT AL-KO TAG AXLE
Engine equipment	2,3 L - 160 hp	2,3 L - 160 hp	2,3 L - 160 hp	2,3 L - 160 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	4,7	4,7	4,5 / 5,3	4,5 / 5,3
Wider rear track (m)	1,98	1,98	1,98	1,98
STORAGE DOUBLE FLOOR (CM)				
Internal dimensions of main storage	(17,5 - 20) x 87 x 210	(17,5 - 20) x 87 x 210	2 x (22,5 - 25) x (56 - 79) x 210	2 x (22,5 - 25) x (56 - 79) x 210
Access right side (H x W)	2 x (23 x 72)	23 x 47 + 23 x 72	23 x 47 + 23 x 72 + 38 x 55	23 x 47 + 23 x 72 + 38 x 55
Access left side (H x W)	NOVABOX + 23 x 72 + 23 x 47	NOVABOX + 23 x 72 + 23 x 47	NOVABOX + 23 x 47 + 2 x (23 x 72)	NOVABOX + 23 x 47 + 2 x (23 x 72)
Heated	Yes	Yes	Yes	Yes
STORAGE AREA/GARAGE (CM)				
Internal dimensions (max H x max W)	93 x 114	120 x 114	120 x 114	120 x 114
Access right side (H x W)	72 x 89 + 40 x 57	117 x 89	117 x 89	117 x 89
Access left side (H x W)	23 x 89 + 40 x 57	112 x 89	112 x 89	112 x 89
Heated	Yes	Yes	Yes	Yes
HEATING				
Type of heating	ALDE iNet	ALDE iNet	ALDE iNet	ALDE iNet
BED SIZES (MM)				
Rear bed	2 x (760 x 1980)	1600 x 1960	2 x (850 x 2000) or king size 1370 x 2060	1600 x 1980
Extra dinette bed	900/1030 x 2000	900/940 x 2000	800 x 1940	800 x 1940
Overcab drop-down bed	1400 x 1910	1400 x 1910	1500 x 1910	1500 x 1910
AUTONOMY (L)				
Capacity of fresh water tank [B]	190/20	190/20	300/20	300/20
Capacity of waste water tank	110	110	150	150
Type of refrigerator	Absorption	Absorption	Absorption	Absorption
Refrigerator capacity	177	177	177	177

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE DISTINCTION

Equipment and comfort

A-CLASS

		i66	i86	i96	i165	i190	i1066	i1090
CONSTRUCTION	WEIGHT (KG)							
NOVATECH Construction		•	•	•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•	•	•
Polyester roof covering all edges		•	•	•	•	•	•	•
Polyester floor external protection		•	•	•	•	•	•	•
Bodywork (roof, panels and floor) 100% polyurethane		•	•	•	•	•	•	•
Styrofoam® insulation (walls + roof + floor)		•	•	•	•	•	•	•
Full insulation of the chassis parts in the double floor with XHP cladding		-	-	-	-	-	•	•
Storage area in robust polyurethane		•	•	•	•	•	•	•
BODYWORK AND OPENINGS								
White bodywork, skirt and bumpers		•	•	•	•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•	•	•	•	•	•
Large living area door L: 540 mm		•	-	•	-	-	-	-
Large living area door XL: 625 mm		-	-	-	•	•	•	•
Living area door mosquito screen		•	•	•	•	•	•	•
Remote control locking of the cab and living area doors		•	•	•	•	•	•	•
Insulated fixed step		-	•	-	-	-	-	-
Insulated fixed step L		•	-	•	-	-	-	-
Insulated fixed step XL		-	-	-	•	•	•	•
Retractable electric living area step		•	•	•	•	•	•	•
Storage area compression handles flush with doors		•	•	•	•	•	•	•
Living area windows with polyurethane frame		•	•	•	•	•	•	•
Double glazed living area windows with non-woven blinds and flyscreen		•	•	•	•	•	•	•
Large living room skylight with backlit TEP* finish		•	•	•	•	•	•	•
Bedroom skylight with backlit TEP* finish		•	•	•	•	•	•	•
Transparent skylights with flyscreen and blind		•	•	•	•	•	•	•
External lighting above the living area door		LED	LED	LED	LED	LED	LED	LED
Aluminium side skirt line		-	-	-	-	-	•	•
Fully moulded rear panel		-	-	-	-	-	•	•
XL gas cylinder box door		-	-	-	-	-	•	•
External 230 V and fresh water magnetic hatches		•	•	•	•	•	•	•
HEATING								
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet		-	•	•	-	-	-	-
iNet		•	•	•	•	•	•	•
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	•	-	O	•	•	•	•
ALDE heating under cab seats		-	-	-	-	-	•	•
ALDE heating under left cab seat (only available with ALDE heating)		•	-	•	•	•	-	-
Heating distributed via the living room table leg (except telescopic leg)		•	•	•	-	-	-	-
ALDE living area floor heating with hot water (only available with ALDE option)	8	O	-	O	O	O	O	O
TRUMA windscreen heating duct (not compatible with WEBASTO)		-	•	•	-	-	-	-
Additional Webasto 2kW fuel-powered cab heating	8	O	O	O	O	O	O	O
Heated waste water tank		•	•	•	•	•	-	-
Drinking and waste water tanks built into the heated double floor		-	-	-	-	-	•	•
External heating inspection hatch (drain access, maintenance)		•	•	•	•	•	•	•
STORAGE								
Transverse storage double floor with internal and external access		•	•	•	•	•	•	•
Heated, lit double floor		•	•	•	•	•	•	•
XL double floor		-	-	-	-	-	•	•
Outside sliding drawer integrated into the double floor storage		-	-	-	-	-	•	•
Hinged internal storage trapdoors		-	-	-	-	-	•	•
Living area step shoe storage trapdoor		-	-	-	-	-	•	•
Access to storage area/garage from left and right side		•	•	•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•	•	•
Height-adjustable storage area/garage		-	•	•	-	•	-	•
Heated storage area/garage		•	•	•	•	•	•	•
Storage area LED ceiling light rail		•	•	•	•	•	•	•
External shower with hot and cold water		•	•	•	•	•	•	•
STYLE								
NACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•	•	•
White gloss overhead cupboard doors		•	•	•	•	•	•	•
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•	•	•
Soft touch ceiling fabric		•	•	•	•	•	•	•
Cab bed bottom with stitched TEP* design and LED lights		•	•	•	•	•	•	•
Cab bed skirt with embroidered RAPIDO pattern		•	•	•	•	•	•	•
DENVER fabric upholstery		•	•	•	•	•	•	•
Fabric/TEP* upholstery: MANCHESTER, MONTREAL, PARIS and MILAN		•	•	•	•	•	•	•
Leather upholstery: AUSTIN	8	O	O	O	O	O	O	O
Eyelet net curtains on rods with indirect lighting		•	•	•	•	•	•	•
Living room and bedroom indirect lighting dimmer		•	•	•	•	•	•	•

A-CLASS

		i66	i86	i96	i165	i190	i1066	i1090
LIVING ROOM		WEIGHT (KG)						
Telescopic table leg/Extra occasional berth		-	-	-	•	•	•	•
High density resistant foam on living room seats		•	•	•	•	•	•	•
Magnetic bench seat backs		•	•	•	•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•	•	•	•	•	•	•
Folding table	1	•	•	•	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		-	•	-	-	-	-	-
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 805 L x 500 H x 70 D		•	-	•	•	•	-	-
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 760 L x 450 H x 70 D		-	-	-	-	-	•	•
Built in TV unit with backlighting and storage		•	•	•	•	•	-	-
Electric TV unit built into bench seat		-	-	-	-	-	•	•
Speakers in the living area		•	•	•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•	•	•	•	•	•	•
3 assorted cushions to living room style		•	•	•	•	•	•	•
Day/night partition with machined decor		•	•	•	•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+3	2+3	2+3	2+3
Height-adjustable headrests		-	-	-	•	•	•	•
Right side LOUNGE bench seat with adjustable depth		-	-	-	-	-	•	•
Face-to-face bench seat armrests		•	•	•	-	-	-	-
Right side bench armrest		-	-	-	•	•	•	•
Storage drawer under seat bench		-	-	-	•	•	•	•
Internal living area lighting		LED	LED	LED	LED	LED	LED	LED
Lighting inside the wardrobe		LED	LED	LED	LED	LED	LED	LED
Ambience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED	LED	LED
Living area carpet	9/12*	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
KITCHEN								
Laminated worktop		•	•	•	•	•	-	-
Cutting board		•	•	•	•	•	•	•
Worktop extension		•	•	•	-	-	-	-
Removable serving hatch shelf		-	-	-	•	•	•	•
Lighting under the bench		LED	LED	LED	LED	LED	LED	LED
Backlit kitchen window cladding with built in spice rack		•	•	•	•	•	•	•
Kitchen unit drawers with glossy white fronts		•	•	•	•	•	•	•
Self-closing drawers with electric central locking		•	•	•	•	•	•	•
Slide-out storage with towel holder		-	-	-	-	-	•	•
Full-height sliding storage		-	-	-	•	•	-	-
Chromed brass kitchen tap with ceramic cartridge		•	•	•	•	•	-	-
Chromed brass kitchen tap with ceramic cartridge and spray nozzle		-	-	-	-	-	•	•
Nespresso® KRUPS INISSIA coffee maker space**		-	-	-	-	-	•	•
Stylish laminate finish on kitchen worktop with inbuilt drainer		-	-	-	-	-	•	•
2-burner stainless steel stove with separate black covers and piezo ignition		•	•	•	•	•	-	-
3-burner stainless steel stove with separate black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	-	-
2-burner glass stove top with piezo ignition and 1 induction hob (1400W)**		-	-	-	-	-	•	•
Refrigerator with double hinge door (left or right opening)		•	•	•	•	•	•	•
Extra-deep fridge		•	-	•	•	•	•	•
Refrigerator grill covers (for winter use)		•	•	•	•	•	•	•
TEC-Tower: fridge/oven combo		-	-	-	•	•	•	•
Built-in cooker hood with LED lighting		•	•	•	•	•	•	•
18-litre oven no grill	13	-	RHD PACK	-	-	-	-	-
25-litre oven with grill	21	RHD PACK	-	RHD PACK	•	•	•	•
BATHROOM								
Chrome finish bathroom accessories		•	•	•	•	•	•	•
Central XXL bathroom with double partition		•	•	•	-	•	•	•
Shower column with backlit slate grey Plexiglas finish		•	•	•	•	•	•	•
Independent shower		•	•	•	-	•	•	•
Water-saving shower head (-22%)		•	•	•	•	•	•	•
Clothes drying rack		•	•	•	•	•	•	•
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		•	•	•	•	•	-	-
Stylish thermomoulded rectangular basin with wall-mounted chromed brass mixer tap and ceramic cartridge		-	-	-	-	-	•	•
Stylish basin countertop surface		-	-	-	-	-	•	•
XL shower cubicle with double glass door		-	-	-	-	-	•	•
Teak-style shower duckboard		-	-	-	-	-	•	•
Towel rails with rear convectors		-	-	-	-	-	•	•
Camping toilet with removable tank, telescopic handle and castors		•	•	•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	-	•	•	•

* i1066/i1090.
** Operates on 230 V only.
All data (weight / measures) are indicated with a tolerance of 5%.
FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload. 19

SERIE DISTINCTION

Equipment and comfort

A-CLASS

BEDROOM		WEIGHT (KG)						
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•	-	-
Permanent bed with aluminium base frame and multi-directional springs, with highly durable BULTEX® foam mattress		-	-	-	-	-	•	•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack		-	•	•	-	•	-	•
Backlit wall-mounted wardrobes with push lock system		-	•	•	-	•	-	•
Storage drawer on foot of central bed		-	•	•	-	•	-	•
Side storage alcoves with USB plugs and 12 V outlet		-	•	•	-	•	-	•
Fabric-covered backlit headboard		•	•	•	•	•	•	•
Reclinable headboard on permanent bed		•	•	•	•	•	-	-
Electrically-adjustable reclining headboard on permanent bed		-	-	-	-	-	•	•
Retractable central bed base		-	•	•	-	•	-	-
Raisable footboard for easier wardrobe access (high twin beds)		•	-	-	-	-	•	-
Mattress topper with memory foam on permanent bed		P	P	P	P	P	P	P
Radio remote control (on/off, volume and stations) from the bed		P	P	P	P	P	P	P
4 assorted cushions to bedroom style		•	•	•	•	•	•	•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•	•	•
24" TV unit		-	-	-	-	-	•	•
ENERGY & COMFORT								
« Maintenance-free » leisure battery with coupler and separator (100 Ah)		•	•	•	•	•	-	-
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)	24	RHD PACK	RHD PACK	RHD PACK	•	•	-	-
LITHIUM battery setup - SUPER B READY		•	•	•	•	•	-	-
90Ah SUPER B EPSILON LITHIUM leisure battery	-10	O	O	O	O	O	•	•
Second 90Ah SUPER B EPSILON LITHIUM-leisure battery (total capacity = 180 Ah, requires LITHIUM first leisure battery)	13	O	O	O	O	O	O	O
92Ah AGM leisure battery	3	O	O	O	-	-	-	-
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	O	O	O	-	-	-	-
92 Ah AGM leisure battery + second 92 Ah AGM leisure battery	6	-	-	-	O	O	-	-
« Coming-home » mode with automatic awning light and electric entry step		•	•	•	•	•	•	•
Living area entry step backlighting when door opens		•	•	•	•	•	-	-
Digital control panel		•	•	•	•	•	•	•
IBS (Intelligent Battery System): display showing the remaining battery time left		P	P	P	P	P	P	P
NOVABOX: Better access to service area		•	•	•	•	•	•	•
Centralised Fuse box with protected « accessories » exits		•	•	•	•	•	•	•
External 230 V connection		•	•	•	•	•	•	•
Internal 230 V plug		6	6	6	6	6	8	8
Internal 12 V plug		5	5	5	5	5	6	6
Internal 5V USB port		5	5	5	5	5	9	9
Automatic FAVEX inverter with remote switch so you can drive with gas heating (Anti-crash system)		•	•	•	•	•	•	•
Waste water drainage with electric valve controlled in the storage space		•	•	•	•	•	-	-
Drinking and waste water drainage with electric valve controlled from the service area		-	-	-	-	-	•	•
Solar panel wiring setup		•	•	•	•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•	•	•
Expansion tank		-	-	-	-	-	•	•
EQUIPMENT OF THE CARRIER								
2.3-litre 140 hp engine (only available for the LIGHT chassis)		•	•	•	-	-	-	-
2.3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	O	O	O	•	•	•	•
2.3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp)		O	O	O	O	O	O	O
ECO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp)	3	O	O	O	•	•	•	•
AdBlue® tank (litres)		19	19	19	19	19	19	19
75 L diesel tank		•	•	•	-	-	-	-
90 L diesel tank		• HEAVY version	• HEAVY version	• HEAVY version	•	•	•	•
Automatic 9-speed gearbox	3	-	-	-	O	O	O	O
Automatic 9-speed gearbox (requires ECO PACK)	15/58*	O	O	O	-	-	-	-
Chassis 35L: possibility of 3.65T GVW		•	•	•	-	-	-	-
Heavy chassis = GVW 4,4 T (160 hp/180 hp)	40	O	O	O	-	-	-	-
Heavy chassis = GVW 4,5 T (160 hp/180 hp)		-	-	-	•	•	-	-
Heavy chassis = GVW 5 T (160 hp/180 hp)		-	-	-	-	-	•	•
ABS braking		•	•	•	•	•	•	•
Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P	P	P	P	P	P	P
Traction+ with Hill Descent Control (helps control speed downhill)		P	P	P	P	P	P	P
Cruise control with limiter		P	P	P	P	P	P	P
Driver and passenger air bags		•	•	•	•	•	•	•

* 140 hp: 58 kg, 160/180 hp: 15 kg.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available, P = EXECUTIVE Pack

A-CLASS

		i66	i86	i96	i165	i190	i1066	i1090
EQUIPMENT OF THE CARRIER		WEIGHT (KG)						
Engine cold start assistance (Blow-by)		•	•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		O	O	O	O	O	O	O
2nd remote key		P	P	P	P	P	P	P
LED day running lights		•	•	•	•	•	•	•
100% LED front lights		O	O	O	O	O	O	O
Fog lights		P	P	P	P	P	P	P
Bus-style wing mirrors: electric, de-icing, double-view (Fixed wide angle lens) / two-tone		•	•	•	•	•	•	•
Reinforced front axle suspension		• HEAVY version	• HEAVY version	• HEAVY version	•	•	•	•
Air Premium rear suspension x2 (HEAVY version >= 4.4 T only)	45/75**	O	O	O	O	O	O	O
Air Premium front/rear suspension x4 (HEAVY >= 4.4 T only) = Full Air	55/80**	O	O	O	O	O	O	O
ALC AL-KO rear suspension	20	O	O	O	O	O	-	-
ACS front suspension (not compatible with Air Premium x4 suspension)	3	O	O	O	O	O	O	O
Independent rear wheel suspension (AL-KO)		•	•	•	•	•	-	-
Tag axle with independent wheel suspension (AL-KO)		-	-	-	-	-	•	•
Stabilising jacks at the back or in the wheelbase		P	P	P	-	-	-	-
Stabilising jacks HEAVY model specifics		P HEAVY version	P HEAVY version	P HEAVY version	P	P	P	P
Light alloy FIAT rims: 16"		•	•	•	•	•	•	•
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		53	53	53	33	33	33	33
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		100	100	100	80	80	80	80
Motorcycle carrier [A] (option weight ± 5 kg)		65	65	65	45	45	45	45
Fix and go kit		•	•	•	•	•	•	•
EQUIPMENT OF THE CAB								
Driver door with 2-point locking		P	P	P	P	P	P	P
Driver door with sequential electric windows		•	•	•	•	•	•	•
Cab seats height adjustable		•	•	•	•	•	•	•
Embroidered cab headrest covers (embossed for leather upholstery)		•***	•***	•***	•***	•***	•***	•***
AGUTI rotating cab seats in fabric matching the living area		•	•	•	•	•	•	•
Cup holder		•	•	•	•	•	•	•
Manual cab air-conditioning		•	•	•	•	•	•	•
Automatic cab air-conditioning	1	O	O	O	O	O	O	O
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•	-	-	-	-
Electric foldaway cab bed with slat base and BULTEX® foam mattress		O	O	O	•	•	•	•
XL drop-down bed		-	-	-	-	-	•	•
Carpeted floor in cab		•	•	•	•	•	•	•
Central dashboard in black leather style with white stitching		•	•	•	•	•	•	•
Chrome-ringed instruments		P	P	P	P	P	P	P
Leather steering wheel and gear knob		P	P	P	P	P	P	P
DAB KENWOOD® multimedia system with 6,8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P	P	P	P	P	P	P
Rear view camera with control screen built into the dashboard		P	P	P	P	P	-	-
Dual-view rear view camera with control screen built into the dashboard		-	-	-	-	-	P	P
GPS navigation	2	O	O	O	O	O	O	O
Radio controls on steering wheel		P	P	P	P	P	P	P
Mechanical wind-down sunshade		•	•	•	•	•	•	•
Tinted windows		•	•	•	•	•	•	•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P	P	P	P	P	-	-
Electric thermal sliding dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		-	-	-	-	-	P	P
Winter exterior insulation	5	O	O	O	O	O	O	O
Double-glazed side bays in cab (except driver's door)	10	O	O	O	O	O	•	•
Without cab bed, with retractable table leg for bed position		O	O	O	O	O	-	-

** i1066/i1090.

*** PARIS and AUSTIN atmosphere exclusively.

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload. 21


SERIE M

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



VEHICLE DIMENSIONS (M)		
Overall length	7,54	7,54
Overall width	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76
Overall height	2,95	2,95
SEATS		
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	3*	3*
Number of dining seats	5	5
Sleeping spaces	2+2	2+2
Sleeping spaces (with option of no cab bed)	2+1	2+1
WEIGHT		
Gross vehicle weight	LIGHT : 3,5 T / 3,88 T HEAVY : 4,5 T	LIGHT : 3,5 T / 3,88 T HEAVY : 4,5 T
Permissible GCW (Gross Combined Weight)	LIGHT/HEAVY : 5,5 T	LIGHT/HEAVY : 5,5 T
Unladen weight in running order (kg)	3175	3175
CHASSIS		
Chassis	MERCEDES AL-KO	MERCEDES AL-KO
Engine equipment	2,2 L - 143 hp	2,2 L - 143 hp
Anti-pollution standard	Euro VI	Euro VI
Wheelbase (m)	4,2	4,2
Wider rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210
Access right side (H x W)	2 x (23 x 47)	2 x (23 x 47)
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM)		
Internal dimensions (max H x max W)	120 x 114	120 x 114
Access right side (H x W)	112 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)		
Rear bed	2 x (850 x 2100) or king size 1370 x 2060	1600 x 1980
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (L)		
Capacity of fresh water tank [A]	130/20	130/20
Capacity of waste water tank	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	177	177

* GVW 3500 kg = 3 registered seats manual gearbox, or automatic gearbox without towing capability / 2 registered seats Automatic gearbox with towing capability ; GVW 3880/4500 kg = 4 registered seats
[A] Fresh water tank can be filled up to 130 L, which results in a lower payload.

Equipment and comfort

A-CLASS

CONSTRUCTION	WEIGHT (KG)	
NOVATECH Construction		•
Impact-resistant polyester panels		•
Impact-resistant polyester roof		•
Polyester floor external protection		•
Floor bodywork with polyurethane		•
Styrofoam® insulation (walls + roof + floor)		•
Storage area in robust polyurethane		•
BODYWORK AND OPENINGS		
White bodywork, skirt and bumpers		•
Living area door with 2-point locking, fixed window and inbuilt bin		•
Large living area door L: 540 mm		•
Living area door mosquito screen		•
Remote control locking of the cab and living area doors		•
Insulated fixed step L		•
Retractable electric living area step		•
Retractable electric driver's doorstep		○
Living area windows with polyurethane frame		•
Double glazed living area windows with non-woven blinds and flyscreen		•
Large living room skylight with backlit TEP* finish		•
Bedroom skylight with backlit TEP* finish		•
Transparent skylights with flyscreen and blind		•
External lighting above the living area door		LED
External 230 V and fresh water magnetic hatches		•
HEATING		
TRUMA Combi 6 heating with CP PLUS control panel		•
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	RHD PACK
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	○
Heating distributed via the living room table leg (except telescopic leg) *as standard for ALDE		*
Additional MERCEDES heating *as standard for ALDE		*
ALDE living area floor heating with hot water (only available with ALDE option)	8	○
TRUMA windscreen heating duct (not compatible with WEBASTO)		•
Additional Webasto 2kW fuel-powered cab heating *option for ALDE	8	*
Heated waste water tank		•
External heating inspection hatch (drain access, maintenance)		•
STORAGE		
Transverse storage double floor with internal and external access		•
Heated, lit double floor		•
Access to storage area/garage from left and right side		•
Storage area/garage with left and right lowered floor		•
Height-adjustable storage area/garage *only on the M96		*
Heated storage area/garage		•
Storage area LED ceiling light rail		•
External shower with hot and cold water	1	RHD PACK
STYLE		
NACARAT (with solid maple wood) or DUNA furniture		•
White gloss overhead cupboard doors		•
Cab bed bottom with stitched TEP* design and LED lights		•
Cab bed skirt with embroidered RAPIDO pattern		•
Fabric/TEP* upholstery: MANCHESTER, MONTREAL, PARIS, MILAN and TORONTO		•
Leather upholstery: AUSTIN	8	○
Eyelet net curtains on rods		•
Living room and bedroom indirect lighting dimmer		•
LIVING ROOM		
High density resistant foam on living room seats		•
Magnetic bench seat backs		•
Laminated table with solid wood moulding (NACARAT) or 3D duo veneer edges (DUNA)		•
Folding table		•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 805 L x 500 H x 70 D		•
Built in TV unit with backlighting and storage		•
Speakers in the living area		•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•
3 assorted cushions to living room style		•
Day/night partition		•
3-point retractable safety belts (cab and living space)	2+2	•
Face-to-face bench seat armrests		•
Internal living area lighting		LED
Ambience lighting in the living room/kitchen/bedroom		LED
Living area and cab carpet kit	11	RHD PACK
KITCHEN		
Laminated worktop		•
Worktop extension		•
Lighting under the bench		LED
Backlit kitchen window cladding with built in spice rack		•
Kitchen unit drawers with glossy white fronts		•
Self-closing drawers with electric central locking		•
Chromed brass kitchen tap with ceramic cartridge		•
2-burner stainless steel stove with separate black covers and piezo ignition		•
3-burner stainless steel stove with separate black covers and piezo ignition		RHD PACK
Refrigerator with double hinge door (left or right opening)		•
Extra-deep fridge		•
Refrigerator grill covers (for winter use)		•
Stylish extractor hood with touch control façade		P
25-litre oven with grill	21	RHD PACK
BATHROOM		
Chrome finish bathroom accessories		•
Central XXL bathroom with double partition		•
Shower column with slate grey Plexiglas finish and customisable backlighting		•
Independent shower		•
Water-saving shower head (-22%)		•
Clothes drying rack		•
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		•
Camping toilet with removable tank, telescopic handle and castors		•
Quick-clean thermoformed toilet cassette compartment		•

M66

M96

BEDROOM	WEIGHT (KG)	
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack *only on the M96		*
Backlit wall-mounted wardrobes with push lock system *only on the M96		*
Storage drawer on foot of central bed *only on the M96		*
Side storage alcoves with USB plugs and 12 V outlet *only on the M96		*
Fabric-covered backlit headboard		•
Reclinable headboard on permanent bed *only on the M96		*
Retractable central bed base *only on the M96		*
Raisable footboard for easier wardrobe access (high twin beds) *only on the M66		*
Mattress topper with memory foam on permanent bed	6	○
4 assorted cushions to bedroom style		•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•
ENERGY & COMFORT		
« Maintenance-free » leisure battery with coupler and separator (100 Ah)		•
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)	24	RHD PACK
LITHIUM battery setup - SUPER B READY		•
90Ah SUPER B EPSILON LITHIUM-leisure battery	-10	○
Second 90Ah SUPER B EPSILON LITHIUM-leisure battery (total capacity = 180 Ah, requires LITHIUM first leisure battery)	13	○
92Ah AGM leisure battery	3	○
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	○
« Coming-home » mode with automatic awning light and electric entry step		•
Living area entry step backlighting when door opens		•
Digital control panel		•
NOVABOX: Better access to service area		•
Centralised Fuse box with protected « accessories » exits		•
External 230 V connection		•
Internal 230 V plug		6
Internal 12 V plug		6
Internal 5V USB port		9
Automatic inverter with anti-crash system, enabling you to travel with the heating on		•
Solar panel wiring setup		•
Centralised water distribution (access to all fittings)		•
EQUIPMENT OF THE CARRIER		
2.2-litre 143 hp engine		•
2.2-litre 170 hp engine (weight of 170 hp/143 hp)	10	○
Stop & Start		•
AdBlue® tank (litres)		22
65 L diesel tank		•
92 L diesel tank *as standard for HEAVY chassis		*
Fuel filter and water separator		P
Automatic 9-speed gearbox: 9G TRONIC	30	○
Electric parking brake		P
Heavy chassis = GVW 4,5 T (143 hp/170 hp)	40	○
ABS (anti-lock brake system), ASR (traction control), EBV (electronic braking variator) and ESP (electronic stability programme)		•
MERCEDES engine compartment insulation and cladding under engine		•
Hill start assistance		•
DISTRONIC active distance control assistant		○
TEMPOMAT cruise control with speed limiter		•
Driver and passenger air bags		•
Engine cold start assistance (Blow-by)		•
Engine immobiliser		•
TPMS (automatic tyre pressure monitoring system)		○
2nd remote key		•
Keyless start		P
LED day running lights		•
100% LED front lights		○
Fog lights		P
Automatic headlights		P
Bus-style wing mirrors: electric, de-icing, double-view (Fixed wide angle lens)/two-tone		•
Reinforced front axle suspension		•
Independent rear wheel suspension (AL-KO)		•
Stabilising jacks at the back or in the wheelbase	5	RHD PACK
Stabilising jacks HEAVY model specifics *as standard for HEAVY chassis		*
Stability system in the event of cross winds		P
16" steel rims		•
16" light alloy MERCEDES rims	2	○
17" light alloy MERCEDES rims *option for HEAVY chassis	-4	*
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		53
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		100
Motorcycle carrier [A] (option weight ± 5 kg)		65
Fix and go kit		•
EQUIPMENT OF THE CAB		
Driver door with electric windows		•
Driver door with 2-point locking		P
Cab seats height adjustable		•
Embroidered cab headrest covers (embossed for leather upholstery)		•**
AGUT1 rotating cab seats in fabric matching the living area		•
Cup holder		•
Fold-down lids on central and side coin trays		P
MERCEDES MBUX 10.25" multimedia system with GPS navigation and DAB technology		P
Semi-automatic TEMPOMATIC cab air conditioning		P
THERMOTRONIC automatic cab air conditioning	2	○
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•
Black thermoformed dashboard		•
Chrome-ringed instruments		•
Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox)		P
Rear view camera with control screen built into the dashboard		P
Height- and angle-adjustable multi-function steering wheel		P
Mechanical wind-down sunshade		•
Tinted windows		•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P
Winter exterior insulation	5	○
Double-glazed side bays in cab (except driver's door)	10	○
Without cab bed, with retractable table leg for bed position		○

* TEP: Polyamide-coated fabric. ** PARIS and AUSTIN atmosphere exclusively. [A] Possible reduction in registered seats. [B] See back page.

• = Standard, ○ = Option, P = M Pack

PACKS (option)

SELECT PACK : Series C, 6F and 8F | SELECT + PACK : Serie 80dF

- Rear view camera with night vision
- DAB KENWOOD® multimedia system with 6,8" screen **(C, 6F, 8F)**
- DAB KENWOOD® multimedia system with 6,8" screen and APPLE CAR PLAY/ ANDROID AUTO functions **(80dF)**
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control **(80dF)**
- Electric de-frosting wing mirrors
- Height-adjustable cab seats
- Thermal flap blinds for cab doors and runner blinds for windscreen **(C, 6F)**
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) **(8F, 80dF)**
- Living area door with 2-point locking, fixed window **(C)**
- Living area door with 2-point locking, fixed window and inbuilt bin **(6F, 8F, 80dF)**
- Driver's door with 2-point locking **(8F, 80dF)**
- Living area door flyscreen
- 2nd remote key
- Second living-area battery **(C)**
- Automatic Duo Control gas inverter **(6F, 8F, 80dF)**

EXECUTIVE PACK : Serie DISTINCTION

- Rear view camera with night vision (Double view **on i10**)
- DAB KENWOOD® multimedia system with 6,8" screen and APPLE CAR PLAY/ANDROID AUTO functions
- IBS: display showing the remaining battery time left
- Driver's door with 2-point locking
- Memory foam mattress topper on permanent bed
- Leather steering wheel and gear knob
- KENWOOD® radio controls on steering wheel
- Radio remote control (on/off, volume and stations) from the bed
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (electric **on i10**)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control
- Fog lights
- Stabilising jacks at the back or in the wheelbase
- Chrome-ringed instruments
- 2nd remote key

M PACK : Serie M

- MERCEDES MBUX 10,25" Multimedia system with GPS navigation and DAB technology
- Height- and angle-adjustable multi-function steering wheel
- Rear view camera with control screen built into the dashboard
- Semi-automatic TEMPMATIC cab air conditioning
- Leather steering wheel and gear knob (only leather steering wheel for automatic gearboxes)
- Fold-down lids on central and side coin trays
- Electric parking brake
- Fog lights
- Automatic headlights
- Stability system in the event of cross winds
- Keyless start
- Fuel filter and water separator
- Driver's door with 2-point locking
- Stylish extractor hood with touch control façade
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)

RAPIDO
www.rapido.fr

414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. +33 2 43 30 10 70 - FAX +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation: $MPM = (D \times T \times 1000) / [(T \times 9,81) - (1000 \times D)]$, with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.