


LIVE, TRAVEL AND RECONNECT

60 YEARS OF FRENCH CHARM & EXPERTISE



LOW-PROFILE









SERIE C



SERIE 6F*



SERIE 8F



COMPACT LOW-PROFILE MODELS WITH SPECIAL FIAT CHASSIS

LOW-PROFILE MODELS WITH SPECIAL FIAT CHASSIS & EXTRA-WIDE REAR TRACK

A-CLASS MODELS WITH FIAT CHASSIS & EXTRA-WIDE REAR TRACK

ELECTRIC HEIGHT-ADJUSTABLE CENTRAL BED WITH LARGE STORAGE AREA/GARAGE

Not available on C56 or 656F









886F 7,20 m



C86 6,99 m



686F 7,20 m



896F 7,49 m



696F 7,49 m 20





C55 6,72 m



665F 7,49 m alde as standard







666F 7,49 m 20



866F 7,49 m



CORNER DOUBLE BED

MAIN DROP-DOWN CAB BED









^{*} Drop-down bed available as an option on all Series 6F models.

A-CLASS MODELS







SERIE 80dF



SERIE DISTINCTION ____ SERIE M





A-CLASS MODELS WITH FIAT AL-KO CHASSIS, **EXTRA-WIDE REAR TRACK & STORAGE DOUBLE** FLOOR

A-CLASS MODELS WITH FIAT AL-KO CHASSIS, **EXTRA-WIDE REAR TRACK & STORAGE DOUBLE FLOOR**

A-CLASS MODELS WITH MERCEDES AL-KO CHASSIS, EXTRA-WIDE REAR TRACK & STORAGE DOUBLE FLOOR

8086dF 7,20 m







M96 7,54 m ALDE AS OPTION



8096dF 7,49 m **20** Salde AS OPTION








i1090 8,79 m & ALDE AS STANDARD















i66 7,54 m 20 & ALDE AS STANDARD



i1066 8,79 m ALDE AS STANDARD





SERIE C

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.





High

beds





in the venicle.				
	C50	C55	C56	C86
VEHICLE DIMENSIONS (M)				
Overall length	6,59	6,72	5,99	6,99
Overall width	2,17	2,17	2,17	2,17
Overall « parking » width with rear view mirrors open	2,55	2,55	2,55	2,55
Overall height [A]	2,75	2,75	2,75	2,75
SEATS				
Number of seatbelts	2+2	2+2	2+2	2+2
Number of seats (vehicle certificate)	4	4	4	4
Number of dining seats	5	5	5	4
Sleeping spaces	2+1	2+1	2+1	2+1
WEIGHT				
Gross vehicle weight	LIGHT: 3,5 T / 3,65 T			
Permissible GCW (Gross Combined Weight) [B]	LIGHT: 5,5 T	LIGHT: 5,5 T	LIGHT: 5,5 T	LIGHT: 5,5 T
Mass in running order (MIRO) (kg)	2890	2890	2760	2935
Payload (kg)	610	610	740	565
CHASSIS				
Chassis	FIAT	FIAT	FIAT	FIAT
Engine equipment	2,2 L - 140 hp			
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	3,8	3,8	3,45	4,035
STORAGE AREA/GARAGE (CM, MAXIMUM)				
Width	100	100	110	100
Length	202	202	130	202
Height	88/108	120	64	88/108
Right side access (H x W)	100 x 75	100 x 75	-	100 x 75
Left side access (H x W)	100 x 50	100 x 75	55 x 60	100 x 75
Heated	Yes	Yes	Yes	Yes
HEATING				
Type of heating	Truma Combi 4 DIESEL CP PLUS			
BED SIZES (MM)				
Rear bed	1400 x 1900	800 x 1990 + 800 x 1850	1330 x 2040	1400 x 1960
King size bed extension	-	1370 x 1980	-	-
Extra dinette bed	680/900 x 1880	780/1100 x 1880	780/1100 x 1880	740 x 1930
AUTONOMY (L)				
Capacity of fresh water tank [C]	110/20	110/20	110/20	120/20
Capacity of waste water tank	90	90	90	90

Type of refrigerator

Gas bottle capacity

Refrigerator capacity

Compression

140

1 x 13 kg propane

Compression

85

1 x 13 kg propane

Compression

128

1 x 13 kg propane

Compression

85

1 x 13 kg propane

[[]A] Overall height = +45 mm with 16" wheels
[B] GVW 3500/3650 kg → GCW 5500 kg
[C] Fresh water tank can be filled up to 110 L (120 L for the C86), which results in a lower payload.

EQUIPMENT AND COMFORT

LOW PROFILE

CONSTRUCTION NOVATECH Construction	WEIGHT (KO	•
Impact-resistant polyester panels		•
Impact-resistant polyester roof		•
Polyester floor external protection Floor bodywork with polyurethane		•
Styrofoam® insulation (walls + roof + floor)		•
BODYWORK AND OPENINGS		
White bodywork, skirt and bumpers		•
Living area door with 2-point locking, fixed window Living area door mosquito screen		P
Remote control locking of the cab and living area doors		•
Electric entry step		•
Living area windows with polyurethane frame		•
Double glazed living area windows with blind/fly-screen combination SKYVIEW panoramic roof		•
Large longitudinal living room skylight		•
Large living room skylight with TEP* finish		•
Transparent skylights with fly-screen and blind		•
External lighting above the living area door Aluminium side skirt line		LED
Back panel set-up with inserts for bike rack		•
HEATING		
TRUMA Combi 4 DIESEL heating with CP PLUS control panel		•
TRUMA Combi 6 EH DIESEL (diesel + electricity) heating with CP PLUS control panel & iNet	1	RHD
Floor heating in living area (230 V)	7	0
SKYVIEW heating duct		•
Heated waste water tank	15	RHD PAC
STORAGE Access to storage area/garage from left and right side		
ccess to storage area/garage from left and right side only on the C50, C55 and C86		*
Storage area/garage with left and right lowered floor		
only on the C50, C55 and C86		*
Height-adjustable storage area/garage *only on C50 and C86		*
Storage area LED ceiling light rail		•
NACARAT (with solid maple wood) or BELLAGIO furniture		•
Gloss overhead cupboard doors (BELLAGIO)		0
BONIFACIO fabric upholstery	-	•
FEP* upholstery: MONTREAL, MILAN Leather upholstery: AUSTIN	5 8	0
Curtains		•
LIVING ROOM		
Telescopic table leg/Extra occasional berth		•
Magnetic bench seat backs *only on the C50 and C86 Laminated table with solid wood moulding (NACARAT) or 3D DUO veneer		*
edges (BELLAGIO)		•
Folding table		•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions		•
in mm: 430 L x 550 H x 70 D Spotlight base under everbead curboards with inhuilt USP port and dimmer		•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer 3 assorted cushions to living room style		•
Day/night partition *only on the C50, C55 and C86		*
Height-adjustable headrests *only on the C55 and C56		*
Face-to-face bench seat armrests *only on the C50 and C86 Internal living area lighting		*
Ambience lighting in the living room/kitchen/bedroom		LED
KITCHEN		
Norktop extension		•
Lighting under the bench		LED
Backlit kitchen window cladding with built in spice rack (itchen unit drawers with glossy white fronts		•
Self-closing drawers with electric central locking		•
Sliding storage *only on the C56		*
Cutlery tray		•
Chromed brass kitchen tap with ceramic cartridge Overhanging 2-hob screen-printed glass camping stove with glass cover		•
Built-in cooker hood with LED lighting		•
8-litre oven no grill *only on C86	13	*RHD PAC
23-litre oven with grill *only on C50, C55 and C56	22	*RHD PAC
BATHROOM Jigh storage unit with mirror		•
High storage unit with mirror Central XXL bathroom with double partition *only on the C50 and C86		*
ndependent shower *only on the C50 and C86		*
Shower column with slate grey Plexiglas finish		•
DUO'SPACE for optimised spaces *only on the C50 and C55		*
Nater-saving shower head Clothes drying rack		•
Stainless steel basin with brass mixer tap and ceramic cartridge		-
*only on the C56		*
White basin with brass mixer tap and ceramic cartridge		*
on the C50 and C55* Thermomoulded rectangular basin with brass mixer tap and ceramic		
cartridge *only on the C86		*
		*
Teak-style shower duckboard *only on the C50, C55 and C56		
Teak-style shower duckboard *only on the C50, C55 and C56 Camping toilet with removable tank, telescopic handle and castors Quick-clean thermoformed toilet cassette compartment		•

CSU	Coo	C36 C86		
BEDROOM			WEIGHT (KG)	
Permanent bed with alumi	nium base frame and	active slats, with highly durable BULTEX® foam		•
mattress Permanent height-adjustah	ale hed (≈ 20 cm) adii	stment using hydraulic jack *only on C50 and C86	15	*
		n *only on the C50 and C86	13	*
		utlet *only on the C50 and C86		*
Fabric-covered backlit hea Reclinable headboard on p		on the C86		*
Retractable central bed ba			5	*
		*only on the C50, C55 and C86		*
Mattress topper with mem 4 assorted cushions to bed		ent bed	6	0
		HDMI wiring *only on the C50, C55 and C86		*
ENERGY & COMFORT	as bottom with some	lar and congretor (100 Ab)		
Liquid electrolyte living-ar Second liquid electrolyte liv		uires a liquid electrolyte primary living-area battery)	24	• P
92 Ah AGM leisure battery			6	0
	th automatic awning	light and electric entry step		•
Control panel Speakers in the living area				•
Symphony audio pack				0
Centralised Fuse box with p		es » exits		•
External 230 V connection Internal 230 V plug				5
Internal 12 V plug *4 on C5				5*
Internal 5 V USB port *5 o			- 11	6*
Living area and cab carpet Lino protector kit	NIL		11 2	O
Solar panel wiring setup				•
Centralised water distribut		ngs)	1	RHD PACH
Outside shower with hot ar Outside shower set-up	iu coiu watei		1	RHD PACE
EQUIPMENT OF THE C				
2.2-litre 140 hp FIAT engin			20	•
2.2-litre 160 hp FIAT engin 2.2-litre 180 hp FIAT engin			20	0
ECO PACK: Stop & Start an				•
Base vehicle battery isolat	or switch			0
AdBlue® tank (litres) 75 L diesel tank				19
FIAT automatic 9-speed ge	earbox (requires 16" r	ims)	15/58**	0
Electric parking brake***				0
LIGHT chassis: possibility of ABS braking	of 3.65T GVW			•
	ion (ASR), Roll Over N	Mitigation (ROM), Hill Holder, cross wind assist,		
towing stability control and	d automatic post-coll	ision braking		Р
Traction+ with Hill Descen All season 3PMSF tyres	t Control (helps contr	rol speed downhill)	2	RHD PACE
Cruise control with limiter				0
Emergency braking system				SAFETY PACK
Front windscreen wipers w Driver and passenger air b				SAFETY PACK
TPMS (automatic tyre pres		rem)		0
2nd remote key				Р
Keyless start and lock/unio	ock			0
Glossy black grill Daytime running lights				•
LED day running lights				0
100% LED front lights with Front fog lights with direct		S	1	O RHD PACE
Electric de-frosting side m			1	Р
Dual-view wing mirrors (fix	xed wide angle lens)			•
Stabilising jacks at the bac	k or in the wheelbase		5	RHD PACE
15" steel rims Light alloy FIAT rims: 15"			-5	0
Light alloy FIAT rims: 16" (+			12	Ö
		N limit) [B] (option weight ± 5 kg)		*
*option: 70 on C50/C86 at Fix and go kit	10 65 011 C55/C56			•
EQUIPMENT OF THE C	AB			
Cab door(s) with electric w	rindows			•
Height-adjustable swivel c Cab seats in fabric matchir		table armrests		P
3-point retractable safety		space)		2+2
Embroidered cab headrest	covers (embossed fo			•
TOUCH reading spotlight in Cup holder	n cab			•
100% digital dashboard				0
Manual cab air-conditionin				•
Automatic cab air-condition Induction smartphone char			1	0
Leather steering wheel and				RHD PACE
Radio controls on steering			1	RHD PACE
Electric power steering	vetom with 4 OF!!	on and ADDLE CAR DLAV/ANDROID AUTO 6		•
		en and APPLE CAR PLAY/ANDROID AUTO functions th large 9" touch screen, TomTom® GPS		Р
and APPLE CAR PLAY/AND			2	0
Reversing camera with cor	ntrol screen built into	the dashboard		Р
Heated windscreen Dual-pleat thermal windsc	reen and cah window	roller blinds		0 P
Winter exterior insulation	. cen ana cab willuow	Tone, billing	5	0
			-	

^{*} TEP: Polyamide-coated fabric. ** 140 hp: 58 kg, 160/180 hp: 15 kg. *** Check the release date with your dealer.

[[]A] Possible reduction in registered seats. [B] See back page.

SERIE 6F

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.





656F

665F

• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
6,79	7,49
2,35	2,35
2,76	2,76
2,90	2,90
2+2	2+3
4	4*
4	5
2+1	2+1
2+2	2+2+1
LIGHT: 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**
LIGHT: 5,5 T	LIGHT : 5,5 T HEAVY : 6 T
2985	3105
515	395
FIAT	FIAT
2,2 L - 140 hp	2,2 L - 140 hp
EURO 6d-Final	EURO 6d-Final
3,8	4,035
1,98	1,98
87	81
148	265
91	80
75 x 60	55 x 60 + 35 x 65
-	35 x 65
Yes	Yes
Truma Combi 4 CP PLUS	ALDE iNet
	2,35 2,76 2,90 2+2 4 4 4 2+1 2+2 LIGHT: 3,5 T / 3,65 T LIGHT: 5,5 T 2985 515 FIAT 2,2 L - 140 hp EURO 6d-Final 3,8 1,98 87 148 91 75 x 60 - Yes

TIEATING		
Type of heating	Truma Combi 4 CP PLUS	ALDE iNet
BED SIZES (MM)		
Rear bed	1350 x 1950	2 x (760 x 1980)
Extra dinette bed (without drop-down bed)	820/850 x 2080	840/1000 x 2080
Extra dinette bed (with drop-down bed)	-	840/1000 x 1650
Drop-down bed	O 1150/1300 x 1950	O 1150/1300 x 1950
AUTONOMY (L)		
Capacity of fresh water tank [C]	120/20	120/20
Capacity of waste water tank	90	90
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	135	145
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane


^{* 4} registered seats without towing capability / 3 registered seats with towing capability; GVW 3650/4400 kg = 5 registered seats

^{* 4} registered seats without towing capability / 3 registered seats with towing ** HEAVY chassis: GVW = 4400 kg (160 hp/180 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[[]B] GVW 3500 kg \rightarrow GCW 5500 kg ; 3650 kg \rightarrow 5650 kg ; 4400 kg \rightarrow 6000 kg [C] Fresh water tank can be filled up to 120 L, which results in a lower payload.

LOW-PROFILE MODELS WITH SPECIAL FIAT CHASSIS & EXTRA-WIDE REAR TRACK



120/20

90

Absorption

135

2 x 13 kg propane

VEHICLE DIMENSIONS (M)

Number of seats (vehicle certificate)

Sleeping spaces (with drop-down bed option)

Permissible GCW (Gross Combined Weight) [B]

STORAGE AREA/GARAGE (CM, MAXIMUM

Extra dinette bed (without drop-down bed)

Capacity of fresh water tank [C]

Capacity of waste water tank

Type of refrigerator

Refrigerator capacity

Gas bottle capacity

Mass in running order (MIRO) (kg)

Overall length Overall width

Overall height

Number of seatbelts

Sleeping spaces

Number of dining seats

Gross vehicle weight

SEATS

WEIGHT

Payload (kg)

Engine equipment

Wider rear track (m)

Wheelbase (m)

Width

Length

Height

Heated

HEATING

Type of heating BED SIZES (MM)

Drop-down bed AUTONOMY (L)

Anti-pollution standard

Right side access (H x W)

Left side access (H x W)

King size bed extension

CHASSIS Chassis

120/20

90

Absorption

145

2 x 13 kg propane

120/20

90

Absorption

145

2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

SERIE 6F

LOW PROFILE		656F	665F	6665	6865	6966
CONSTRUCTION IOVATECH Construction	WEIGHT (KG	•	•	•	•	•
mpact-resistant polyester panels mpact-resistant polyester roof		•	•	•	•	•
Polyester floor external protection Polyester floor bodywork with polyurethane		•	•	•	•	•
tyrofoam® insulation (walls + roof + floor) SODYWORK AND OPENINGS		•	•	•	•	•
Vhite bodywork, skirt and bumpers		•	•	•	•	•
ab and front bumper in Lanzarote Grey iving area door with 2-point locking, fixed window and inbuilt bin		- P	- P	0 P	- P	0 P
arge living area door L: 540mm 0 EDITION embroidery on living area doormat		-	•	•	-	•
iving area door mosquito screen		P	P	Р	P	Р
Pemote control locking of the cab and living area doors Insulated fixed single step		•	-	-	•	-
nsulated fixed 'L' single step iving area windows with polyurethane frame		-	•	•	-	•
Oouble glazed living area windows with blind/fly-screen combination		•	•	•	•	•
anoramic opening cab roof arge longitudinal living room skylight		•	•	•	•	•
arge living room skylight with TEP* finish Bedroom and living room skylights with backlit TEP* finish		•	•	-	•	-
ransparent skylights with fly-screen and blind		•	•	•	•	•
xternal lighting above the living area door lack panel set-up with inserts for bike rack		LED •	LED	LED •	LED	LED •
IEATING RUMA Combi 4 heating with CP PLUS control panel		•			•	
RUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	RHD PACK		•	RHD PACK	•
Net LDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	-	•	-	-	-
loor heating in living area (230 V) leated waste water tank	7 15	O RHD PACK	O RHD PACK	0	O RHD PACK	0
xternal heating inspection hatch (drain access, maintenance)	15	- RID PACK	• KID PACK	·	- RHD FACK	-
STORAGE access to storage area/garage from left and right side		-		•	•	•
leight-adjustable storage area/garage torage area LED ceiling light rail			-	-	•	•
TYLE						
IACARAT (with solid maple wood) or BELLAGIO furniture Floss overhead cupboard doors (BELLAGIO)		0	0	0	0	0
iving room furniture with back-lit cubby (storage compartments) LED EP* cab edging strip with RAPIDO embroidery and double stitching		•	•	•	•	•
ONIFACIO fabric upholstery		•	•	0	•	0
EP* upholstery: MONTREAL, MILAN eather upholstery: AUSTIN	5 8	0	0	0	0	0
EP* upholstery: 60 EDITION Curtains		•	•	•	-	•
iving room and bedroom indirect lighting dimmer IVING ROOM		-	-	•		•
elescopic table leg/Extra occasional berth (no drop-down bed)		•	•	•	•	•
elescopic table leg/Extra occasional berth (with drop-down bed) Aggnetic bench seat backs		•	•	•	•	•
aminated table with solid wood moulding (NACARAT) or 3D DUO veneer edges (BELLAGIO)	1	•	RHD PACK	•	•	•
lat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		•	•	•	•	•
potlight base under overhead cupboards with inbuilt USB port and dimmer assorted cushions to living room style		•	•	•	•	•
Day/night partition Day/night partition with machined decor		•	-		-	-
leight-adjustable headrests		-	•	-	-	-
ace-to-face bench seat armrests Pight side bench armrest		•	•	-	•	-
nternal living area lighting Imbience lighting in the living room/kitchen/bedroom		LED LED	LED LED	LED LED	LED LED	LED LED
lectrically adjustable, drop-down bed with slat base and BULTEX® mattress	45	0 2 seats	0 2 seats	0 2 seats	O 2 seats	0 2 seats
KITCHEN Vorktop extension		•		•	•	•
Pemovable serving hatch shelf lighting under the bench		- LED	LED	- LED	LED	- LED
lacklit kitchen window cladding with built in spice rack		•	•	•	•	•
itchen unit drawers with glossy white fronts lelf-closing drawers with electric central locking		•	•	•	•	•
ull-height sliding storage cutlery tray		•	-			-
Chromed brass kitchen tap with ceramic cartridge		•	•	•	•	•
l-burner embossed stainless steel stove with separate black covers and piezo ignition I-burner embossed stainless steel stove with separate black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACE
Refrigerator grill covers (for winter use) Built-in cooker hood with LED lighting		•	•	•	:	:
8-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACE
BATHROOM Vashroom storage unit with two mirror doors and frosted RAPIDO logo		-		•		•
ligh storage unit with mirror central XXL bathroom with double partition		•	•		:	-
ndependent shower			-	•	•	•
Aggnetic shower door latches with matte black edge hower column with slate grey Plexiglas finish		•	•	-	•	-
hower column with backlit finish and aluminium-style finish Black shower tray		-	-	•	-	•
Vater-saving shower head		•	•	•	•	•
Clothes drying rack itainless steel basin with brass mixer tap and ceramic cartridge		•	-	-	-	-
hermomoulded rectangular basin with brass mixer tap and ceramic cartridge		-	•	•	•	•
		-	-	•	-	•
aminate basin countertop finish with aluminium-style finish eak-style shower duckboard amping toilet with removable tank, telescopic handle and castors		-	-	•	-	•

LOW PROFILE Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress Permanent height-adjustable bed (≈ 20 cm), adjustment using hydraulic jack 15 Wall-mounted wardrobes with push lock system Storage drawer on foot of central bed Side storage alcoves with USB plugs and 12 V outlet Fabric-covered backlit headboard Reclinable headboard on permanent bed Retractable central bed base Adjustable footboard for easier storage access Mattress topper with memory foam on permanent bed 6 4 assorted cushions to bedroom style ENERGY & COMFORT Liquid electrolyte living-area battery with coupler and separator (100 Ah) Second liquid electrolyte living-area battery (requires a liquid electrolyte primary living-area battery) RHD PACK RHD PACK RHD PACK RHD PACK RHD PACK 92Ah AGM leisure battery Second 92 Ah AGM leisure battery (requires AGM first leisure battery) « Coming home » mode with automatic awning light Speakers in the living area Symphony audio pack 0 0 Inbuilt vacuum cleaner*** Centralised Fuse box with protected « accessories » exits External 230 V connection Internal 230 V plug Internal 12 V plug Internal 5 V USB port Living area and cab carpet kit Lino protector kit 11 RHD PACK RHD PACK RHD PACK RHD PACK RHD PACK Automatic inverter with anti-crash system, enabling you to travel with the heating on Solar panel wiring setup Centralised water distribution (access to all fittings) Outside shower with hot and cold water RHD PACK RHD PACK RHD PACK RHD PACK RHD PACK EQUIPMENT OF THE CARRIER 2.2-litre 140 np FIAT engine (only available for the LIGHT chassis) 2.2-litre 160 hp FIAT engine (weight of 160 hp/140 hp) 2.2-litre 180 np FIAT engine (weight of 180 hp/160 np) ECO PACK: Stop & Start and electronically controlled fuel pump Base vehicle battery isolator switch AdBlue® tank (litres) 20 0 0 0 19 0 19 0 19 0 19 19 Automatic 9-speed gearbox (requires 16" rims) FIAT automatic 9-speed gearbox Electric parking brake**** 15/58** 15/58** 0 0 LIGHT chassis: possibility of 3.65T GVW Heavy chassis = GVW 4,4 T (160 hp/180 hp) 40 0 ABS braking ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking Traction+ with Hill Descent Control (helps control speed downhill) Р P Р Р Р RHD PACK RHD PACK RHD PACK RHD PACK RHD PACK All season 3PMSF tyres Cruise control with limiter Emergency braking system SAFETY PACK SAFFTY PACE SAFETY PACE SAFFTY PACE SAFFTY PACK Front windscreen wipers with rain sensor Driver and passenger air bags TPMS (automatic tyre pressure monitoring system) SAFETY PACH SAFETY PACK SAFETY PACK SAFETY PACK SAFETY PACK 2nd remote key Keyless start and lock/unlock Glossy black grill Daytime running lights LED day running lights 100% LED front lights with sequential indicators**** Front fog lights with directional lighting RHD PACK RHD PACK RHD PACK RHD PACK RHD PACK Electric de-frosting side mirrors Dual-view wing mirrors (fixed wide angle lens) Stabilising jacks at the back or in the wheelbase 15" steel rims Light alloy FIAT rims: 15" 5 RHD PACK RHD PACK RHD PACK RHD PACK RHD PACK Light alloy FIAT rims: 15" Light alloy FIAT rims: 16" (+4.5 cm vehicle height) Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg) 0 70 0 70 0 65 070 070 EQUIPMENT OF THE CAB Cab door(s) with electric windows Height-adjustable swivel cab seats with 2 adjustable armrests Cab seats in fabric matching the living area 3-point retractable safety belts (cab and living space) 2+2 2+2 2+2 Embroidered cab headrest covers (embossed for leather upholstery) TOUCH reading spotlight in cab Cup holder 100% digital dashboard Manual cab air-conditioning O/PCONNECT***** O/PCONNECT***** O/PCONNECT***** O/PCONNECT***** Automatic cab air-conditioning Induction smartphone charger Leather steering wheel and gear knob P CONNECT**** P CONNECT**** 0 P CONNECT**** O P CONNECT**** P CONNECT**** RHD PACK RHD PACK RHD PACK RHD PACK Radio controls on steering wheel Electric power steering wheel Electric power steering DAB ALPINE® multimedia system with 6,95" screen and APPLE CAR PLAY/ANDROID AUTO functions DAB ALPINE® multimedia navigation system with large 9" touch screen, TomTom® GPS and APPLE CAR PLAY/ANDROID AUTO functions RHD PACK RHD PACK RHD PACK RHD PACK RHD PACK O/PMACADAM/ O/PMACADAM/ O/PMACADAM/ O/PMACADAM/ O/PMACADAM/ PCONNECT***** PCONNECT***** PCONNECT***** PCONNECT***** Reversing camera with control screen built into the dashboard Heated windscreen 0 P Dual-pleat thermal windscreen and cab window roller blinds Winter exterior insulation

^{** 140} hp: 58 kg, 160/180 hp: 15 kg.

^{***} Operates on 230 V only.

*** Check the release date with your dealer.

^{*****} Not available for right hand drive.

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

SERIE 8F

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.





	854F	855F
VEHICLE DIMENSIONS (M)		
Overall length	6,70	6,79
Overall width	2,35	2,35
Overall « parking » width with rear view mirrors open	2,76	2,76
Overall height [A]	2,89	2,89
SEATS		
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	4	4
Number of dining seats	7	5
Sleeping spaces	2+2	2+2
Sleeping spaces (with drop-down bed option)	2+2+2	-
Sleeping spaces (« no cab bed » option)	-	2
WEIGHT		
Gross vehicle weight	LIGHT: 3,5 T / 3,65 T	LIGHT: 3,5 T / 3,65 T
Permissible GCW (Gross Combined Weight) [B]	LIGHT: 5,5 T	LIGHT: 5,5 T
Mass in running order (MIRO) (kg)	3050	3055
Payload (kg)	450	445
CHASSIS		
Chassis	FIAT	FIAT
Engine equipment	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,035	3,8
Wider rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM, MAXIMUM)		
Width	58	114
Length	217	217
Height	120	120
Right side access (H x W)	110 x 61	110 x 87
Left side access (H x W)	66 x 36	70 x 87
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS

Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZES (MM)		
Rear bed	-	850 x 1940 + 850 x 2040
King size bed extension	-	1370 x 2060
Extra dinette bed	1500 x 2000	-
Drop-down bed	O 1400 x 1950	-
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (L)		
Capacity of fresh water tank [C]	120/20	120/20
Capacity of waste water tank	120	120
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	128	91
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

- $GVW\,3500\ kg=4\ registered\ seats\ without\ towing\ capability,\ (except\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ with\ towing\ capability,\ or\ 140\ hp\ Automatic\ gearbox)\ /\ 3\ registered\ seats\ seats$
- * GVW 3500 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability, or 140 hp Automatic gearbox, GVW 3650/4400 kg = 4 registered seats / 3 registered seats in 140 hp automatic gearbox; GVW 3650/4400 kg = 4 registered seats in 140 hp manual gearbox, or 160 hp/180 hp without towing capability / 3 registered seats with 140 hp automatic gearbox, or 160 hp/180 hp with towing capability; GVW 3650/4400 kg = 4 registered seats

 **** HEAVY chassis: GVW = 4400 kg (160 hp/180 hp) (option at additional cost)

 [A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

- GVW 3500 kg \rightarrow GCW 5500 kg; 3650 kg \rightarrow 5650 kg; 4400 kg \rightarrow 6000 kg
- [C] Fresh water tank can be filled up to 120 L, which results in a lower payload.

A-CLASS MODELS WITH FIAT CHASSIS & EXTRA-WIDE REAR TRACK









	866F	886F	896F
VEHICLE DIMENSIONS (M)			
Overall length	7,49	7,20	7,49
Overall width	2,35	2,35	2,35
Overall « parking » width with rear view mirrors open	2,76	2,76	2,76
Overall height [A]	2,89	2,89	2,89
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4*	4**	4***
Number of dining seats	5	4	5
Sleeping spaces	2+2	2+2	2+2
Sleeping spaces (« no cab bed » option)	2+1	2 + 1	2+1
WEIGHT			
Gross vehicle weight	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****
Permissible GCW (Gross Combined Weight) [B]	LIGHT: 5,5 T HEAVY: 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Mass in running order (MIRO) (kg)	3120	3065	3100
Payload (kg)	380	435	400
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment	2,2 L - 140 hp	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final	EURO 6d-Final
Vheelbase (m)	4,035	4,035	4,035
Nider rear track (m)	1,98	1,98	1,98
STORAGE AREA/GARAGE (CM, MAXIMUM)			
Vidth	114	114	114
ength	217	217	217
Height	126	84/114	84/114
Right side access (H x W)	110 x 87	110 x 87	110 x 87
Left side access (H x W)	85 x 87	70 x 87	70 x 87
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZES (MM)			
Rear bed	2 x (850 x 2050)	1500 x 1940	1600 x 1960
King size bed extension	1370 x 2060	-	-
extra dinette bed (« no cab bed » option)	980/1100 x 2085	840/900 x 2085	980/1100 x 2085
Overcab drop-down bed	1400 x 1910	1400 x 1910	1400 x 1910
AUTONOMY (L)			
Capacity of fresh water tank [C]	120/20	120/20	120/20
Capacity of waste water tank	120	120	120
Type of refrigerator	Absorption	Absorption	Absorption
Refrigerator capacity	145	135	145
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane

SERIE 8F

A-CLASS		854F	855F	866F	8865	898,
CONSTRUCTION IOVATECH Construction	WEIGHT (KG	•	•	•	•	•
mpact-resistant polyester panels mpact-resistant polyester roof		•	•	•	•	•
Polyester floor external protection Polyester floor bodywork with polyurethane		•	•	•	•	•
tyrofoam® insulation (walls + roof + floor)		•	•	•	•	•
BODYWORK AND OPENINGS White bodywork, skirt and bumpers		•	•	•	•	•
iving area door with 2-point locking, fixed window and inbuilt bin arge living area door L: 540mm		P -	P -	P •	P -	P •
iving area door mosquito screen Remote control locking of the cab and living area doors		P	P	P	P	P
nsulated fixed single step		•	•	-	•	-
nsulated fixed 'L' single step Hectric entry step		•	•	•	•	•
iving area windows with polyurethane frame Oouble glazed living area windows with blind/fly-screen combination		•	•	•	•	•
arge longitudinal living room skylight arge living room skylight with TEP* finish		•	•	•	•	•
ransparent skylights with fly-screen and blind		•	•	•	•	•
ab bed skylight xternal lighting above the living area door		LED	LED	• LED	LED	LED
lack panel set-up with inserts for bike rack		•	•	•	•	•
RUMA Combi 6 heating with CP PLUS control panel RUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	• RHD PACK	RHD PACK	• RHD PACK	RHD PACK	RHD PAC
loor heating in living area (230 V)	7	0	0	0	0	0
dditional Webasto 2kW fuel-powered cab heating leated waste water tank	8	0	0	0	0	0
STORAGE nternal underfloor storage boxes (volume in litres)		_	80	110	110	110
dditional storage space in the right-hand living room bench seat		•	-	-	-	-
XL wardrobe liding external storage drawer (volume = 45 L; max. load = 25 kg)	18	0	0	- 0	- 0	- 0
ccess to storage area/garage from left and right side leight-adjustable storage area/garage		•	•	•	•	•
torage area LED ceiling light rail		•	•	•	•	•
ACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•
loss overhead cupboard doors (BELLAGIO) iving room furniture with back-lit cubby (storage compartments) LED		0	0	0	0	0
ab bed bottom with stitched TEP* design and LED lights IONIFACIO fabric upholstery		•**	•	•	•	•
EP* upholstery: MONTREAL, MILAN	5	-	0	0	0	0
EP* upholstery: MILAN eather upholstery: AUSTIN	5 8	0**	0	0	0	0
Curtains IVING ROOM		•	•	•	•	•
Aggnetic bench seat backs aminated table with solid wood moulding (NACARAT) or 3D DUO veneer edges (BELLAGIO)		•	•	•	•	•
olding table		•	•	•	•	•
lat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 430 L x 550 H x 70 D lat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		-	-	•	•	•
potlight base under overhead cupboards with inbuilt USB port and dimmer assorted cushions to living room style		•	•	•	•	•
arge rear living room with chaise longue		-	-:	-		-
Day/night partition Day/night partition with machined decor		-	•	•	•	•
leight-adjustable headrests ace-to-face bench seat armrests		-	•	•	•	•
nternal living area lighting Imbience lighting in the living room/kitchen/bedroom		LED LED	LED LED	LED LED	LED LED	LED LED
lectrically adjustable, drop-down bed with slat base and BULTEX® mattress	45	0 2 seats	- LED	-	- LED	-
ITCHEN /orktop extension		-	•	•	•	•
emovable serving hatch shelf ighting under the bench		• LED	LED	- LED	- LED	- LED
acklit kitchen window cladding with built in spice rack		•	•	•	•	•
itchen unit drawers with glossy white fronts elf-closing drawers with electric central locking		•	•	•	•	•
lide-out storage with towel holder ull-height sliding storage		•	-	-	-	-
utlery tray hromed brass kitchen tap with ceramic cartridge		•	-:	•	•	•
-burner embossed stainless steel stove with separate black covers and piezo ignition		•	•	•	•	•
-burner embossed stainless steel stove with separate black covers and piezo ignition efrigerator with double hinge door (left or right opening)		RHD PACK -	RHD PACK	RHD PACK -	RHD PACK	RHD PAC
lefrigerator grill covers (for winter use) Juilt-in cooker hood with LED lighting		•	•	•	•	•
3.1 litre oven with grill 8-litre oven with grill	22	-	RHD PACK	-	-	- RHD PAC
ATHROOM	15	RHD PACK		RHD PACK	RHD PACK	
ligh storage unit with mirror entral XXL bathroom with double partition		-	•	•	•	•
ndependent shower hower column with slate grey Plexiglas finish		-	•	•	•	•
UO'SPACE for optimised spaces		•	•	-	-	-
/ater-saving shower head lothes drying rack		•	•	•	•	•
/hite basin with brass mixer tap and ceramic cartridge		•	•	-	-	-
		_	_	•	•	
hermomoulded rectangular basin with brass mixer tap and ceramic cartridge eak-style shower duckboard amping toilet with removable tank, telescopic handle and castors		•	•	-	-	-

A-CLASS		854F	8558	866F	8865	8968
EEDROOM Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress	WEIGHT (KG)	-	•	•	•	•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack Vall-mounted wardrobes with push lock system	15	-	-	-	•	•
Side storage alcoves with USB plugs and 12 V outlet Fabric-covered backlit headboard			-	-	•	•
Reclinable headboard on permanent bed		-	-	-	•	•
Retractable central bed base Adjustable footboard for easier storage access		-	-	-	•	•
Mattress topper with memory foam on permanent bed	6	-	0	0	0	0
Hassorted cushions to bedroom style Second TV space in bedroom with 12V/coaxial/HDMI wiring		-	•	•	•	•
ENERGY & COMFORT		_	,		·	•
iquid electrolyte living-area battery with coupler and separator (100 Ah). Second liquid electrolyte living-area battery (requires a liquid electrolyte primary living-area battery)	24	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
22Ah AGM leisure battery	3	0	0	0	0	0
Second 92 Ah AGM leisure battery (requires AGM first leisure battery) Coming-home » mode with automatic awning light and electric entry step	27	0	0	0	0	0
Control panel		•	•	•	•	•
Speakers in the living area		•	•	•	•	•
Symphony audio pack Centralised Fuse box with protected « accessories » exits		0	•	0	•	0
External 230 V connection		•	•	•	•	•
nternal 230 V plug nternal 12 V plug		5 4	5	4 5	5	5
nternal 5V USB port		6	6	6	6	6
.iving area and cab carpet kit .ino protector kit	11 2	RHD PACK O	RHD PACK O	RHD PACK O	RHD PACK O	RHD PACK O
ano protector kit Nutomatic inverter with anti-crash system, enabling you to travel with the heating on		P	P	P	P	P
Solar panel wiring setup		•	•	•	•	•
Centralised water distribution (access to all fittings) Dutside shower with hot and cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Dutside shower set-up		•	•	•	•	•
EQUIPMENT OF THE CARRIER 2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis)		•	•	•	•	•
.2-litre 160 hp FIAT engine (weight of 160 hp/140 hp)	20	0	0	0	0	0
.2-litre 180 hp FIAT engine (weight of 180 hp/160 hp) CO PACK: Stop & Start and electronically controlled fuel pump		0	0	0	0	0
ase vehicle battery isolator switch		0	0	0	0	0
dBlue® tank (litres)		19	19	19	19	19
5 L diesel tank IAT automatic 9-speed gearbox (requires 16" rims)	15/58***	0	0	0	0	0
lectric parking brake****	10,00	0	0	0	0	0
.IGHT chassis: possibility of 3.65T GVW Heavy chassis = GVW 4,4 T (160 hp/180 hp)	40	•	•	0	0	0
BS braking	40	•	•	•	•	•
SC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability		Р	Р	Р	Р	Р
ontrol and automatic post-collision braking raction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
All season 3PMSF tyres		0	0	0	0	0
Cruise control with limiter Oriver and passenger air bags		•	•	•	•	•
PMS (automatic tyre pressure monitoring system)		0	0	0	0	0
2nd remote key .ED day running lights		P	P	P	P	P •
ront fog lights	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Clectric de-frosting side mirrors Bus-style wing mirrors		P	P	P	P	P
Dual-view wing mirrors (fixed wide angle lens)		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
tabilising jacks at the back or in the wheelbase	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
5" steel rims ight alloy FIAT rims: 15"	-5	0	0	0	0	0
ight alloy FIAT rims: 16" (+4.5 cm vehicle height)	12	0	0	0	0	0
ow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg) ix and go kit		0 65	0 70	0 70	0 70	0 70
QUIPMENT OF THE CAB						
river door with electric windows river door with 2-point locking		P	P	• P	• P	• P
leight-adjustable swivel cab seats with 2 adjustable armrests		P	P	P	P	P
ab seats with built-in seatbelts		•	•	•	•	•
ab seats in fabric matching the living area -point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2
mbroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•
up holder 00% digital dashboard		0	0	0	0	0
lanual cab air-conditioning		•	•	•	•	•
utomatic cab air-conditioning Iduction smartphone charger	1				O / P CONNECT****	
ack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•	•	•
entral locking on cab bed hermoformed dashboard in black leather-like finish		•	•	•	•	•
eather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
adio controls on steering wheel	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
lectric power steering DAB ALPINE® multimedia system with 6,95" screen and APPLE CAR PLAY/ANDROID AUTO functions		• P	• P	• P	• P	• P
DAB ALPINE® multimedia navigation system with large 9" touch screen, TomTom® GPS and APPLE CAR PLAY/	2	O / P MACADAM /	O / P MACADAN			
NDROID AUTO functions Reversing camera with control screen built into the dashboard		P CONNECT****	P CONNECT****	P CONNECT****	P CONNECT****	P CONNECT***
hermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P	P	P	P	P
Vinter exterior insulation Double-glazed side bays in cab (except driver's door)	5	0	0	0	0	0
	10	0	0	0	0	0

^{*** 140} hp: 58 kg, 160/180 hp: 15 kg. **** Check the release date with your dealer. ***** Not available for right hand drive.

SERIE 80dF

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.





Absorption

156

2 x 13 kg propane

	8065dF	8066dF
VEHICLE DIMENSIONS (M)		
Overall length	7.49	7,49
Overall width	2,35	2,35
Overall « parking » width with rear view mirrors open	2,76	2,76
Overall height	2,89 [A]	2.94
SEATS	2,07 [A]	2,71
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	3*	4**
Number of dining seats	5	5
Sleeping spaces	2+2	2+2
Sleeping spaces (« no cab bed » option)	2+1	2+2 2+1
	2+1	Z+1
WEIGHT	110117 0 5 7 40 45 7	LIQUE OF TAXABLE
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in running order (MIRO) (kg)	3170	3125
Payload (kg)	330	375
CHASSIS		
Chassis	FIAT AL-KO	FIAT AL-KO
Engine equipment	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,3	4,3
Wider rear track (m)	1.98	1.98
STORAGE DOUBLE FLOOR (CM)	1,70	1,70
Internal dimensions of main storage	(17,5 - 20) x (55 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Right side access (H x W)	23 x 47 + 23 x 47	23 x 47 + 23 x 62
Left side access (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM, MAXIMUM)	165	les
Width	114	114
Length	217	217
Height	93	119
Right side access (H x W)	72 x 89	112 x 89
Left side access (H x W)	23 x 89	112 x 89
Heated		
HEATING	Yes	Yes
	ALDE Met	Truma Cambi C FU CD DUUS 8 :Not / ODTION ALDE 8 :Not
Type of heating BED SIZES (MM)	ALDE iNet	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet
	2 (7/.0 1000)	2 (0.50 20.50)
Rear bed	2 x (760 x 1980)	2 x (850 x 2050)
King size bed extension	070 //220 2005	1370 x 2060
Extra dinette bed (« no cab bed » option)	870/1230 x 2085	900/1100 x 2085
Overcab drop-down bed AUTONOMY (L)	1400 x 1910	1400 x 1910
Capacity of fresh water tank [C]	130/20	130/20
Capacity of waste water tank	110	110

GVW~3500~kg=3~registered~seats~manual~gearbox,~or~automatic~gearbox~without~towing~capability~/~2~registered~seats~Automatic~gearbox~with~towing~capability~;~GVW~3650/4400~kg=4~registered~seats~manual~gearbox~with~towing~capability~,

Absorption

156

2 x 13 kg propane

- GVW 3500 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability; 140 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability; GVW 3650/4400 kg = 4 registered seats GVW 3500 kg = 4 registered seats, except 140 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability; 160 hp/180 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability; 160 hp/180 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability; 160 hp/180 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability; 3 hp/180 hp/
- 4 registered seats without towing capability, 3 registered seats with towing capability; GVW 3650/4400 kg = 4 registered seats
- **** HEAVY chassis: GVW = 4400 kg (160 hp/180 hp) (option at additional cost)

 [A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels
- GVW 3500/3650 kg → GCW 5500 kg; 4400 kg → 6000 kg
- Fresh water tank can be filled up to 130 L, which results in a lower payload.

Type of refrigerator

Gas bottle capacity

Refrigerator capacity

A-CLASS MODELS WITH FIAT AL-KO CHASSIS, EXTRA-WIDE REAR TRACK AND STORAGE DOUBLE FLOOR









OUSCAL

	8086dF	8096dF
VEHICLE DIMENSIONS (M)	•	•
Overall length	7,20	7,49
Overall width	2,35	2,35
Overall « parking » width with rear view mirrors open	2,76	2,76
Overall height	2,89 [A]	2,94
SEATS		
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	4***	4**
Number of dining seats	4	5
Sleeping spaces	2+2	2+2
Sleeping spaces (« no cab bed » option)	2+1	2+1
WEIGHT		
Gross vehicle weight	LIGHT: 3,5 / 3,65 T	LIGHT: 3,5 T / 3,65 T
oross venicle weight	HEAVY: 4,4 T***	HEAVY: 4,4 T***
Permissible GCW (Gross Combined Weight) [B]	LIGHT: 5,5 T	LIGHT: 5,5 T
remissible och (oross combined weight) [b]	HEAVY: 6 T	HEAVY: 6 T
Mass in running order (MIRO) (kg)	3085	3125
Payload (kg)	415	375
CHASSIS Chassis	FIAT AL-KO	FIAT AL-KO
	2,2 L - 140 hp	2,2 L - 140 hp
Engine equipment Anti-pollution standard	EURO 6d-Final	2,2 L - 140 lip EURO 6d-Final
Wheelbase (m)	4,035	4,3
Wider rear track (m)	1,98	4,3 1,98
STORAGE DOUBLE FLOOR (CM)	1,70	1,70
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Right side access (H x W)	23 x 47 + 23 x 37	23 x 47 + 23 x 62
Left side access (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM, MAXIMUM)		
Width	114	114
Length	217	217
Height	89/119	89/119
Right side access (H x W)	117 x 89	117 x 89
Left side access (H x W)	112 x 89	112 x 89
Heated	Yes	Yes
HEATING	163	163
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)	Traina combre er 1 200	rama dembre zir er i zed amer, er nem zez amer
Rear bed		
	1500 x 1940	1600 x 1960
Extra dinette bed (« no cab bed » option)	1500 x 1940 840/900 x 2085	1600 x 1960 900/1100 x 2085
	840/900 x 2085	900/1100 x 2085
Overcab drop-down bed		
Overcab drop-down bed AUTONOMY (L)	840/900 x 2085	900/1100 x 2085 1400 x 1910
Overcab drop-down bed AUTONOMY (L) Capacity of fresh water tank [C]	840/900 x 2085 1400 x 1910	900/1100 x 2085
Overcab drop-down bed AUTONOMY (L) Capacity of fresh water tank [C] Capacity of waste water tank	840/900 x 2085 1400 x 1910 130/20 110	900/1100 x 2085 1400 x 1910 130/20 110
Extra dinette bed (« no cab bed » option) Overcab drop-down bed AUTONOMY (L) Capacity of fresh water tank [C] Capacity of waste water tank Type of refrigerator Refrigerator capacity	840/900 x 2085 1400 x 1910 130/20	900/1100 x 2085 1400 x 1910 130/20

SERIE 80dF

	80659	80669	80869	80%
WEIGHT (KG)	•	•	•	•
	•	•	•	•
	•	•	•	•
	•	•	•	•
	•	•	•	•
	•	•	•	•
	Р	Р	Р	Р
	•	•	-	•
	Р	Р	Р	P
	-	-	•	-
	•	•	:	•
	•	•	•	:
	•	•	•	•
	•	•	•	•
	•	-	•	-
	LED	LED	LED	LED
	•	•	•	•
	-	-	•	
1	-	•	RHD PACK	•
65	•	0	-	0
Ω	•	•	•	0
	-	•	•	•
8	0	0	0	0
	•	•	•	•
	•	•	•	•
	•	•	•	•
	•	•	•	·
	•	•	•	•
	-	•		•
	•	•	•	0
	•	-	•	-
	•	0	•	0
5	0	0	0	0
8	-	•	-	O
	•	•	•	•
	-	•	-	•
	•	•	•	•
	•	•	•	•
	<u>-</u>	-	•	•
	•	•	•	•
	•	•	•	•
	•	•	•	•
				LED LED
	•	•	•	•
		•	•	•
	•	•	•	•
	•	•	•	•
	•	•	•	•
	•	RHD PACK	RHD PACK	RHD PACK
	•	•	•	RHD PACK
15	•	RHD PACK	RHD PACK	RHD PACK
15	RHD PACK RHD PACK	RHD PACK	RHD PACK - RHD PACK	RHD PACK
15	RHD PACK	RHD PACK	RHD PACK	RHD PACK
15	RHD PACK	RHD PACK RHD PACK RHD PACK	RHD PACK - RHD PACK	RHD PACK
15	RHD PACK RHD PACK	RHD PACK RHD PACK RHD PACK	RHD PACK RHD PACK	RHD PACK
15	RHD PACK RHD PACK	RHD PACK RHD PACK RHD PACK	RHD PACK RHD PACK	RHD PACK
15	RHD PACK RHD PACK	RHD PACK RHD PACK RHD PACK	RHD PACK RHD PACK - - - - - - - - - - - - -	RHD PACK RHD PACK
15	RHD PACK RHD PACK	RHD PACK RHD PACK RHD PACK	RHD PACK RHD PACK	RHD PACK
15	RHD PACK RHD PACK	RHD PACK RHD PACK THO PACK O O O O O O O O O O O O O	RHD PACK - RHD PACK	RHD PACK
15	RHD PACK RHD PACK	RHD PACK RHD PACK RHD PACK	RHD PACK - RHD PACK	RHD PACK
	1 65 8 8	O	WEIGHT (KG)	WEIGHT (KG)

A-CLASS		Sec	V650F	806605		8086aF		80960F
EDROOM rmanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress	WEIGHT (KG)	•		•				•
rmanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack	15	-				•		•
cklit wall-mounted wardrobes with push lock system orage drawer on foot of central bed		-		-		,		•
de storage alcoves with USB plugs and 12 V outlet		-		-				•
bric-covered backlit headboard clinable headboard on permanent bed		•		•	-	•		•
tractable central bed base		-		-	•	•		•
ljustable footboard for easier storage access attress topper with memory foam on permanent bed	6	- 0)	0				0
cond TV space in bedroom with 12V/coaxial/HDMI wiring		•		•		•		•
NERGY & COMFORT guid electrolyte living-area battery with coupler and separator (100 Ah)		•		•		,		•
cond liquid electrolyte living-area battery (requires a liquid electrolyte primary living-area battery)	24	RHD		RHD PACK				PACK
Ah AGM leisure battery cond 92 Ah AGM leisure battery (requires AGM first leisure battery)	3 27	C		0)		0 0
THIUM battery setup - SUPER B READY		•		•				•
Coming home » mode with automatic awning light and electric entry step ving area entry step backlighting when door opens		•		•		•		•
eakers in the living area		•		•		•		•
mphony audio pack DVABOX: Better access to service area		0		0		•		<u>0</u>
puilt vacuum cleaner***		-		•				•
ntralised Fuse box with protected « accessories » exits ternal 230 V connection		•		•				•
ernal 230 V plug		6		6		5	6	6
ernal 12 V plug ernal 5V USB port		5		5 6		5 5		5 6
ring area and cab carpet kit	11	RHD F	PACK	RHD PACK	RHD	PACK	RHD	PACK
tomatic inverter with anti-crash system, enabling you to travel with the heating on lar panel wiring setup		P)	P		•		P •
entralised water distribution (access to all fittings)		•		•		•		•
itside shower with hot and cold water itside shower set-up	1	RHDF		RHD PACK		PACK		PACK
QUIPMENT OF THE CARRIER				,				
2-litre 140 hp FIAT engine (only available for the LIGHT chassis) 2-litre 160 hp FIAT engine (weight of 160 hp/140 hp)	20	0		0)		0
2-litre 180 hp FIAT engine (weight of 180 hp/160 hp)	20	Ö		0	(0
O PACK: Stop & Start and electronically controlled fuel pump se vehicle battery isolator switch		0		0)		0
Blue® tank (litres)		19		19		9		19
L diesel tank		• HEAVY	version	HEAVY vers	ion • HEAV	version	• HEAVY	• V vorcio
AT automatic 9-speed gearbox (requires 16" rims)	15/58**	C		- HEAVY VEIS)	● HEAV	-
AT automatic 9-speed gearbox	15/58**	-		0				0
GHT chassis: possibility of 3.65T GVW eavy chassis = GVW 4,4 T (160 hp/180 hp) (FIAT)	40	C		0)		0
C with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability ntrol and automatic post-collision braking		P)	Р	1)	F	Р
action+ with Hill Descent Control (helps control speed downhill)		•		•		•		•
season 3PMSF tyres uise control with limiter		0		0)		0
iver and passenger air bags		•		•		•	•	•
MS (automatic tyre pressure monitoring system) d remote key		C		0 P)		0 P
D day running lights		•		•		•		•
ont fog lights ectric de-frosting side mirrors	1	RHD F		RHD PACK P		PACK		PACK P
is-style wing mirrors		•		•		•		•
al-view wing mirrors (fixed wide angle lens) inforced front axle suspension		RHD F • HEAVY		RHD PACKHEAVY vers		PACK version	• HEAVY	PACK
r Premium rear suspension x2 (HEAVY version >= 4.4 T only)	45	C)	0	()		0
r Premium front/rear suspension x4 (HEAVY >= 4.4 T only) = Full Air C AL-KO rear suspension	55 20	0		0)		0
S front suspension (not compatible with Air Premium x4 suspension)	3	C		0)		0
dependent rear wheel suspension (AL-KO) abilising jacks at the back or in the wheelbase	5	DUD.	DA CK	RHD PACK	DIID	DACK	DUD	• PACK
abilising jacks HEAVY model specifics	5	RHD F • HEAVY		HEAVY vers		PACK version	• HEAV	
"steel rims	10	0		-)		-
ght alloy FIAT rims: 16" (+4.5 cm vehicle height) w bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)	12	0.5		0 53		53		53
and go kit		•		•		•		•
QUIPMENT OF THE CAB iver door with electric windows		•		•				•
iver door with 2-point locking ght-adjustable swivel cab seats with 2 adjustable armrests		P		P))		P p
ight-adjustable swivel cab seats with 2 adjustable armrests point retractable safety belts (cab and living space)		2+		2+2		⊦2		+2
nbroidered cab headrest covers (embossed for leather upholstery)		•		•		•	•	•
ıp holder 0% digital dashboard		0		0)		0
anual cab air-conditioning	4	•		•				•
tomatic cab air-conditioning duction smartphone charger	1			O / P CONNECT* O / P CONNECT*			O / P CONI	
ck-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•		•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•	•	•
ntral locking on cab bed ermoformed dashboard in black leather-like finish		•		•				•
ather steering wheel and gear knob		RHDF		RHD PACK		PACK		PACK
dio controls on steering wheel	1	RHDF		RHD PACK		PACK		PACK •
B ALPINE® multimedia system with 6,95" screen and APPLE CAR PLAY/ANDROID AUTO functions		P	•	Р)	F	Р
B ALPINE® multimedia navigation system with large 9" touch screen, TomTom® GPS	2	O / P MAG P CONNE		O / P MACADAN P CONNECT***		CADAM / CT****	O / P MA P CONNE	
					· CONTRI		. COIVINE	
d APPLE CAR PLAY/ANDROID AUTO functions versing camera with control screen built into the dashboard		P	•	P)		P
d APPLE CAR PLAY/ANDROID AUTO functions	5)	P P O))	F	P P O

^{*****} Not available for right hand drive.

SERIE DISTINCTION

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.





i66

i96

		• • • • • • • • • • • • • • • • • • •
VEHICLE DIMENSIONS (M)		
Overall length	7,54	7,54
Overall width	2,35	2,35
Overall « parking » width with rear view mirrors open	2,76	2,76
Overall height	2,94	2,94
SEATS		
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	4**	3*
Number of dining seats	5	5
Sleeping spaces	2+2	2+2
Sleeping spaces (« no cab bed » option)	2+1	2+1
WEIGHT		

LIEAVOV A A T	
HEAVY: 4,4 T	HEAVY: 4,4 T
LIGHT: 5,5 T	LIGHT: 5,5 T
HEAVY: 6 T	HEAVY: 6 T
3265	3210
385	290
	LIGHT: 5,5 T HEAVY: 6 T 3265

CHASSIS		
Chassis	FIAT AL-KO	FIAT AL-KO
Engine equipment	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,3	4,3
Wider rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		

Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Right side access (H x W)	23 x 47 + 23 x 62	23 x 47 + 23 x 62
Left side access (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM, MAXIMUM)		
Width	114	114
Length	217	217

HEATING		
Heated	Yes	Yes
Left side access (H x W)	112 x 89	112 x 89
Right side access (H x W)	112 x 89	117 x 89
Height	119	89/119
Length	217	217
Width	114	114

HEATING		
Type of heating	ALDE iNet	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)		
Rear bed	2 x (850 x 2050)	1600 x 1960
King size bed extension	1370 x 2060	
Extra dinette bed (« no cab bed » option)	900/1100 x 2085	900/1100 x 2085
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (L)		
Capacity of fresh water tank [B]	130/20	130/20
Capacity of waste water tank	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	171	171
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

 $GVW 3500 \ kg = 3 \ registered seats \ without towing capability (except 140 hp Automatic gearbox) / 2 \ registered seats \ with towing capability or 140 hp Automatic gearbox; <math>GVW 3650/4400 \ kg = 4 \ registered seats (except 3650 \ kg 140 hp Automatic gearbox = 3 \ registered seats)$

i66: weight downgrade to 3,5 T not possible. GVW 3650 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability or 140 hp Automatic gearbox; 4400 kg = 4 registered seats*** ALDE Option requires GVW = 3650 or 4400 kg (weight downgrade to 3,5 T not possible)

[[]A] GVW 3500/3650 kg → GCW 5500 kg; 4400 kg → 6000 kg

[[]B] The tank can be filled to a capacity of 130 L (190 litres for the i165 and i190, 300 litres for the i1066 and i1090). This increased capacity reduces the payload.

A-CLASS MODELS WITH FIAT AL-KO CHASSIS, EXTRA-WIDE REAR TRACK AND STORAGE DOUBLE FLOOR

Width 114 114 114 114 114 114 114 114 115 217 </th <th></th> <th>ALDE Standard</th> <th>High beds 11066</th> <th>ALDE Standard i1090</th>		ALDE Standard	High beds 11066	ALDE Standard i1090
Overall eignith 7.99 8,79 8,79 Overall eignith 2,35 2,235 2,235 Overall paphking width with rear view minrors open 2,76 2,76 2,76 Overall paphking width with rear view minrors open 2,76 2,76 3,05 EXEX Section 3,05 3,05 Number of swafts (whole certificate) 5 5 5 Number of swafts (whole certificate) 5 5 7 7 Sleeping spaces 2+2+2 2+2+1 2+2+1 2+2+1 2+2+1 2+2+1 2+2+1 3-2-2 1-2-2 <th< th=""><th>VEHICLE DIMENSIONS (M)</th><th></th><th></th><th></th></th<>	VEHICLE DIMENSIONS (M)			
Overall payinding width with rear view mirrors open 2,76 2,25 2,25 Overall payinds with with rear view mirrors open 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,73 <th< td=""><td>•</td><td>7.99</td><td>8.79</td><td>8.79</td></th<>	•	7.99	8.79	8.79
Over like pileting 2,94 3,05 3,05 EXFX Number of seal bellts 2,43 2,13 2,13 Number of seal bevelocide certificate) 5 5 5 Number of dining seats 7 7 7 Seening spaces (en on cab bed so option) 2+2+2 2+2+1 2+2+1 Seening spaces (en on cab bed so option) 2+2 ************************************				
Number of seats (vehicle certificate)				
Number of seatbelts		2,94	3,05	3,05
Number of seats (vehicle certificate) 5 5 Number of dining seats 7 7 7 Siceping spaces of not ab bed a option) 2 + 2 + 2 2 + 2 + 1 2 + 2 + 1 Siceping spaces (an oca bed a option) 2 + 2 + 2 2 + 2 + 1 2 + 2 + 1 Wilder Wilder Wilder Wilder Wiscontine wild (an including spaces) 4 + 2 + 2 + 1 4 + 2 + 2 + 1 Gross vehicle weight (A) HEAVY: 6.5T HEAVY: 6.5T HEAVY: 5.T Mass in running grader (MIRO) (kg) 3580 4220 4220 Payload (kg) 920 760 760 Payload (kg) 180 1		2+3	2+3	2+3
Seeping spaces (s no cab bed a option) 2+2-12 2+2+11 2+2+1				
Seeping passes (s no cab bed a option) 2+2 VEIGHT VEIGHT VEIGHT HEAVY: 4,5 T HEAVY: 5 T HEAVY: 6 T </td <td></td> <td></td> <td></td> <td></td>				
WEIGHT Gross vehicle weight HEAVY: 4,5 T HEAVY: 6 T HEAVY: 6 T Permissible CCW (Gross Combined Weight) [A] HEAVY: 6 T HEAVY: 6 T HEAVY: 6 T Mass in running order (MIRO) (kg) 3580 4220 780 780 Payload (kg) 920 780 780 780 CHASSIS FIAT AL-KO TAG AXLE FIAT AL-KO TAG AXLE FIAT AL-KO TAG AXLE EIGH AL-KO TAG AXLE EIGH AL-KO TAG AXLE Engine equipment 2,2 L - 160 hp				
Gross whicke weight HEANY; 4,5 T HEANY; 5 T HEANY; 5 T HEANY; 6 T		2+2	·	-
Mass in running order (MIRO) (kg) 3580 4220 780 780 Payload (kg) 920 780 780 780 CHASSIS FIAT AL-KO FIAT AL-KO TAG AXLE PROBLEM TAG AXLE PROBLEM TAG TAG AXLE PROBLEM TAG		HEAVY: 4,5 T	HEAVY: 5 T	HEAVY:5T
CHASSIS FIAT AL-KO FIAT AL-KO TAG AXLE FIAT AL-KO TAG AXLE FIAT AL-KO TAG AXLE FIAT AL-KO TAG AXLE CHASTIS CHASTIS FIAT AL-KO TAG AXLE COLOR TAG FIAT AL-KO TAG AXLE FIAT				
Chassis FIAT AL-KO FIAT AL-KO TAG AXLE FIAT AL-KO TAG AXLE Engine equipment 2,2 L - 160 hp 2,2 L - 160 hp 2,2 L - 160 hp Anti-pollution standard EURO 6d-Final EURO 6d-Final EURO 6d-Final Wheelbase (m) 4,7 4,5 / 5,3 4,5 / 5,3 Wide rear track (m) 1,98 1,98 1,98 STORACE DOUBLE FLOOR (CM) Internal dimensions of main storage (17,5 - 20) x 87 x 210 2 x (22,5 - 25) x (56 - 79) x 210				
Chassis FIAT AL-KO FIAT AL-KO TAG AXLE FIAT AL-KO TAG AXLE Engine equipment 2,2 L-160 hp 2,2 L-160 hp 2,2 L-160 hp Anti-pollution standard EURO 6d-Final EURO 6d-Final Whee base (m) 4,7 4,5 /5,3 4,5 /5,3 Wider rear track (m) 1,98 1,98 1,98 STORAGE DOUBLE FLOOR (CM) STORAGE DOUBLE FLOOR (CM) STORAGE SOUTH STATE (m) 2 x 22.5 × 25) x 87 × 210 2 x (22.5 × 25) x (56 × 79) x 210 <td< td=""><td></td><td>920</td><td>780</td><td>780</td></td<>		920	780	780
Anti-pollution standard EURO 6d-Final EURO 6d-Final EURO 6d-Final Whee base (m) 4,7 4,5 / 5,3 4,5 / 5,3 Wider rear track (m) 1,98 1,98 1,98 TORAGE DOUBLE FLOOR (CM) Internal dimensions of main storage (17,5 - 20) x 87 x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x 47 + 23 x 72 - 38 x 55 23 x 47 + 23 x 72 - 38 x 55 23 x 47 + 23 x 72 + 38 x 55 23 x 47 + 23 x 72 + 23 x 72 + 23 x 47 NOVABOX + 23 x 47 + 2 x (23 x 72) NOVABOX + 23 x 47 + 23 x 123 x 47 + 23 x 1		FIAT AL-KO	FIAT AL-KO TAG AXLE	FIAT AL-KO TAG AXLE
Wheelbase (m) 4,7 4,5/5,3 4,5/5,3 Wider cere track (m) 1,98 1,98 1,98 STORAGE DUBLE FLOOR (CM) ***********************************				
Wider rear track (m) 1,98 1,98 1,98 STORAGE DOUBLE FLOOR (CM) Internal dimensions of main storage (17,5 - 20) x 87 x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (22,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (56 - 79) x 210 2 x (23,5 - 25) x (25,5 x 25) x (26,5 x 20) 2 x (23,5 x 24) x 22 x 27 x 21 x 22 x 27 x 22 x 27 x 21 x 22 x 27 x 21 x 22 x 22				
Right side access (H x W) 23 x 47 + 23 x 72 23 x 47 + 23 x 72 + 38 x 55 23 x 47 + 23 x 72 + 38 x 55 Left side access (H x W) NOVABOX + 23 x 72 + 23 x 47 NOVABOX + 23 x 47 + 2 x (23 x 72) NOVABOX + 23 x 47 + 2 x (23 x 72) Heated Yes Yes STORAGE AREA/GARAGE (CM, MAXIMUM) Width 114 114 114 114 114 114 114 114 114 115 117 217		1,20	1,20	1,70
Left side access (H x W) NOVABOX + 23 x 72 + 23 x 47 NOVABOX + 23 x 47 + 2 x (23 x 72) NOVABOX + 23 x 47 + 2 x (23 x 72) Heated Yes Yes STORAGE ACCE, MAXIMUM Width 114 114 114 Length 217 217 217 Height 89/119 119 89/119 Right side access (H x W) 117 x 89 117 x 89 112 x 89 Heated access (H x W) 112 x 89 112 x 89 12 x 89 Heated Heated Yes Yes Yes Type of heating ALDE iNet ALDE iNet ALDE iNet Exp of heating 1600 x 1960 2 x (850 x 2000) 1600 x 1980 Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Vectract direct bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 300/20	Internal dimensions of main storage			
Heated Yes Yes STORAGE REKA/GARAGE (CM, MAXIMUM) Width 114 114 114 Length 217 217 217 Height 89/119 119 89/119 Right side access (H x W) 117 x 89 117 x 89 117 x 89 Left side access (H x W) 112 x 89 112 x 89 112 x 89 Heated Yes Yes Yes Heated Yes ALDE iNet ALDE iNet ALDE iNet HEATING Type of heating ALDE iNet				
STORAGE AREA /GARAGE (CM, MAXIMUM) Width 114 114 114 Length 217 217 217 Height 89/119 119 89/119 Right side access (H x W) 117 x 89 117 x 89 117 x 89 Left side access (H x W) 112 x 89 112 x 89 112 x 89 Head O Yes Yes Yes HEATING Type of heating ALDE iNet ALDE iNet ALDE iNet BED SIZES (MM) Rear bed 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of fresh water tank [B] 190/20 300/20 300/20 Type of refrigerator Absorption				
Length 217 217 217 Height 89/119 119 89/119 Right side access (H x W) 117 x 89 117 x 89 117 x 89 Left side access (H x W) 112 x 89 112 x 89 12 x 89 Left side access (H x W) 112 x 89 112 x 89 Yes Heated Yes Yes Yes HEATING Type of heating ALDE iNet ALDE iNet ALDE iNet BED IZES (MM) 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption	STORAGE AREA/GARAGE (CM, MAXIMUM)			
Height 89/119 119 89/119 Right side access (H x W) 117 x 89 117 x 89 117 x 89 Left side access (H x W) 112 x 89 112 x 89 112 x 89 Heated Yes Yes Yes Fear HEATING Type of heating ALDE iNet ALDE iNet ALDE iNet BED SIZES (MM) ALDE iNet ALDE iNet ALDE iNet BED SIZES (MM) 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption				
Right side access (H x W) 117 x 89 117 x 89 117 x 89 Left side access (H x W) 112 x 89 112 x 89 112 x 89 Heated Yes Yes Yes February Type of heating ALDE iNet ALDE iNet ALDE iNet BED SIZES (MM) February February Rear bed 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171				
Left side access (H x W) 112 x 89 112 x 89 112 x 89 Heated Yes Yes Yes HEATING Type of heating ALDE iNet ALDE iNet BED SIZES (MM) Rear bed 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171				
HEATING Type of heating ALDE iNet ALDE iNet ALDE iNet BED SIZES (MM) Rear bed 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171				
Type of heating ALDE iNet ALDE iNet ALDE iNet BED SIZES (MM) Rear bed 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171		Yes	Yes	Yes
BED SIZES (MM) Rear bed 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171	•	ALDE INCT	ALDE iNet	ALDE INGT
Rear bed 1600 x 1960 2 x (850 x 2000) 1600 x 1980 King size bed extension - 1370 x 2060 - Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171	BED SIZES (MM)	ALUE INCL	ALDE IINEL	ALDE INCL
Extra dinette bed 900/940 x 2000 800 x 1940 800 x 1940 Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) Sepacity of fresh water tank [B] 190/20 300/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171	Rear bed			
Overcab drop-down bed 1400 x 1910 1500 x 1910 1500 x 1910 AUTONOMY (L) State of Fresh water tank [B] 190/20 300/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171				
AUTONOMY (L) Capacity of fresh water tank [B] 190/20 300/20 300/20 Capacity of waste water tank 110 150 150 Type of refrigerator Absorption Absorption Absorption Refrigerator capacity 171 171 171				
Capacity of waste water tank110150150Type of refrigeratorAbsorptionAbsorptionAbsorptionRefrigerator capacity171171171				1000 X 1210
Type of refrigerator Absorption Absorption Absorption Absorption Refrigerator capacity 171 171 171				
Refrigerator capacity 171 171 171				

All data (weight / measures) are indicated with a tolerance of 5%.
FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE DISTINCTION

A-CLASS		166	96/	0611	11066	06011
CONSTRUCTION	WEIGHT (KG)					
NOVATECH Construction		•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•
Polyester roof covering all edges		•	•	•	•	•
Polyester floor external protection		•	•	•	•	•
Bodywork (roof, panels and floor) 100% polyurethane		•	•	•	•	•
Styrofoam® insulation (walls + roof + floor)		•	•	•	•	•
Full insulation of the chassis parts in the double floor with XHP cladding		-		-	•	•
Storage area in robust polyurethane BODYWORK AND OPENINGS		•	•	•	•	•
		•		•	•	•
White bodywork, skirt and bumpers Living area door with 2-point locking, fixed window and inbuilt bin		•	- :	•	•	-
Large living area door L: 540 mm		•	•	-	-	
Large living area door XL: 625 mm		-		•	•	•
60 EDITION embroidery on living area doormat		•	•	-	-	
Living area door mosquito screen		•	•	•	•	•
Remote control locking of the cab and living area doors		•	•	•	•	•
Insulated fixed single step L		•	•	-	-	
Insulated fixed single step L		-	-	•	•	•
Electric entry step		•	•	•	•	•
Storage area hatch struts		•	•	•	•	•
Storage area compression handles flush with hatch, with 2-point locking		•	•	•	•	•
Living area windows with polyurethane frame		•	•	•	•	•
Double glazed living area windows with non-woven blinds and flyscreen		•	•	•	•	•
Large longitudinal living room skylight		•	•	•	•	•
Bedroom and living room skylights with backlit TEP* finish		•	•	•	•	•
Transparent skylights with flyscreen and blind		•	•	•	•	•
Cab bed skylight		•	•	•	•	•
External lighting above the living area door		LED	LED	LED	LED	LED
Aluminium side skirt line		-	-	-	•	•
Fully moulded rear panel		-	-	-	•	•
XL gas cylinder box door		-	-	-	•	•
Back panel set-up with inserts for bike rack		•	•	•	-	-
HEATING						
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet		-	•	-	-	-
iNet		•	•	•	•	•
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	•	0	•	•	•
ALDE heating under cab seats		-	-	-	•	•
ALDE heating under left cab seat (only available with ALDE heating)		•	•	•	-	-
Heating distributed via the living room table leg (except telescopic leg)		•	•	-	-	-
ALDE living area floor heating with hot water (only available with ALDE option)	8	0	0	0	0	0
TRUMA windscreen heating duct (not compatible with WEBASTO)		-	•	-	-	-
Additional Webasto 2kW fuel-powered cab heating	8	0	0	0	0	0
Heated waste water tank		•	•	•	-	-
Fresh and waste water tanks built into the heated double floor		-	-	-	•	•
External heating inspection hatch (drain access, maintenance)		•	•	•	•	•
STORAGE						
Transverse storage double floor with internal and external access		•	•	•	•	•
Heated, lit double floor		•	•	•	•	•
XL double floor		-	-	-	•	•
Outside sliding drawer integrated into the double floor storage		-	-	-	•	•
Hinged internal storage trapdoors		-	-	-	•	•
Living area step shoe storage trapdoor		-	-	-	•	•
XXL wardrobe		-	-	-	•	-
Access to storage area/garage from left and right side		•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•
Height-adjustable storage area/garage		-	•	•	-	•
Storage area LED ceiling light rail		•	•	•	•	•
STYLE						
NACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•
White gloss overhead cupboard doors		•	•	•	•	•
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•
Soft touch ceiling fabric		•	•	•	•	•
Cab bed bottom with stitched TEP* design and LED lights		-	-	-	•	•
Fabric finish on cab bed bottom and inbuilt spotlights with "Coming Home" mode		•	•	•	-	-
BONIFACIO fabric upholstery		0	0	•	•	•
Fabric/TEP* upholstery: MONTREAL, MILAN	5	0	0	•	•	•
Leather upholstery: AUSTIN	8	0	0	0	0	0
TEP* upholstery: 60 EDITION		•	•	-	-	-
Eyelet net curtains on rods with indirect lighting Living room and bedroom indirect lighting dimmer		•	•	•	•	•

		166	/9¢/	0611	17066	08011
IVING ROOM	WEIGHT (KG		,	,		
elescopic table leg/Extra occasional berth		-	-	•	•	•
Magnetic bench seat backs		•	•	•	•	•
aminated table with solid wood moulding (NACARAT) or 3D DUO veneer edges (BELLAGIO)		•	•	•	•	•
olding table	1	•	•	RHD PACK	0	0
lat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 805 L x 500 H x 70 D		•	•	•	-	-
lat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 760 L x 450 H x 70 D		-	-	-	•	•
uilt in TV unit with backlighting and storage lectric TV unit built into bench seat		•	•	•	-	-
potlight base under overhead cupboards with inbuilt USB port and dimmer		•	•	•	•	•
assorted cushions to living room style		•	•	•	•	•
lay/night partition with machined decor		•	•	•	•	•
leight-adjustable headrests		_	-	•	•	•
right side LOUNGE bench seat with adjustable depth		-	-	-	•	•
ace-to-face bench seat armrests		•	•	-	_	
ight side bench armrest		-	-	•	•	•
torage drawer under seat bench		-	-	•	•	•
nternal living area lighting		LED	LED	LED	LED	LED
ighting inside the wardrobe		LED	LED	LED	LED	LED
mbience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
ITCHEN						
utting board		•	•	•	•	•
/orktop extension		•	•	-	-	-
emovable serving hatch shelf		-	-	•	•	•
ighting under the bench		LED	LED	LED	LED	LED
acklit kitchen window cladding with built in spice rack		•	•	•	•	•
itchen unit drawers with glossy white fronts		•	•	•	•	•
elf-closing drawers with electric central locking		•	•	•	•	•
lide-out storage with towel holder		-	-	-	•	•
ull-height sliding storage		-	-	•	-	-
utlery tray		•	•	•	•	•
hromed brass kitchen tap with ceramic cartridge		•	•	•	-	-
hromed brass kitchen tap with ceramic cartridge and spray nozzle		-	-	-	•	•
lespresso® KRUPS INISSIA coffee maker space**		-	-	-	•	•
tylish laminate finish on kitchen worktop with inbuilt drainer -burner embossed stainless steel stove with separate black covers and piezo ignition		•	•	•	<u>.</u>	
-burner embossed stainless steel stove with separate black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	-	-
-burner glass stove top with piezo ignition and 1 induction hob (1400W)**		KIID PACK	KIID PACK	KIID PACK	•	•
xtra-deep fridge		•	•	•	•	•
efrigerator with freezer		•	•	•	•	•
refrigerator with double hinge door (left or right opening)		•		•	•	•
efrigerator grill covers (for winter use)		•	•	•	•	•
EC-Tower: fridge/oven combo		-	-	•	•	•
uilt-in cooker hood with LED lighting		•	•	•	•	•
5-litre oven with grill	21	RHD PACK	RHD PACK	•	•	•
BATHROOM						
ashroom storage unit with two mirror doors and frosted RAPIDO logo		•	•	-	-	-
igh storage unit with mirror		-	-	•	•	•
entral XXL bathroom with double partition		•	•	•	•	•
ndependent shower		•	•	•	•	•
lagnetic shower door latches with matte black edge		•	•	-	-	-
hower column with backlit slate grey Plexiglas finish		-	-	•	•	•
hower column with backlit finish and aluminium-style finish		•	•	-	-	-
lack shower tray		•	•	-	-	-
/ater-saving shower head		•	•	•	•	•
lothes drying rack		•	•	•	•	•
nermomoulded rectangular basin with brass mixer tap and ceramic cartridge		•	•	•	-	-
tylish thermomoulded rectangular basin with wall-mounted chromed brass mixer tap and ceramic cartridge		-	-	-	•	•
aminate basin countertop finish with aluminium-style finish		•	•	-	-	-
tylish basin countertop surface		-	-	-	•	•
L shower cubicle with double glass door		-	-	-	•	•
		•	•		•	•
eak-style shower duckboard		•				
eak-style shower duckboard owel rails with rear convectors amping toilet with removable tank, telescopic handle and castors			-	-	•	•

^{**} Operates on 230 V only.

SERIE DISTINCTION

A-CLASS	WEIGHT (KG)	166	/ ₉ 6/	0611	11066	06011
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress	WEIGHT (KG)	•	•	•		-
Permanent bed with aluminium base frame and multi-directional springs, with highly durable $BULTEX^{\otimes}$ foam mattress		-	-	-	•	•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack		-	•	•	-	•
Backlit wall-mounted wardrobes with push lock system		-	•	•	-	•
Storage drawer on foot of central bed		-	•	•	-	•
Side storage alcoves with USB plugs and 12 V outlet Fabric-covered backlit headboard		•	•	•		•
Reclinable headboard on permanent bed		•	•	•	-	-
Electrically-adjustable reclining headboard on permanent bed		-	-	-	•	•
Retractable central bed base		-	•	•	-	-
Adjustable footboard for easier storage access		•	-	-	•	-
Mattress topper with memory foam on permanent bed		Р	Р	Р	Р	Р
Radio remote control (on/off, volume and stations) in living area		P	P	P	P	P
4 assorted cushions to bedroom style Second TV space in bedroom with 12V/coaxial/HDMI wiring	_	•	•	•	•	•
24" TV unit				<u>.</u>	•	•
ENERGY & COMFORT						
Liquid electrolyte living-area battery with coupler and separator (100 Ah)		•	•	•		-
Second liquid electrolyte living-area battery (requires a liquid electrolyte primary living-area battery)	24	RHD PACK	RHD PACK	•	-	-
92Ah AGM leisure battery	3	0	0	-	-	-
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	27	0	0	-	-	-
92 Ah AGM leisure battery + second 92 Ah AGM leisure battery LITHIUM battery setup - SUPER B READY	6	-	•	0	-	-
90Ah SUPER B EPSILON LITHIUM leisure battery	-10	0	0	0	•	•
Second 90Ah SUPER B EPSILON LITHIUM-leisure battery (total capacity = 180 Ah, requires LITHIUM first						0
leisure battery)	13	0	0	0	0	0
« Coming-home » mode with automatic awning light and electric entry step		•	•	•	•	•
Living area entry step backlighting when door opens		•	•	•	-	-
Digital control panel with large screen Digital control panel		•	<u>.</u>	•	•	•
Speakers in the living area		•		•	•	•
Symphony audio pack		0	0	0	0	0
IBS (Intelligent Battery System): display showing the remaining battery time left		-	-	•	•	•
NOVABOX: Better access to service area		•	•	•	•	•
Inbuilt vacuum cleaner*		•	•	-	-	-
Centralised Fuse box with protected « accessories » exits External 230 V connection		•	•	•	•	•
Internal 230 V plug		6	6	6	8	8
Internal 12 V plug		5	5	5	6	6
Internal 5V USB port		6	6	6	10	10
Living area carpet	9/12**	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Carpeted floor in cab		•	•	•	•	•
Lino protector kit	2	0	0	0	0	0
Automatic FAVEX inverter with remote switch so you can drive with gas heating (Anti-crash system) Waste water drainage with electric valve controlled in the storage space	_	•	•	•		•
Fresh and waste water drainage with electric valve controlled from the service area		-	-	<u>.</u>	•	•
Solar panel wiring setup		•		•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•
Expansion tank		-	-	-	•	•
Outside shower with hot and cold water		•	•	•	•	•
EQUIPMENT OF THE CARRIER					_	
2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis) 2.2-litre 160 hp FIAT engine (weight of 160 hp/140 hp)	20	•	•	-	-	•
2.2-litre 180 hp FIAT engine (weight of 180 hp/140 hp)	20	0	0	0	0	0
ECO PACK: Stop & Start and electronically controlled fuel pump		•	•	•	•	•
Base vehicle battery isolator switch		0	0	0	0	0
AdBlue® tank (litres)		19	19	19	19	19
75 L diesel tank		•	•	-		-
90 L diesel tank	45 (50)		HEAVY version	•	•	•
FIAT automatic 9-speed gearbox LIGHT chassis: possibility of 3.65T GVW	15/58***	0	•	0	0	0
Heavy chassis = GVW 4,4 T (160 hp/180 hp)	40	0	0	-		
Heavy chassis = GVW 4,5 T (160 hp/180 hp)	70	-	-	•	-	
Heavy chassis = GVW 5 T (160 hp/180 hp)				-	•	•
		-				
ABS braking		•	•	•	•	•
			• P	• P	• P	• P
ABS braking ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking Traction+ with Hill Descent Control (helps control speed downhill)		•	P •		P •	
ABS braking ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking		• P	Р	Р	Р	Р

1109₀ 11066 A-CLASS WEIGHT (KG **EQUIPMENT OF THE CARRIER** Driver and passenger air bags TPMS (automatic tyre pressure monitoring system) 0 0 0 0 0 2nd remote key Р LED day running lights 100% LED front lights 0 0 Р Front fog lights Р Р Р Electric de-frosting side mirrors Bus-style wing mirrors Dual-view wing mirrors (fixed wide angle lens) • HEAVY version • HEAVY version Reinforced front axle suspension Air Premium rear suspension x2 (HEAVY version >= 4.4 T only) 45/75* 0 0 0 0 Air Premium front/rear suspension x4 (HEAVY >= 4.4 T only) = Full Air 55/80** 0 0 0 0 ALC AL-KO rear suspension 20 0 0 0 ACS front suspension (not compatible with Air Premium x4 suspension) 0 3 Independent rear wheel suspension (AL-KO) Tag axle with independent wheel suspension (AL-KO) Stabilising jacks at the back or in the wheelbase Р Stabilising jacks HEAVY model specifics P HEAVY version P HEAVY version Ρ Ρ Ρ Light alloy FIAT rims: 16" Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg) 0 53 0 53 0 33 0 33 0 33 Fix and go kit **EQUIPMENT OF THE CAB** Driver door with 2-point locking Р Р Р Ρ Р Driver door with sequential electric windows Height-adjustable swivel cab seats with 2 adjustable armrests Cab seats with built-in seatbelts 3-point retractable safety belts (cab and living space) 2+2 2+2 2+3 2 + 32+3 Embossed cab headrest covers AGUTI rotating cab seats in fabric matching the living area Cup holder Manual cab air-conditioning 0 / 0/ 0 / 0/ 1 Automatic cab air-conditioning P CONNECT**** P CONNECT**** P CONNECT**** P CONNECT**** P CONNECT**** 0, 0, 0. Induction smartphone charger PCONNECT**** PCONNECT**** PCONNECT**** PCONNECT**** Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress. Electric foldaway cab bed with slat base and BULTEX® foam mattress 0 Central locking on cab bed (not compatible with electric jack) XI drop-down bed Central dashboard in black leather style with white stitching Р Leather steering wheel and gear knob Radio controls on steering wheel Р Р Р Р Р Electric power steering DAB ALPINE® multimedia system with 6,95" screen and APPLE CAR PLAY/ANDROID AUTO functions Р Р Р Р Р O / P MACADAM / O / P MACADAM / ${\tt DAB\ ALPINE\$\ multimedia\ navigation\ system\ with\ large\ 9"touch\ screen, TomTom\$\ GPS\ and\ APPLE\ CAR\ PLAY/NORMAL APPLE\ PLAY/NOR$ O / P MACADAM / P CONNECT**** O / P MACADAM / P CONNECT**** O / P MACADAM / P CONNECT**** 2 ANDROID AUTO functions P CONNECT*** Reversing camera with control screen built into the dashboard Р Dual-view reversing camera with control screen built into the dashboard Р Р Р Ρ Electric thermal sliding dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) Р 5 0 0 0 Winter exterior insulation 0 Double-glazed side bays in cab (except driver's door) 10 0 0 0 Without cab bed, with retractable table leg for bed position 0

^{****} AUSTIN atmosphere exclusively

^{*****} Not available for right hand drive.

SERIE M

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.





6 M9

	M66	M96
VEHICLE DIMENSIONS (M)		
Overall length	7,54	7,54
Overall width	2,35	2,35
Overall « parking » width with rear view mirrors open	2,76	2,76
Overall height	2,95	2,95
SEATS		
lumber of seatbelts	2+2	2+2
umber of seats (vehicle certificate)	3*	3*
lumber of dining seats	5	5
leeping spaces	2+2	2+2
leeping spaces (« no cab bed » option)	2+1	2+1
VEIGHT		
Gross vehicle weight	LIGHT : 3,5 T HEAVY : 4,5 T	LIGHT : 3,5 T HEAVY : 4,5 T
Permissible GCW (Gross Combined Weight)	LIGHT/HEAVY: 5,5 T	LIGHT/HEAVY: 5,5 T
fass in running order (MIRO) (kg)	3175	3175
ayload (kg)	325	325
HASSIS		
Chassis	MERCEDES AL-KO	MERCEDES AL-KO
ngine equipment	2,2 L - 143 hp	2,2 L - 143 hp
nti-pollution standard	Euro VI	Euro VI
/heelbase (m)	4,2	4,2
Vider rear track (m)	1,98	1,98
TORAGE DOUBLE FLOOR (CM)		
nternal dimensions of main storage	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210
Right side access (H x W)	2 x (23 x 47)	2 x (23 x 47)
eft side access (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
leated	Yes	Yes
TORAGE AREA/GARAGE (CM, MAXIMUM)		
/idth	114	114
ength	217	217
leight	119	89/119
right side access (H x W)	112 x 89	117 x 89
eft side access (H x W)	112 x 89	112 x 89
leated	Yes	Yes
IEATING		
ype of heating	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)		

HEATING		
Type of heating	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)		
Rear bed	2 x (850 x 2100)	1600 x 1980
King size bed extension	1370 x 2060	-
Extra dinette bed (without drop-down bed)	730/940 x 2085	730/940 x 2085
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (L)		
Capacity of fresh water tank [A]	130/20	130/20
Capacity of waste water tank	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	171	171
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

^{*} GVW 3500 kg = 3 registered seats manual gearbox, or automatic gearbox without towing capability / 2 registered seats Automatic gearbox with towing capability; GVW 3880/4500 kg = 4 registered seats [A] Fresh water tank can be filled up to 130 L, which results in a lower payload.

EQUIPMENT AND COMFORT

A-CLASS

CONSTRUCTION WEIGHT (KG) NOVATECH Construction Impact-resistant polyester panels Impact-resistant polyester roof
Polyester floor external protection
Floor bodywork with polyurethane
Styrofoam® insulation (walls + roof + floor) **BODYWORK AND OPENINGS** White bodywork, skirt and bumpers Living area door with 2-point locking, fixed window and inbuilt bin Large living area door L: 540 mm Living area door mosquito screen Remote control locking of the cab and living area doors Insulated fixed 'L' single step Insulated fixed L single step
Electric entry step
Retractable electric driver's doorstep
Storage area hatch struts
Storage area compression handles flush with hatch, with 2-point locking
Living area windows with polyurethane frame
Double glazed living area windows with non-woven blinds and flyscreen 10 Large longitudinal living room skylight
Bedroom and living room skylights with backlit TEP* finish
Transparent skylights with flyscreen and blind External lighting above the living area door Back panel set-up with inserts for bike rack LED HEATING
TRUMA Combi 6 heating with CP PLUS control panel TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet PACK ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control 65 0 Heating distributed via the living room table leg (except telescopic leg) *as standard for ALDE **Additional MERCEDES heating *as standard for ALDE Additional MERCEDES heating *as standard for ALDE ALDE living area floor heating with hot water (only available with ALDE option) TRUMA windscreen heating duct (not compatible with WEBASTO) Additional Webasto 2kW fuel-powered cab heating *option for ALDE Heated waste water tank 8 External heating inspection hatch (drain access, maintenance External neating inspection natch (drain access, maintenance)

STORAGE

Transverse storage double floor with internal and external access Heated, lit double floor
Access to storage area/garage from left and right side

Storage area/garage with left and right lowered floor Height-adjustable storage area/garage *only on the M96 Storage area LED ceiling light rail STYLE STYLE.

NACARAT (with solid maple wood) or DUNA furniture

White gloss overhead cupboard doors

Cab bed bottom with stitched TEP* design and LED lights

Fabric/TEP* upholstery: MONTREAL, MILAN, TORONTO Leather upholstery: AUSTIN
Eyelet net curtains on rods
Living room and bedroom indirect lighting dimmer 8 0 LIVING ROOM

Magnetic bench seat backs

Laminated table with solid wood moulding (NACARAT) or 3D duo veneer edges (DUNA)
Folding table
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 805 L x 500 H x 70 D

Built in TV unit with backlighting and storage

Spotlight base under overhead cupboards with inbuilt USB port and dimmer Day/night partition with machined decor Face-to-face bench seat armrests
Internal living area lighting
Ambience lighting in the living room/kitchen/bedroom LED LED KITCHEN Worktop extension Lighting under the bench LED Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking Cutlery tray Chromed brass kitchen tap with ceramic cartridge 2-burner embossed stainless steel stove with separate black covers and piezo ignition
3-burner embossed stainless steel stove with separate black covers and piezo ignition RHD PACK Extra-deep fridge Refrigerator with freezer Refrigerator with double hinge door (left or right opening) Refrigerator grill covers (for winter use) Stylish extractor hood with touch control façade 25-litre oven with grill BATHROOM High storage unit with mirror Central XXL bathroom with double partition Independent shower Shower column with slate grey Plexiglas finish and customisable backlighting Water-saving shower head Clothes drying rack Camping toilet with removable tank, telescopic handle and castors Quick-clean thermoformed toilet cassette compartment

M66 M96

•		
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam	VEIGHT (K	
mattress		•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack *only on the M96 Backlit wall-mounted wardrobes with push lock system *only on the M96		*
Storage drawer on foot of central bed *only on the M96 Side storage alcoves with USB plugs and 12 V outlet *only on the M96		*
Fabric-covered backlit headboard		•
Reclinable headboard on permanent bed *only on the M96		*
Retractable central bed base *only on the M96 Adjustable footboard for easier storage access *only on the M66		*
Mattress topper with memory foam on permanent bed	6	0
4 assorted cushions to bedroom style Second TV space in bedroom with 12V/coaxial/HDMI wiring		
ENERGY & COMFORT Liquid electrolyte living-area battery with coupler and separator (100 Ah)		•
Second liquid electrolyte living-area battery (requires a liquid electrolyte primary living-area battery)	24	RHD PAG
92 Ah AGM leisure battery Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	27	0
LITHIUM battery setup - SUPER B READY		•
90Ah SUPER B EPSILON LITHIUM leisure battery Second 90Ah SUPER B EPSILON LITHIUM-leisure battery (total capacity = 180 Ah,	-10	0
requires LITHIUM first leisure battery)	13	0
« Coming-home » mode with automatic awning light and electric entry step Living area entry step backlighting when door opens		•
Digital control panel		•
Speakers in the living area		0
Symphony audio pack Centralised Fuse box with protected « accessories » exits		•
External 230 V connection		•
Internal 230 V plug Internal 12 V plug		6
Internal 5V USB port		9
Living area and cab carpet kit Lino protector kit	11 2	RHD PA
Automatic inverter with anti-crash system, enabling you to travel with the heating on		•
Solar panel wiring setup Centralised water distribution (access to all fittings)		•
Outside shower with hot and cold water	1	RHD PA
Outside shower set-up EQUIPMENT OF THE CARRIER		•
2.2-litre 143 hp MERCEDES engine		•
2.2-litre 170 hp MERCEDES engine (weight of 170 hp/143 hp) Base vehicle battery isolator switch	10	0
Stop & Start		•
AdBlue® tank (litres) 65 L diesel tank		22
92 L diesel tank *as standard for HEAVY chassis		*
Fuel filter and water separator	20	P
Automatic 9-speed MERCEDES gearbox: 9G TRONIC Electric parking brake	30	0 P
Heavy chassis = GVW 4,5 T (143 hp/170 hp)	40	0
ABS (anti-lock brake system), ASR (traction control), EBV (electronic braking variator) and ESP (electronic stability programme)		•
MERCEDES engine compartment insulation and cladding under engine		٠
Hill start assistance DISTRONIC active distance control assistant		0
TEMPOMAT cruise control with speed limiter		•
Front windscreen wipers with rain sensor Driver and passenger air bags		0
TPMS (automatic tyre pressure monitoring system)		0
2nd remote key LED day running lights		•
100% LED front lights		0
Front fog lights		P
Automatic headlights Electric de-frosting side mirrors		P •
Bus-style wing mirrors		•
Dual-view wing mirrors (fixed wide angle lens) Reinforced front axle suspension		•
Independent rear wheel suspension (AL-KO)		•
Stabilising jacks at the back or in the wheelbase Stabilising jacks HEAVY model specifics *as standard for HEAVY chassis	5	RHD PA
Stability system in the event of cross winds		Р
16" steel rims 16" light alloy MERCEDES rims	2	0
17" light alloy MERCEDES rims *option for HEAVY chassis	-4	*
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg) Fix and go kit		53
EQUIPMENT OF THE CAB		•
Driver door with electric windows Driver door with 2-point locking		• P
Height-adjustable swivel cab seats with 2 adjustable armrests		•
Cab seats with built-in seatbelts		•
3-point retractable safety belts (cab and living space) Embroidered cab headrest covers (embossed for leather upholstery)		2+2
AGUTI rotating cab seats in fabric matching the living area		•
Cup holder Fold-down lids on central and side coin trays		• P
MERCEDES MBUX 10.25" multimedia system with GPS navigation and DAB technology		P
	2	P 0
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor)		•
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor) THERMOTRONIC automatic cab air conditioning Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor) THERMOTRONIC automatic cab air conditioning Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress Central locking on cab bed		•
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor) THERMOTRONIC automatic cab air conditioning Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress Central locking on cab bed Thermoformed dashboard in black leather-like finish Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox)		• • P
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor) THERMOTRONIC automatic cab air conditioning Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress Central locking on cab bed Thermoformed dashboard in black leather-like finish Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox) Height- and angle-adjustable multi-function steering wheel	2	• • P
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor) THERMOTRONIC automatic cab air conditioning Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress Central locking on cab bed Thermoformed dashboard in black leather-like finish Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox) Height- and angle-adjustable multi-function steering wheel Electric power steering	2	• • P
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor) THERMOTRONIC automatic cab air conditioning Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress Central locking on cab bed Thermoformed dashboard in black leather-like finish Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox) Height- and angle-adjustable multi-function steering wheel Electric power steering Reversing camera with control screen built into the dashboard Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		• P P P
Semi-automatic TEMPMATIC cab air conditioning (includes front windscreen wipers with rain sensor) THERMOTRONIC automatic cab air conditioning Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress Central locking on cab bed Thermoformed dashboard in black leather-like finish Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox) Height- and angle-adjustable multi-function steering wheel Electric power steering Reversing camera with control screen built into the dashboard	5 10	• P P • P

^{*} TEP: Polyamide-coated fabric. ** AUSTIN atmosphere exclusively. [A] Possible reduction in registered seats. [B] See back page.

RIGHT HAND DRIVE SPECIAL PACK



RAPIDO motorhomes of the 2022 collection based on RHD chassis come with particularly complete equipment, including (depending on the model)*:

S	AFETY
Traction+ with Hill Descent Control (FIAT)	Radio control on steering wheel
Fog lights	Outside rear mirrors with double view (wide angle) (A-CLASS)

COMFORT				
Leather steering wheel and gear knob	3 burner kitchen hob (except i10, C-Series)			
Carpet kit (cab and living area)	2nd living area battery			
Oven	Heated waste water tank			
Truma Combi 6EH with CP PLUS (except ALDE)	Outside shower warm/cold water			
Folding table	Rear steadies			

SELECT PACK

	SERIE C	SERIE 6F	SERIE 8F	SERIE 80dF
Reversing camera with night vision	•	•	•	•
DAB ALPINE® multimedia system with 6.9" screen and APPLE CAR PLAY/ANDROID AUTO functions	•	•	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking	•	•	•	•
Electric de-frosting side mirrors	•	•	•	•
Cab seats height adjustable	•	•	•	•
Dual-pleat thermal windscreen and cab window roller blinds	•	•	-	-
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)	-	-	•	•
Living area door with 2-point locking, fixed window	•	-	-	-
Living area door with 2-point locking, fixed window and inbuilt bin	-	•	•	•
Driver door with 2-point locking	-	-	•	•
Living area door flyscreen	•	•	•	•
2nd remote keyless entry control (RKE)	•	•	•	•
Automatic gas inverter	-	•	•	•
Second living-area battery	•	-	-	-

EXECUTIVE PACK

	i66, i96, i190	i1066, i1090
Reversing camera with night vision	•	-
Dual-view reversing camera with night vision	-	•
DAB ALPINE® multimedia system with 6.9" screen and APPLE CAR PLAY/ANDROID AUTO functions	•	•
Driver door with 2-point locking	•	•
Memory foam mattress topper on permanent bed	•	•
Leather steering wheel and gear knob	•	•
Radio controls on steering wheel	•	•
Radio remote control (on/off, volume and stations) in living area	•	•
Electric dual-pleat thermal sliding windscreen blind: up/down (sunshade) and down/up (privacy screen)	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking	•	•
Fog lights	•	•
Stabilising jacks at the back or in the wheelbase	•	-
Stabilising jacks HEAVY model specifics	-	•
2nd remote key	•	•

M PACK

	SERIE M
MERCEDES MBUX 10.25" multimedia system with GPS navigation and DAB technology	•
Height- and angle-adjustable multi-function steering wheel	•
Reversing camera with control screen built into the dashboard	•
Semi-automatic TEMPMATIC cab air conditioning	•
Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox)	•
Fold-down lids on central and side coin trays	•
Electric parking brake	•
Fog lights	•
Automatic headlights	•
Stability system in the event of cross winds	•
Keyless start	•
Fuel filter and water separator	•
Driver door with 2-point locking	•
Stylish extractor hood with touch control façade	•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)	•

^{*} See details per model in the technical guide. All mentioned options are included in the vehicle price for Right Hand Drive models. The weight of these options is detailled in the technical specifications, and not included in the GVW – it therefore must be deducted from the payload.

MACADAM PACK*

	C, 6F (EXCEPT FOR 665F)	8F
Electric parking brake	•	•
DAB ALPINE® multimedia navigation system with large 9" touch screen, TomTom® GPS and APPLE CAR PLAY/ ANDROID AUTO functions	•	•
100% digital dashboard	•	•
Keyless start and lock/unlock	•	-

CONNECT PACK**

	C, 6F (EXCEPT FOR 665F)	8F
MACADAM PACK	•	•
Leather steering wheel and gear knob	•	•
Radio controls on steering wheel	•	•
Automatic cab air-conditioning	•	•
Induction smartphone charger	•	•

ALL BLACK PACK*

	C, 656F, 665F, 686F	666F, 696F
100% LED front lights with sequential indicators	•	•
Light alloy FIAT rims: 16" (+4.5 cm vehicle height)	•	-
Fog lights with directional lighting	•	•
Black skid plate	•	•

SAFETY PACK*

	C, 6F
Emergency Braking System: detects obstacles, vehicles, pedestrians and cyclists in front of the vehicle, alerts the driver and triggers independent emergency braking	•
Lane Departure warning: Detects when the vehicle is leaving its lane and issues an audio and visual warning	•
High beam recognition: Automatically recognises vehicles on the road to avoid dazzling them with full headlights	•
Traffic sign recognition system: Displays authorised speed limits and no-overtaking zones on the dashboard screen	•
Rain and dusk sensor: The rain sensor triggers the windscreen wipers and adjusts their speed. The light sensor automatically activates dipped headlights	•

EASY DRIVING PACK*

	C, 6F
Smart, adaptive cruise control with traffic sign recognition system	•
Driver drowsiness detection	•

ADVANCE SAFETY PACK*

	C, 6F
Safety PACK	•
Easy Driving PACK	•

^{*} Check the release date with your dealer. ** Not available for right hand drive.



414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL.: +33 2 43 30 10 70 - FAX: +33 2 43 30 10 71

In addition to the contractual 2-year warranty for your vehicle and the manufacturers' warranties on original accessories installed during assembly, you enjoy a 5-year warranty on furniture frames and watertightness when you have your vehicle moisture-checked annually during the 4 years after it is first registered. The warranties covering all accessories installed at the dealership are provided by the original manufacturers under their terms and conditions, through the dealer. The chassis warranty is provided by the chassis manufacturer.

Cost of transport is borne by the customer. Motorhomes, campervans and vans are designed for leisure use. Under no circumstances are they intended to be used as a permanent home. Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, décor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation: MPM = (DxTx1000)/[(Tx9,81)-(1000xD)], with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.