

YOUR TRAVEL PARTNER

# TRAVEL DREAMS

SINCE 1961



**RAPIDO**

# SERIE VANS

## TECHNICAL DATA

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



V55

#### VEHICLE DIMENSIONS (M)

Overall length	5,99
Overall width	2,05
Overall height	2,59 <b>[A]</b>

#### SEATS

Registered (driving) seats	4
Dining seats	4
Berths	2+1

#### WEIGHT

Gross vehicle weight (GVW)	3,5 T
Permissible Gross Combined Weight (GCW)	6 T
Mass in Running Order (MIRO) (kg)	3040
Payload (kg)	460

#### CHASSIS

Chassis	PEUGEOT BOXER
Bodywork type	L3H2
Standard engine	2,2 L - 140 hp
Anti-pollution standard	6.4
Wheelbase (m)	4,035
Kerb-to-kerb turning circle (m)	14,28

#### STORAGE AREA/GARAGE (CM)

Width	87
Length	128
Height	67
Heated	Yes

Storage area with protective lining and stowage hooks

•

#### BED SIZE (MM)

Rear bed	1320 x 1950
Extra dinette bed	635/970 x 1850

#### AUTONOMY (LITRES)

Fresh water <b>[B]</b>	20/110
Waste water	85
Type of refrigerator	Compression
Refrigerator volume	146
Gas bottle capacity	2 x 13 kg propane

**[A]** Overall height = +45 mm with 16" wheels

**[B]** Fresh water tank can be filled up to 110 L, which results in a lower payload.

20  
24



V65XL



V68

VEHICLE DIMENSIONS (M)		
Overall length	6,36	6,36
Overall width	2,05	2,05
Overall height	2,88	2,59 [A]
SEATS		
Registered (driving) seats	4	4
Dining seats	4	4
Berths	2+2	2+1
WEIGHT		
Gross vehicle weight (GVW)	3,5 T (35H)	3,5 T
Permissible Gross Combined Weight (GCW)	6,5 T	LIGHT : 6 T HEAVY : 6,5 T
Mass in Running Order (MIRO) (kg)	3075	3060
Payload (kg)	425	440
CHASSIS		
Chassis	PEUGEOT BOXER	PEUGEOT BOXER
Bodywork type	L4H3	L4H2
Standard engine	2,2 L - 165 hp	2,2 L - 140 hp
Anti-pollution standard	6.4	6.4
Wheelbase (m)	4,035	4,035
Kerb-to-kerb turning circle (m)	14,28	14,28
STORAGE AREA/GARAGE (CM)		
Width	87	103/66
Length	130	133
Height	67	67
Heated	Yes	Yes
Storage area with protective lining and stowage hooks	•	•
BED SIZE (MM)		
Rear bed	1370 x 1950	800 x 1950 + 800 x 1930
King size bed extension	-	1300 x 1920
Extra dinette bed	-	725/970 x 1850
Drop-down bed	1300 x 1800/1900	-
AUTONOMY (LITRES)		
Fresh water [B]	20/110	20/110
Waste water	85	85
Type of refrigerator	Compression	Compression
Refrigerator volume	146	146
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# SERIE VANS

## EQUIPMENT AND COMFORT

### CAMPERVANS

V55

V65XL

V68

CONSTRUCTION	WEIGHT (KG)			
XHP Xtrem Hybrid Protect insulation = polyurethane and polyether compound with aluminium beams		•	•	•
Floor with Styrofoam® insulation and polyester underbody		•	•	•
Moulded internal bodywork walls		•	•	•
BODYWORK AND OPENINGS				
White bodywork paint		•	•	•
Artense Grey metallic bodywork paint		○	○	○
Expedition Grey bodywork paint		○	○	○
Lanzarote Grey bodywork paint		○	○	○
Front bumper painted in bodywork colour		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
Glossy black grille		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)
Side door with flyscreen		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
Remote control locking of the cab and living area doors		•	•	•
Electric entry step		•	•	•
Living area windows with polyurethane frames		•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•
Greater headroom in driver's cab		•	•	•
SKYVIEW panoramic roof	20	○	-	○
Large living room skylight with flyscreen and blinds		•	-	•
Transparent skylights with blackout blind and flyscreen		•	•	•
Left rear door window		•	•	○
Right rear door window		•	•	○
Extreme cold insulation kit for rear doors	2	○	○	○
Side door gutter with inbuilt LED lighting		•	•	•
HEATING				
TRUMA Combi 4 DIESEL heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	○	○	○
TRUMA Combi 4 EH DIESEL (diesel + electricity) heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	○	○	○
TRUMA Combi 4 heating with CP PLUS control panel		•	•	•
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	○	○	○
Floor heating in living area (230 V)		○	○	○
SKYVIEW heating duct		• (SKYVIEW)	-	• (SKYVIEW)
Heated waste water tank		○	○	○
STYLE				
NACARAT or LUCEO furniture		•	•	•
ALICANTE fabric upholstery		•	•	•
TEP* upholstery: MONTREAL, MILAN	5	○	○	○
Laminate surface on table and worktop		•	•	•
Interior lighting		LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED
LIVING ROOM				
Living room window style with backlit Plexiglas		•	•	•
Living room converts to occasional berth		•	-	•
Living room table with swivel extension		•	•	•
12 V/HDMI wiring for TV		•	•	•
TV mount		•	•	•
Day/night partition		•	•	•
Height-adjustable headrests		•	•	•
Depth-adjustable bench seat		•	•	•
Isifix attachment system		•	•	•
Storage chest under dinette table		•	•	•
Drop-down bed with slat base and BULTEX® mattress		-	•	-
TOUCH spotlights with dimmer above drop-down bed		-	•	-
KITCHEN				
Worktop extension		•	•	•
Spice rack		•	•	•
Storage under the kitchen unit with drawers/pot drawers featuring robust PVC internal finish		•	•	•
Cutlery tray		•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•
Glass stove with 2 surface-mounted burners with dual-function cover: fire screen and worktop extension		•	•	•
Generous smooth stainless steel sink with glossy black glass cover		•	•	•
Wire bottle storage basket		-	•	•
Refrigerator with freezer		•	•	•
20-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK
BATHROOM				
High storage unit with mirror		•	-	-
Storage alcoves		•	•	•
Independent shower		•	•	•
Shower column with Plexiglas finish and shower head		-	-	-
MODUL'SPACE® swivel wardrobe system (with shower door)		•	•	-
DUO'SPACE (with swivelling partition)		-	-	•
White basin		•	•	•
Protective surface on shower walls		•	•	•
Teak-style shower duckboard		-	-	•
Towel rail		•	•	•
Cup holder and cup		•	•	•
Lighting		LED	LED	LED
Cassette toilet with removable tank, telescopic handle and castors		• 18 L	• 18 L	• 18 L
BEDROOM				
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•
Mattress toppers with shape memory on permanent bed	6	○	○	○

\* TEP: Polyamide-coated fabric.  
\*\* 140 hp: 25 kg, 180 hp: 15 kg.  
• = Standard, ○ = Option, - = Not available



CAMPERVANS		V55	V65XL	V68
POWER & COMFORT		WEIGHT (KG)		
Living-area battery circuit breaker		•	•	•
92Ah AGM living area battery (with coupler, separator and booster)		•	•	•
Second living-area battery 92 Ah AGM		•	•	•
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	-10	○	○	○
Second living-area battery 100Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	○	○	○
«Coming home» mode with automatic side door gutter light and interior mood lighting		•	•	•
Digital control panel		•	•	•
Living room and bedroom speakers		•	•	•
TV mount		•	•	•
Centralised fuse box with protected ‘accessories’ outlets		•	•	•
External 230 V plug		•	•	•
Internal 230 V plug		2	2	2
Internal 12 V plug		2	2	2
Internal 5 V USB port		4	4	4
Living area carpet	5	RHD PACK	RHD PACK	RHD PACK
Cab carpet		•	•	•
Lino protector kit	2	○	○	○
Automatic inverter, for driving with gas heating on (anti-crash system)		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
Control gauge for drinking and waste water tanks		•	•	•
Solar panel wiring setup		•	•	•
Outside shower with hot/cold water		•	•	•
VEHICLE FITTINGS				
2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis)		○	○	○
2.2-litre 180 hp FIAT engine (requires automatic gearbox) (weight of 180 hp/140 hp)	10	○	○	○
2.2 litre 140 hp BlueHDi PEUGEOT engine		•	-	Requires 35H if RHD
2.2 litre 165 hp BlueHDi PEUGEOT engine	10	○	•	Requires 35H if RHD
ECO PACK: Stop & Start and electronically controlled fuel pump		• (FIAT)	• (FIAT)	• (FIAT)
AdBlue® tank (litres)		19	19	19
75-litre diesel tank		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)
90-litre diesel tank		•	• (FIAT) (4,25 T)	• / • (FIAT) (4,25 T)
60-litre diesel tank		-	•	-
FIAT automatic gearbox (requires 16" rims)	15/25**	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)
Electric parking brake		- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)
LIGHT chassis: GVW 3.5 T		•	•	•
HEAVY chassis: GVW 4.25 T (FIAT) (requires 180 hp)		-	○ (FIAT)	○ (FIAT)
ABS braking		•	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
Traction+ with Hill Descent Control (helps control speed downhill)		•	•	•
3PMSF all season tyres		- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)
Cruise control with speed limiter		•	•	•
Reversing radar (not compatible with tow bar or bike rack)	1	○	○	○
Emergency braking system		- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)
Blind spot detector and rear cross traffic alert		P CONTROL	P CONTROL	P CONTROL
Driver and passenger air bags		•	•	•
TPMS (automatic tyre pressure monitoring system)		P CONTROL	P CONTROL	P CONTROL
2nd remote key		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
Keyless start and lock/unlock		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)
Daytime running lights		•	•	•
LED day running lights		○	○	○
100% LED front lights with sequential indicators		- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)
Front fog lights with directional lighting		- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)
Front fog lights		P PREMIUM / - (FIAT)	P PREMIUM / - (FIAT)	P PREMIUM / - (FIAT)
Automatic headlights and front windscreen wipers with rain sensor		P PREMIUM / P SAFETY (FIAT)	P PREMIUM / P SAFETY (FIAT)	P PREMIUM / P SAFETY (FIAT)
Electric de-frosting wing mirrors		•	•	•
Electric folding wing mirrors		P CONTROL	P CONTROL	P CONTROL
Boosted rear axle air suspension with compressor	6	○	○	○
Reinforced rear axle suspension		-	•	•
15" steel rims		•	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)
Spare wheel		•	•	•
CAB FITTINGS				
Cab doors with electric windows		•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
Cab seats in fabric matching the living area		•	•	•
3-point retractable safety belts (cab and living space)		•	•	•
Embroidered cab headrest covers		•	•	•
TOUCH reading spotlight in cab		•	-	•
Cup holders		•	•	•
100% digital dashboard		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)
Manual cab air conditioning		•	•	•
Automatic cab air-conditioning	1	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)
Induction smartphone charger		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK
Radio controls on steering wheel	1	RHD PACK	RHD PACK	RHD PACK
Grey aluminium finish on air vent		P PREMIUM / - (FIAT)	P PREMIUM / - (FIAT)	P PREMIUM / - (FIAT)
Electric power steering		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ANDROID AUTO functions	2	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)
Reversing camera with control screen built into the dashboard		P RAPIDO VANS	P RAPIDO VANS	P RAPIDO VANS
Dual-pleat thermal windscreen and cab window roller blinds		•	•	•

All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE C

## TECHNICAL DATA

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

20  
24



C03



C50



High beds


C55

VEHICLE DIMENSIONS (M)			
Overall length	6,19	6,59	6,72
Overall width	2,17	2,17	2,17
Overall garage width with wing mirrors open	2,55	2,55	2,55
Overall height <b>[A]</b>	2,75	2,75	2,75
SEATS			
Seats with seatbelts	2+2	2+2	2+2
Registered (driving) seats	4	4	4
Dining seats	5	5	5
Berths	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T
Permissible Gross Combined Weight (GCW)	LIGHT : 5,5 T	LIGHT : 5,5 T	LIGHT : 5,5 T
Mass in Running Order (MIRO) (kg)	2860	2900	2900
Payload (kg)	640	600	600
CHASSIS			
Chassis	PEUGEOT	PEUGEOT	PEUGEOT
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	6.3	6.3	6.3
Wheelbase (m)	3,45	3,80	3,80
STORAGE AREA/GARAGE (CM)			
Width	100	100	100
Length	202	202	202
Height	120	88/108	120
Access right side (H x W)	100 x 75	100 x 75	100 x 75
Access left side (H x W)	100 x 75	100 x 50	100 x 75
Heated	Yes	Yes	Yes
HEATING			
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)			
Rear bed	1490/1300 x 2020	1400 x 1900	800 x 1990 + 800 x 1850
King size bed extension	-	-	1370 x 1980
Extra dinette bed	680/900 x 1880	680/900 x 1880	680/1100 x 1880
AUTONOMY (LITRES)			
Fresh water <b>[B]</b>	20/110	20/110	20/110
Waste water	90	90	90
Type of refrigerator	Compression	Compression	Compression
Refrigerator volume	140	140	140
Gas bottle capacity	1 x 13 kg propane	1 x 13 kg propane	1 x 13 kg propane

**[A]** Overall height = +45 mm with 16" wheels

**[B]** Fresh water tank can be filled up to 110 L (120 L for the C86, C86i), which results in a lower payload.

**C..** Compact low-profile models with special PEUGEOT chassis  
**C..i** Compact A-class models with special FIAT chassis



VEHICLE DIMENSIONS (M)			
Overall length	6,99	6,72	6,99
Overall width	2,17	2,17	2,17
Overall garage width with wing mirrors open	2,55	2,55	2,55
Overall height <b>IAI</b>	2,75	2,75	2,75
SEATS			
Seats with seatbelts	2+2	2+2	2+2
Registered (driving) seats	4	4	4
Dining seats	4	5	4
Berths	2+1	2+2	2+2
WEIGHT			
Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T
Permissible Gross Combined Weight (GCW)	LIGHT : 5,5 T	LIGHT : 5,5 T	LIGHT : 5,5 T
Mass in Running Order (MIRO) (kg)	2945	2925	2970
Payload (kg)	555	575	530
CHASSIS			
Chassis	PEUGEOT	FIAT	FIAT
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	6.3	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,035	3,80	4,035
STORAGE AREA/GARAGE (CM)			
Width	100	100	100
Length	202	202	202
Height	88/108	120	88/108
Access right side (H x W)	100 x 75	100 x 75	100 x 75
Access left side (H x W)	100 x 75	100 x 75	100 x 75
Heated	Yes	Yes	Yes
HEATING			
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)			
Rear bed	1400 x 1960	800 x 1990 + 800 x 1850	1400 x 1960
King size bed extension	-	1370 x 1980	-
Extra dinette bed	740 x 1930	-	-
Overcab drop-down bed	-	1400 x 1850	1400 x 1850
AUTONOMY (LITRES)			
Fresh water <b>IBI</b>	20/120	20/110	20/120
Waste water	90	90	90
Type of refrigerator	Compression	Compression	Compression
Refrigerator volume	149	140	149
Gas bottle capacity	1 x 13 kg propane	1 x 13 kg propane	1 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE C

## EQUIPMENT AND COMFORT

### LOW PROFILE AND A-CLASS

		C03	C50	C55	C86	C55i	C86i
CONSTRUCTION		WEIGHT (KG)					
NOVATECH Construction		•	•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•	•
Polyester underfloor external protection		•	•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•	•	•
BODYWORK AND OPENINGS							
White skirts, bumpers and bodywork		•	•	•	•	•	•
Glossy black grille		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	-	-
Living area door with 2-point locking and fixed window		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Living area flyscreen door		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Remote control locking of the cab and living area doors		•	•	•	•	•	•
Electric entry step		•	•	•	•	•	•
Living area windows with polyurethane frames		•	•	•	•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•	•	•	•
SKYVIEW panoramic roof		•	•	•	•	-	-
Large lengthwise living room skylight		•	•	•	•	•	•
Living room skylight with wooden finish		•	•	•	•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•	•	•
Cab bed skylight		-	-	-	-	•	•
External right side lighting		LED	LED	LED	LED	LED	LED
Aluminium side skirt line		•	•	•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•	•	•
HEATING							
TRUMA Combi 4 DIESEL heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)		•	•	•	•	•	•
TRUMA Combi 6 EH DIESEL (diesel + electricity) heating with altitude kit and CP PLUS heating control panel (requires second living-area battery)	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Floor heating in living area (230 V)		O	O	O	O	O	O
SKYVIEW heating duct		•	•	•	•	-	-
Heated waste water tank		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
STORAGE							
Access to storage area/garage from left and right side		•	•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•	•
Height-adjustable storage area/garage		-	•	-	•	-	•
Storage area ceiling LED lighting rail		•	•	•	•	•	•
STYLE							
NACARAT (with solid maple wood) or LUCEO furniture		•	•	•	•	•	•
ALICANTE fabric upholstery		•	•	•	•	•	•
TEP* upholstery: MONTREAL, MILAN and TORONTO	5	O	O	O	O	O	O
Leather upholstery: AUSTIN	8	O	O	O	O	O	O
Panel curtains		•	•	•	•	•	•
Interior lighting		LED	LED	LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED	LED
LIVING ROOM							
Telescopic table leg/Extra occasional berth		•	•	•	•	-	-
Magnetic bench seat backs		•	•	-	•	-	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (LUCEO)		•	•	•	•	•	•
Folding table		•	•	•	•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 430 W x 550 H x 70 D		•	•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•	•	•	•	•
4 assorted cushions in living room style		•	•	•	•	•	•
Day/night partition		-	•	•	•	•	•
Height-adjustable headrests		-	-	-	-	•	-
Face-to-face bench seat armrests		-	-	-	•	-	•
KITCHEN							
Worktop extension		•	•	•	•	•	•
Lighting under the worktop		LED	LED	LED	LED	LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•	•	•	•	•
Kitchen unit drawers with white fronts (glossy for NACARAT and matte for LUCEO)		•	•	•	•	•	•
Self-closing drawers with electric central locking		•	•	•	•	•	•
Cutlery tray		•	•	•	•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•	•	•	•
Overhanging 2-hob screen-printed glass camping stove with glass cover		•	•	•	•	•	•
Inbuilt extractor hood with LED lighting		•	•	•	•	•	•
18-litre oven (no grill)	13	-	-	-	RHD PACK	-	RHD PACK
23-litre oven with grill	22	RHD PACK	RHD PACK	RHD PACK	-	RHD PACK	-
BATHROOM							
Washroom storage unit with two mirror doors and frosted RAPIDO logo		-	-	-	•	-	•
High storage unit with mirror		•	•	•	-	-	•
Central XXL bathroom with double partition		-	•	-	•	-	•
Independent shower		•	•	•	•	•	•
Shower column with slate grey Plexiglass finish		•	•	•	•	•	•
DUO'SPACE (with swivelling partition)		•	•	•	-	•	-
Water-saving shower head		•	•	•	•	•	•
Clothes drying rack		•	•	•	•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	•	•	-	•	-
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge		-	-	-	-	-	•
Teak-style shower duckboard		•	•	•	-	•	-
Cassette toilet with removable tank, telescopic handle and castors		•	•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•	•	•
BEDROOM							
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•	•
Permanent, electrically assisted height-adjustable bed (≈ 20 cm)	15	-	•	-	•	-	•
Wall-mounted wardrobes with push lock system		•	•	•	•	•	•
Side storage alcoves with 12 V outlet		-	•	-	•	-	•
Fabric-covered backlit headboard		•	•	•	•	•	•
Adjustable reclining headboard on permanent bed		-	•	-	•	-	•
Retractable central bed base		-	•	-	•	-	•
Adjustable footboard for easier storage access		•	•	•	•	•	•
Mattress topper with shape memory on permanent bed	6	O	O	O	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•	•

\* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available



**C.. Compact low-profile models with special PEUGEOT chassis**  
**C..i Compact A-class models with special FIAT chassis**



## LOW PROFILE AND A-CLASS

		C03	C50	C55	C86	C55i	C86i
POWER & COMFORT		WEIGHT (KG)					
92 Ah AGM living area battery (with coupler, separator and booster)		•	•	•	•	•	•
Second living-area battery 92 Ah AGM		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	-10	P ENERGIE	P ENERGIE	P ENERGIE	P ENERGIE	P ENERGIE	P ENERGIE
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	P ENERGIE +	P ENERGIE +	P ENERGIE +	P ENERGIE +	P ENERGIE +	P ENERGIE +
'Coming-home' mode with automatic awning light and electric entry step		•	•	•	•	•	•
Control panel		•	•	•	•	•	•
Speakers in the living area		•	•	•	•	•	•
Symphony audio pack		•	•	•	•	•	•
Centralised fuse box with protected 'accessories' outlets		○	○	○	○	○	○
External 230 V plug		•	•	•	•	•	•
Internal 230 V plug		•	•	•	•	•	•
Internal 12 V plug	5	5	5	5	5	4	4
Internal 5 V USB port	5	5	5	5	5	5	5
Living area and cab carpet	5	5	5	5	6	5	6
Lino protector kit	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Solar panel wiring setup	2	○	○	○	○	○	○
Centralised water distribution (access to all fittings)		•	•	•	•	•	•
Outside shower with hot/cold water		•	•	•	•	•	•
	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
VEHICLE FITTINGS							
2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis)		○	○	○	○	•	•
2.2-litre 180 hp FIAT engine (requires automatic gearbox) (weight of 180 hp/140 hp)	10	-	○	○	-	○	-
2.2-litre 180 hp FIAT engine (weight of 180 hp/140 hp)	10	-	-	-	○	-	○
2.2 litre 140 hp BlueHDi PEUGEOT engine		-	-	-	-	-	-
2.2 litre 165 hp BlueHDi PEUGEOT engine	10	-	-	-	-	-	-
ECO PACK: Stop & Start and electronically controlled fuel pump		• (FIAT)	• (FIAT)	• (FIAT)	• (FIAT)	•	•
AdBlue® tank (litres)		19	19	19	19	19	19
75-litre diesel tank		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	•	•
90-litre diesel tank		•	•	•	•	-	-
FIAT automatic gearbox (requires 16" rims)	15/25**	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	○	○
Electric parking brake		- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	○	○
LIGHT chassis: possibility of 3.65T GCW		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	•	•
ABS braking		•	•	•	•	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking		P SELECT (FIAT)	P SELECT (FIAT)	P SELECT (FIAT)	P SELECT (FIAT)	P SELECT	P SELECT
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P SELECT	P SELECT	P SELECT	P SELECT	-	-
Traction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
3PMSF all season tyres		- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	○	○
Cruise control with speed limiter		•	•	•	•	•	•
Emergency braking system		- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	-	-
Driver and passenger air bags		•	•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		○	○	○	○	○	○
2nd remote key		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Keyless start and lock/unlock		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	-	-
Daytime running lights		•	•	•	•	-	-
LED day running lights		○	○	○	○	•	•
100% LED front lights with sequential indicators		- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)	-	-
Front fog lights with directional lighting		RHD PACK	RHD PACK	RHD PACK	RHD PACK	-	-
Front fog lights	1	-	-	-	-	RHD PACK	RHD PACK
Automatic headlights and front windscreen wipers with rain sensor		- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	-	-
Electric de-frosting wing mirrors		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Coach-style wing mirrors		-	-	-	-	•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•	•	•	RHD PACK	RHD PACK
Stabilising jacks (at the back or in the wheelbase)	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
15" steel rims		•	•	•	•	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○	○
Tow bar [A] 2 000 kg max. subject to GCW [B] (option of ± 5 kg)		○ 65	○ 70	○ 65	○ 70	○ 65	○ 70
Puncture repair kit		•	•	•	•	•	•
CAB FITTINGS							
Cab doors with electric windows		•	•	•	•	-	-
Driver's door with power window		-	-	-	-	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Cab seats with built-in seatbelts		-	-	-	-	•	•
Cab seats in fabric matching the living area		•	•	•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•	•
TOUCH reading spotlight in cab		•	•	•	•	-	-
Cup holder		•	•	•	•	•	•
100% digital dashboard		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	P CONNECT	P CONNECT
Manual cab air conditioning		•	•	•	•	•	•
Automatic cab air-conditioning	1	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	P CONNECT	P CONNECT
Induction smartphone charger		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	P CONNECT	P CONNECT
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		-	-	-	-	•	•
Central locking on cab bed		-	-	-	-	•	•
Thermoformed dashboard in black full grain leather style		-	-	-	-	•	•
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Radio controls on steering wheel	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Electric power steering		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ANDROID AUTO functions	2	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	P CONNECT	P CONNECT
Reversing camera with control screen built into the dashboard		P SELECT	P SELECT	P SELECT	P SELECT	P SELECT	P SELECT
Insulating, double pleated windscreen and cab window roller blinds		P SELECT	P SELECT	P SELECT	P SELECT	-	-
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade)		-	-	-	-	P SELECT	P SELECT
Without cab bed, with telescopic living room table leg for bed position		-	-	-	-	○	○

\*\* 140 hp: 25 kg, 180 hp: 15 kg.

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE 6F

## TECHNICAL DATA

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



**606F**



High beds  
Option ALDE

**666F**

#### VEHICLE DIMENSIONS (M)

Overall length	6,69	7,49
Overall width	2,35	2,35
Overall garage width with wing mirrors open	2,76	2,76
Overall height <b>[A]</b>	2,90	2,90

#### SEATS

Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
Dining seats	6	5
Berths	2+2	2+1
Berths (with drop-down bed option)	-	2+2

#### WEIGHT

Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T*	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T*
Permissible Gross Combined Weight (GCW) <b>[B]</b>	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Mass in Running Order (MIRO) (kg)	2955	3010
Payload (kg)	545	490

#### CHASSIS

Chassis	PEUGEOT	PEUGEOT
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	6.3	6.3
Wheelbase (m)	4,035	4,035
Extra-wide rear track (m)	1,98	1,98

#### STORAGE AREA/GARAGE (CM)

Width	85	114
Length	217	217
Height	120	120
Access right side (H x W)	100 x 60	105 x 87
Access left side (H x W)	100 x 60	105 x 87
Heated	Yes	Yes

#### HEATING

Type of heating	TRUMA Combi 4 CP PLUS	TRUMA Combi 4 CP PLUS
-----------------	-----------------------	-----------------------

#### BED SIZE (MM)

Rear bed	-	2 x (850 x 2050)
King size bed extension	-	1370 x 2060
Extra dinette bed (without drop-down bed)	-	870/980 x 2080
Extra dinette bed (with drop-down bed)	1150 x 2080	-
Drop-down bed	1500/1300 x 1950	Ø 1150/1300 x 1950

#### AUTONOMY (LITRES)

Fresh water <b>[C]</b>	20/120	20/120
Waste water	90	90
Type of refrigerator	Absorption	Absorption
Refrigerator volume	156	156
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

\* HEAVY chassis: GVW = 4400 kg (180 hp) (option at additional cost)

**[A]** Overall height = +45 mm with 16" wheels

**[B]** GVW 3500/3650 kg → GCW 5500 kg

**[C]** Fresh water tank can be filled up to 120 L, which results in a lower payload.



686F



696F

VEHICLE DIMENSIONS (M)

Overall length	7,20	7,49
Overall width	2,35	2,35
Overall garage width with wing mirrors open	2,76	2,76
Overall height [A]	2,90	2,90

SEATS

Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
Dining seats	4	5
Berths	2+1	2+1
Berths (with drop-down bed option)	2+2	2+2

WEIGHT

Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T*	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T*
Permissible Gross Combined Weight (GCW) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Mass in Running Order (MIRO) (kg)	3010	3030
Payload (kg)	490	470

CHASSIS

Chassis	PEUGEOT	PEUGEOT
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	6.3	6.3
Wheelbase (m)	4,035	4,035
Extra-wide rear track (m)	1,98	1,98

STORAGE AREA/GARAGE (CM)

Width	114	114
Length	217	217
Height	88/108	88/108
Access right side (H x W)	100 x 87	100 x 87
Access left side (H x W)	100 x 87	100 x 87
Heated	Yes	Yes

HEATING

Type of heating	TRUMA Combi 4 CP PLUS	TRUMA Combi 4 CP PLUS
-----------------	-----------------------	-----------------------

BED SIZE (MM)

Rear bed	1500 x 1940	1600 x 1960
Extra dinette bed (without drop-down bed)	740/800 x 2080	870/980 x 2080
Drop-down bed	○ 1150/1300 x 1950	○ 1150/1300 x 1950

AUTONOMY (LITRES)

Fresh water [C]	20/120	20/120
Waste water	90	90
Type of refrigerator	Absorption	Absorption
Refrigerator volume	135	156
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE 6F

## EQUIPMENT AND COMFORT

### LOW PROFILE

		606F	666F	686F	696F
CONSTRUCTION		WEIGHT (KG)			
NOVATECH Construction		•	•	•	•
Impact-resistant polyester panels		•	•	•	•
Impact-resistant polyester roof		•	•	•	•
Polyester underfloor external protection		•	•	•	•
Floor bodywork with polyurethane		•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•
BODYWORK AND OPENINGS					
White skirts, bumpers and bodywork		•	•	•	•
Glossy black grille		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)
Living area door with 2-point locking, fixed window and inbuilt bin		P SELECT	P SELECT	P SELECT	P SELECT
Living area door 540mm wide		•	•	-	•
Living area flyscreen door		P SELECT	P SELECT	P SELECT	P SELECT
Remote control locking of the cab and living area doors		•	•	•	•
Insulated fixed single step		-	-	•	-
Insulated fixed 'L' single step		•	•	-	•
Living area windows with polyurethane frames		•	•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•	•
Skyview panoramic roof electric de-icing		•	•	•	•
Large lengthwise living room skylight		•	•	•	•
Living room skylight with wooden finish		-	•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•
External right side lighting		LED	LED	LED	LED
Aluminium side skirt line		•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•
HEATING					
TRUMA Combi 4 heating with CP PLUS control panel		-	-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	-	O	-	-
Floor heating in living area (230 V)		O	O	O	O
Heated waste water tank		RHD PACK	RHD PACK	RHD PACK	RHD PACK
STORAGE					
XXL wardrobe		•	-	-	-
Access to storage area/garage from left and right side		•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•
Height-adjustable storage area/garage		-	-	•	•
Storage area ceiling LED lighting rail		•	•	•	•
STYLE					
NACARAT (with solid maple wood) or LUCEO furniture		•	•	•	•
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•
ALICANTE fabric upholstery		•	•	•	•
TEP* upholstery: MONTREAL, MILAN and TORONTO	5	O	O	O	O
Leather upholstery: AUSTIN	8	O	O	O	O
TEP* upholstery: PALMA or NOUMEA		•	•	•	•
Panel curtains		•	•	•	•
Interior lighting		LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED
LIVING ROOM					
Telescopic table leg/Extra occasional berth (no drop-down bed)		-	•	•	•
Telescopic leg/Extra occasional berth (with drop-down bed)		•	-	-	-
Magnetic bench seat backs		•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (LUCEO)		•	•	•	•
Folding table		•	•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D		•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•	•	•
4 assorted cushions in living room style		•	•	•	•
Machined décor day/night divider		-	•	•	•
Face-to-face bench seat armrests		•	•	•	•
Electrically adjustable, switchable drop-down bed with slat base and BULTEX® mattress	45	2 seats	O 2 seats	O 2 seats	O 2 seats
KITCHEN					
Worktop extension		•	•	•	•
Lighting under the worktop		LED	LED	LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•	•	•
Kitchen unit drawers with white fronts (glossy for NACARAT and matte for LUCEO)		•	•	•	•
Self-closing drawers with electric central locking		•	•	•	•
Cutlery tray		•	•	•	•
Brass kitchen tap with ceramic cartridge		•	-	-	-
Embossed stainless steel stove top with 2 hobs, independent black covers and piezo ignition		-	RHD PACK	RHD PACK	RHD PACK
Embossed stainless steel stove top with 3 hobs, independent black covers and piezo ignition		•	•	•	•
Refrigerator grill covers (for winter use)		•	•	•	•
Inbuilt extractor hood with LED lighting		•	•	•	•
23-litre oven with grill	22	-	RHD PACK	-	RHD PACK
23-litre oven (no grill)	22	-	-	RHD PACK	-
36-litre oven with grill	15	RHD PACK	-	-	-
BATHROOM					
Washroom storage unit with two mirror doors and frosted RAPIDO logo		-	•	•	•
High storage unit with mirror		•	-	-	-
Central XXL bathroom with double partition		-	•	•	•
Independent shower		•	•	•	•
Shower column with slate grey Plexiglass finish		•	•	•	•
Water-saving shower head		•	•	•	•
Clothes drying rack		•	•	•	•
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge		•	•	•	•
Cassette toilet with removable tank, telescopic handle and castors		•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•
BEDROOM					
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		-	•	•	•
Permanent, electrically assisted height-adjustable bed (≈ 20 cm)	15	-	-	•	•
Wall-mounted wardrobes with push lock system		-	-	•	•
Bed footboard storage drawer		-	-	•	•
Side storage alcoves with 12 V outlet		-	-	•	•
Fabric-covered backlit headboard		-	•	•	•
Adjustable reclining headboard on permanent bed		-	-	•	•
Retractable central bed base		-	-	•	•
Adjustable footboard for easier storage access		-	•	-	-
Mattress topper with shape memory on permanent bed	6	-	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		-	•	•	•

\* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available

## LOW PROFILE

		606F	666F	686F	696F
<b>POWER &amp; COMFORT</b>		<b>WEIGHT (KG)</b>			
92 Ah AGM living area battery (with coupler, separator and booster)	27	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Second living-area battery 92 Ah AGM	-10	P ENERGIE	P ENERGIE	P ENERGIE	P ENERGIE
100 Ah LITHIUM living-area battery (with coupler, separator and booster)					
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	P ENERGIE +	P ENERGIE +	P ENERGIE +	P ENERGIE +
'Coming home' mode with automatic awning light		•	•	•	•
Control panel		•	•	•	•
Speakers in the living area		•	•	•	•
Symphony audio pack		○	○	○	○
Centralised fuse box with protected 'accessories' outlets		•	•	•	•
External 230 V plug		•	•	•	•
Internal 230 V plug	4	4	4	4	4
Internal 12 V plug	3	3	3	3	3
Internal 5 V USB port	6	6	6	6	6
Living area and cab carpet	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Lino protector kit	2	○	○	○	○
Automatic inverter, for driving with gas heating on (anti-crash system)		P SELECT	P SELECT	P SELECT	P SELECT
Solar panel wiring setup		•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•
Outside shower with hot/cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK
<b>VEHICLE FITTINGS</b>					
2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis)		○	○	○	○
2.2-litre 180 hp FIAT engine (requires automatic gearbox) (weight of 180 hp/140 hp)	10	○	○ (HEAVY)	○ (HEAVY)	○ (HEAVY)
2.2-litre 180 hp FIAT engine (weight of 180 hp/140 hp)	10	-	○ (LIGHT)	○ (LIGHT)	○ (LIGHT)
2.2 litre 140 hp BlueHDi PEUGEOT engine		-	-	-	-
2.2 litre 165 hp BlueHDi PEUGEOT engine	10	-	-	-	-
ECO PACK: Stop & Start and electronically controlled fuel pump		• (FIAT)	• (FIAT)	• (FIAT)	• (FIAT)
AdBlue® tank (litres)		19	19	19	19
75-litre diesel tank		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)
90-litre diesel tank		• (HEAVY)	• (HEAVY)	• (HEAVY)	• (HEAVY)
60-litre diesel tank		•	•	•	•
FIAT automatic gearbox (requires 16" rims)	15/25**	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)
Electric parking brake		- / ○ (FIAT)	- / ○ (FIAT) / - (ALDE)	- / ○ (FIAT)	- / ○ (FIAT)
LIGHT chassis: possibility of 3.65T GVW		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)
HEAVY chassis: GVW 4.4 T (FIAT) (requires 180 hp)	40	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)
HEAVY chassis: GVW 4 T (PEUGEOT) (requires 165 hp)	40	○	○	○	○
ABS braking		•	•	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking		P SELECT (FIAT)	P SELECT (FIAT)	P SELECT (FIAT)	P SELECT (FIAT)
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P SELECT	P SELECT	P SELECT	P SELECT
Traction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK
3PMSF all season tyres		- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)	- / ○ (FIAT)
Cruise control with speed limiter		•	•	•	•
Emergency braking system		- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)
Driver and passenger air bags		•	•	•	•
TPMS (automatic tyre pressure monitoring system)		○	○	○	○
2nd remote key		P SELECT	P SELECT	P SELECT	P SELECT
Keyless start and lock/unlock		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)
Daytime running lights		•	•	•	•
LED day running lights		○	○	○	○
100% LED front lights with sequential indicators		- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)	- / P ALL BLACK (FIAT)
Front fog lights with directional lighting		RHD PACK	RHD PACK	RHD PACK	RHD PACK
Automatic headlights and front windscreen wipers with rain sensor		- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)	- / P SAFETY (FIAT)
Electric de-frosting wing mirrors		P SELECT	P SELECT	P SELECT	P SELECT
Dual-view wing mirrors (fixed wide angle lens)		•	•	•	•
Stabilising jacks (at the back or in the wheelbase)	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK
15" steel rims		•	•	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)	○ / ○ (FIAT) / P ALL BLACK (FIAT)
Tow bar <b>[A]</b> 2 000 kg max. subject to GCW <b>[B]</b> (option of ± 5 kg)		○ 70	○ 70	○ 70	○ 70
Puncture repair kit		•	•	•	•
<b>CAB FITTINGS</b>					
Cab doors with electric windows		•	•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		P SELECT	P SELECT	P SELECT	P SELECT
Cab seats in fabric matching the living area		•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•
TOUCH reading spotlight in cab		•	•	•	•
Cup holder		•	•	•	•
100% digital dashboard		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)
Manual cab air conditioning		•	•	•	•
Automatic cab air-conditioning	1	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)
Induction smartphone charger		- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)	- / P CONNECT (FIAT)
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK
Radio controls on steering wheel	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Electric power steering		- / • (FIAT)	- / • (FIAT)	- / • (FIAT)	- / • (FIAT)
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P SELECT	P SELECT	P SELECT	P SELECT
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ANDROID AUTO functions	2	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)	○ / P CONNECT (FIAT)
Reversing camera with control screen built into the dashboard		P SELECT	P SELECT	P SELECT	P SELECT
Insulating, double pleated windscreen and cab window roller blinds		P SELECT	P SELECT	P SELECT	P SELECT

\*\* 140 hp: 25 kg, 180 hp: 15 kg.

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# SERIE 8F

## TECHNICAL DATA

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

20  
24



High beds

854F

866F

#### VEHICLE DIMENSIONS (M)

Overall length	6,99	7,49
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height <b>[A]</b>	2,89	2,89

#### SEATS

Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4*
Dining seats	7	5
Berths	2+2	2+2
Berths (with drop-down bed option)	2+2+2	-
Berths (with no cab bed option)	-	2+1

#### WEIGHT

Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***
Permissible Gross Combined Weight (GCW) <b>[B]</b>	LIGHT : 5,5 T	LIGHT : 5,5 T HEAVY : 6 T
Mass in Running Order (MIRO) (kg)	3070	3120
Payload (kg)	430	380

#### CHASSIS

Chassis	FIAT	FIAT
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,035	4,035
Extra-wide rear track (m)	1,98	1,98

#### STORAGE AREA/GARAGE (CM)

Width	85	114
Length	217	217
Height	120	126
Access right side (H x W)	110 x 60	110 x 87
Access left side (H x W)	80 x 60	85 x 87
Heated	Yes	Yes

#### HEATING

Type of heating	TRUMA Combi 6 CP PLUS	TRUMA Combi 6 CP PLUS
-----------------	-----------------------	-----------------------

#### BED SIZE (MM)

Rear bed	-	2 x (850 x 2050)
King size bed extension	-	1370 x 2060
Extra dinette bed	1500 x 2000	-
Extra dinette bed (with no cab bed option)	-	980/1100 x 2085
Drop-down bed	O 1400 x 1950	-
Overcab drop-down bed	1400 x 1910	1400 x 1910

#### AUTONOMY (LITRES)

Fresh water <b>[C]</b>	20/120	20/120
Waste water	120	120
Type of refrigerator	Absorption	Absorption
Refrigerator volume	128	145
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

\* GVW 3500 kg = 4 registered seats without towing capability / 3 registered seats with towing capability; GVW 3650/4400 kg = 4 registered seats

\*\* GVW 3500 kg = 4 registered seats with 140 hp manual gearbox, or without towing capability / 3 registered seats with towing capability; GVW 3650/4400 kg = 4 registered seats

\*\*\* HEAVY chassis: GVW = 4400 kg (180 hp) (option at additional cost) (RHD: only with optional 180 hp automatic)

**[A]** Overall height = +45 mm with HEAVY chassis and/or 16" wheels

**[B]** GVW 3500 kg → GCW 5500 kg; 3650 kg → 5650 kg; 4400 kg → 6000 kg

**[C]** Fresh water tank can be filled up to 120 L, which results in a lower payload.

## A-class models with FIAT chassis & extra-wide rear track



**886F**



**896F**

VEHICLE DIMENSIONS (M)		
Overall length	7,20	7,49
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height <b>[A]</b>	2,89	2,89
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4**
Dining seats	4	5
Berths	2+2	2+2
Berths (with drop-down bed option)	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***
Permissible Gross Combined Weight (GCW) <b>[B]</b>	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Mass in Running Order (MIRO) (kg)	3065	3085
Payload (kg)	435	415
CHASSIS		
Chassis	FIAT	FIAT
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,035	4,035
Extra-wide rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Width	114	114
Length	217	217
Height	84/114	84/114
Access right side (H x W)	110 x 87	110 x 87
Access left side (H x W)	70 x 87	70 x 87
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 6 CP PLUS	TRUMA Combi 6 CP PLUS
BED SIZE (MM)		
Rear bed	1500 x 1940	1600 x 1960
Extra dinette bed (with no cab bed option)	840/900 x 2085	980/1100 x 2085
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (LITRES)		
Fresh water <b>[C]</b>	20/120	20/120
Waste water	120	120
Type of refrigerator	Absorption	Absorption
Refrigerator volume	135	145
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis FIAT; definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE 8F

## EQUIPMENT AND COMFORT

### A-CLASS

		854F	866F	886F	896F
<b>CONSTRUCTION</b>		<b>WEIGHT (KG)</b>			
NOVATECH Construction		•	•	•	•
Impact-resistant polyester panels		•	•	•	•
Impact-resistant polyester roof		•	•	•	•
Polyester underfloor external protection		•	•	•	•
Floor bodywork with polyurethane		•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•
<b>BODYWORK AND OPENINGS</b>					
White skirts, bumpers and bodywork		•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		P SELECT	P SELECT	P SELECT	P SELECT
Living area door 540mm wide		-	•	-	•
Living area flyscreen door		P SELECT	P SELECT	P SELECT	P SELECT
Remote control locking of the cab and living area doors		•	•	•	•
Insulated fixed single step		•	-	•	-
Insulated fixed 'L' single step		-	•	-	•
Electric entry step		•	•	•	•
Living area windows with polyurethane frames		•	•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•	•
Large lengthwise living room skylight		•	•	•	•
Living room skylight with wooden finish		•	•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•	•
Cab bed skylight		•	•	•	•
External right side lighting		LED	LED	LED	LED
Back panel set-up with inserts for bike rack		•	•	•	•
<b>HEATING</b>					
TRUMA Combi 6 heating with CP PLUS control panel		-	-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Floor heating in living area (230 V)		O	O	O	O
Additional 2 000 W WEBASTO fuel cab heating	8	O	O	O	O
Heated waste water tank		•	•	•	•
<b>STORAGE</b>					
Internal underfloor storage boxes (volume in litres)		-	110	110	110
Additional storage space in the right-hand living room bench seat		•	-	-	-
XXL wardrobe		•	-	-	-
Sliding external storage drawer (volume = 45 litres; max. load = 25kg)	18	O	O	O	O
Access to storage area/garage from left and right side		•	•	•	•
Height-adjustable storage area/garage		-	-	•	•
Storage area ceiling LED lighting rail		•	•	•	•
<b>STYLE</b>					
NACARAT (with solid maple wood) or LUCEO furniture		•	•	•	•
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•
Fabric finish on cab bed bottom and inbuilt spotlights with 'Coming Home' mode		•	•	•	•
ALICANTE fabric upholstery		•	•	•	•
TEP* upholstery: MONTREAL, MILAN and TORONTO	5	-	O	O	O
TEP* upholstery: MILAN	5	O	-	-	-
Leather upholstery: AUSTIN	8	-	O	O	O
Panel curtains		•	•	•	•
Interior lighting		LED	LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED
<b>LIVING ROOM</b>					
Magnetic bench seat backs		•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (LUCEO)		•	•	•	•
Folding table		•	•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 430 W x 550 H x 70 D		•	-	-	-
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 520 W x 340 H x 80 D		-	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•	•	•
4 assorted cushions in living room style		•	•	•	•
Spacious rear lounge converts to occasional berth		•	-	-	-
Machined décor day/night divider		-	•	•	•
Face-to-face bench seat armrests		-	•	•	•
Electrically adjustable, switchable drop-down bed with slat base and BULTEX® mattress	45	O 2 seats	-	-	-
<b>KITCHEN</b>					
Worktop extension		-	•	•	•
Removable serving hatch shelf		•	-	-	-
Lighting under the worktop		LED	LED	LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•	•	•
Kitchen unit drawers with white fronts (glossy for NACARAT and matte for LUCEO)		•	•	•	•
Self-closing drawers with electric central locking		•	•	•	•
Sliding wire basket and tea towel rail		•	-	-	-
Full-height sliding storage		•	•	•	•
Cutlery tray		•	•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•	•
Embossed stainless steel stove top with 2 hobs, independent black covers and piezo ignition		-	-	-	-
Embossed stainless steel stove top with 3 hobs, independent black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	RHD PACK
Refrigerator grill covers (for winter use)		•	•	•	•
Inbuilt extractor hood with LED lighting		•	•	•	•
36-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK
<b>BATHROOM</b>					
Washroom storage unit with two mirror doors and frosted RAPIDO logo		-	•	•	•
High storage unit with mirror		•	-	-	-
Central XXL bathroom with double partition		-	•	•	•
Independent shower		-	•	•	•
Shower column with slate grey Plexiglass finish		•	•	•	•
DUO'SPACE (with swivelling partition)		•	-	-	-
Water-saving shower head		•	•	•	•
Clothes drying rack		•	•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	-	-	-
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge		-	•	•	•
Teak-style shower duckboard		•	-	-	-
Cassette toilet with removable tank, telescopic handle and castors		•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•
<b>BEDROOM</b>					
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		-	•	•	•
Permanent electrically assisted height-adjustable bed (≈ 30 cm)	15	-	-	•	•
Wall-mounted wardrobes with push lock system		-	-	•	•
Side storage alcoves with 12 V outlet		-	-	•	•

\* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available

## A-CLASS

		854F	866F	886F	896F
BEDROOM		WEIGHT (KG)			
Fabric-covered backlit headboard		-	•	•	•
Adjustable reclining headboard on permanent bed		-	-	•	•
Retractable central bed base		-	-	•	•
Adjustable footboard for easier storage access		-	•	-	-
Mattress topper with shape memory on permanent bed	6	-	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		-	•	•	•
POWER & COMFORT					
92 Ah AGM living area battery (with coupler, separator and booster)		•	•	•	•
Second living-area battery 92 Ah AGM	27	RHD PACK	RHD PACK	RHD PACK	RHD PACK
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	-10	P ENERGIE	P ENERGIE	P ENERGIE	P ENERGIE
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	P ENERGIE +	P ENERGIE +	P ENERGIE +	P ENERGIE +
'Coming-home' mode with automatic awning light and electric entry step		•	•	•	•
Control panel		•	•	•	•
Speakers in the living area		•	•	•	•
Symphony audio pack		O	O	O	O
Centralised fuse box with protected 'accessories' outlets		•	•	•	•
External 230 V plug		•	•	•	•
Internal 230 V plug		5	4	4	4
Internal 12 V plug		4	5	5	5
Internal 5 V USB port		6	6	6	6
Living area and cab carpet	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Lino protector kit	2	O	O	O	O
Automatic inverter, for driving with gas heating on (anti-crash system)		P SELECT	P SELECT	P SELECT	P SELECT
Solar panel wiring setup		•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•
Outside shower with hot/cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK
VEHICLE FITTINGS					
2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis)		•	•	•	•
2.2-litre 180 hp FIAT engine (requires automatic gearbox) (weight of 180 hp/140 hp)	10	O (HEAVY)	O (HEAVY)	O (HEAVY)	O (HEAVY)
2.2-litre 180 hp FIAT engine (weight of 180 hp/140 hp) (180 hp RHD: requires HEAVY + automatic)	10	O (LIGHT)	O (LIGHT)	O (LIGHT)	O (LIGHT)
ECO PACK: Stop & Start and electronically controlled fuel pump		•	•	•	•
AdBlue® tank (litres)		19	19	19	19
75-litre diesel tank		•	•	•	•
FIAT automatic gearbox (requires 16" rims)	15/25**	O	O	O	O
Electric parking brake		O	O	O	O
LIGHT chassis: option available for GVW 3.65 T		•	•	•	•
HEAVY chassis: GVW 4.4 T (FIAT) (requires 180 hp)	40	O	O	O	O
ABS braking		•	•	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking		P SELECT	P SELECT	P SELECT	P SELECT
Traction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK
3PMSF all season tyres		O	O	O	O
Cruise control with speed limiter		•	•	•	•
Driver and passenger air bags		•	•	•	•
TPMS (automatic tyre pressure monitoring system)		O	O	O	O
2nd remote key		P SELECT	P SELECT	P SELECT	P SELECT
LED day running lights		•	•	•	•
Front fog lights	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Electric de-frosting wing mirrors		P SELECT	P SELECT	P SELECT	P SELECT
Coach-style wing mirrors		•	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		RHD PACK	RHD PACK	RHD PACK	RHD PACK
Stabilising jacks (at the back or in the wheelbase)	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK
15" steel rims		•	•	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	O	O	O	O
Tow bar <b>[A]</b> 2 000 kg max. subject to GCW <b>[B]</b> (option of ± 5 kg)		O 65	O 70	O 70	O 70
Puncture repair kit		•	•	•	•
CAB FITTINGS					
Driver's door with power window		•	•	•	•
Driver's door with 2-point locking		P SELECT	P SELECT	P SELECT	P SELECT
Height-adjustable swivel cab seats with 2 adjustable armrests		P SELECT	P SELECT	P SELECT	P SELECT
Cab seats with built-in seatbelts		•	•	•	•
Cab seats in fabric matching the living area		•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•
Cup holder		•	•	•	•
100% digital dashboard		P CONNECT	P CONNECT	P CONNECT	P CONNECT
Manual cab air conditioning		•	•	•	•
Automatic cab air-conditioning		P CONNECT	P CONNECT	P CONNECT	P CONNECT
Induction smartphone charger		P CONNECT	P CONNECT	P CONNECT	P CONNECT
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		-	•	•	•
Electric foldaway cab bed with slat base and BULTEX® foam mattress		•	-	-	-
Central locking on cab bed		•	•	•	•
Thermoformed dashboard in black full grain leather style		•	-	•	•
Retractable shelf behind passenger seat (RHD: driver's seat)		•	-	-	-
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK
Radio controls on steering wheel	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Electric power steering		•	•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P SELECT	P SELECT	P SELECT	P SELECT
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ANDROID AUTO functions		P CONNECT	P CONNECT	P CONNECT	P CONNECT
Reversing camera with control screen built into the dashboard		P SELECT	P SELECT	P SELECT	P SELECT
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade)		P SELECT	P SELECT	P SELECT	P SELECT
Double-glazed side windows in cab (except driver's door)	10	O	O	O	O
Without cab bed, with telescopic living room table leg for bed position		-	O	O	O

\*\* 140 hp: 25 kg, 180 hp: 15 kg.

All data (weight / measures) are indicated with a tolerance of 5%.

Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE 80dF


## TECHNICAL DATA

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

ULTIMATE  
*line*



High beds  
Option ALDE

8066dF

#### VEHICLE DIMENSIONS (M)

Overall length	7,49
Overall width	2,35
Overall width with wing mirrors open	2,76
Overall height	2,94

#### SEATS

Seats with seatbelts	2+2
Registered (driving) seats	4
Dining seats	5
Berths	2+2
Berths (with no cab bed option)	2+1

#### WEIGHT

Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***
Permissible Gross Combined Weight (GCW) [B]	LIGHT : 5,5 T HEAVY : 6 T
Mass in Running Order (MIRO) (kg)	3125
Payload (kg)	375

#### CHASSIS

Chassis	FIAT AL-KO
Standard engine	2,2 L - 140 hp****
Anti-pollution standard	EURO 6d-Final
Wheelbase (m)	4,30
Extra-wide rear track (m)	1,98

#### STORAGE DOUBLE FLOOR (CM)

Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72
Heated	Yes

#### STORAGE AREA/GARAGE (CM)

Width	114
Length	217
Height	119
Access right side (H x W)	112 x 89
Access left side (H x W)	112 x 89
Heated	Yes

#### HEATING

Type of heating	TRUMA Combi 6 EH CP PLUS / OPTION ALDE
-----------------	--

#### BED SIZE (MM)

Rear bed	2 x (850 x 2050)
King size bed extension	1370 x 2060
Extra dinette bed (with no cab bed option)	900/1100 x 2085
Overcab drop-down bed	1400 x 1910

#### AUTONOMY (LITRES)

Fresh water [C]	20/130
Waste water	110
Type of refrigerator	Absorption
Refrigerator volume	156
Gas bottle capacity	2 x 13 kg propane

\* GVW 3500 kg = 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

\*\* GVW 3500 kg = 4 registered seats in manual gearbox, and automatic gearbox without towing capability ; 3 registered seats Automatic gearbox with towing capability ; GVW 3650/4400 kg = 4 registered seats

\*\*\* HEAVY chassis: GVW = 4400 kg (180 hp) (option at additional cost)

\*\*\*\* RHD: only with 180 hp automatic (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500/3650 kg → GCW 5500 kg ; 4400 kg → 6000 kg

[C] Fresh water tank can be filled up to 130 L, which results in a lower payload.




A-class models with FIAT AL-KO chassis, extra-wide rear track & storage double floor



8086dF



 Option ALDE

8096dF

VEHICLE DIMENSIONS (M)		
Overall length	7,20	7,49
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height	2,89 [A]	2,94
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4**	4*
Dining seats	4	5
Berths	2+2	2+2
Berths (with no cab bed option)	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***
Permissible Gross Combined Weight (GCW) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Mass in Running Order (MIRO) (kg)	3085	3125
Payload (kg)	415	375
CHASSIS		
Chassis	FIAT AL-KO	FIAT AL-KO
Standard engine	2,2 L - 140 hp****	2,2 L - 140 hp****
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,035	4,30
Extra-wide rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 37	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM)		
Width	114	114
Length	217	217
Height	89/119	89/119
Access right side (H x W)	117 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 6 CP PLUS	TRUMA Combi 6 EH CP PLUS / OPTION ALDE
BED SIZE (MM)		
Rear bed	1500 x 1940	1600 x 1960
Extra dinette bed (with no cab bed option)	840/900 x 2085	900/1100 x 2085
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (LITRES)		
Fresh water [C]	20/130	20/130
Waste water	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator volume	135	156
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis FIAT; definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE 80dF

## EQUIPMENT AND COMFORT

### A-CLASS

		8066dF	8086dF	8096dF
CONSTRUCTION		WEIGHT (KG)		
NOVATECH Construction		•	•	•
Impact-resistant polyester panels		•	•	•
Impact-resistant polyester roof		•	•	•
Polyester underfloor external protection		•	•	•
Floor bodywork with polyurethane		•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•
Storage area in robust polyurethane		•	•	•
BODYWORK AND OPENINGS				
White skirts, bumpers and bodywork		•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		P SELECT	P SELECT	P SELECT
Living area door 540mm wide		•	-	•
ULTIMATE LINE embroidery on living area doormat		•	-	•
Living area flyscreen door		P SELECT	P SELECT	P SELECT
Remote control locking of the cab and living area doors		•	•	•
Insulated fixed single step		-	•	-
Insulated fixed 'L' single step		•	-	•
Electric entry step		•	•	•
Storage area hatch struts		•	•	•
Storage area compression handles flush with hatch, with 2-point locking		•	•	•
Living area windows with polyurethane frames		•	•	•
Double glazed living area windows with blinds and flyscreen		•	•	•
Large lengthwise living room skylight		•	•	•
Living room skylight with wooden finish		•	•	•
Transparent skylights with blackout blind and flyscreen		•	•	•
Cab bed skylight		•	•	•
External right side lighting		LED	LED	LED
Back panel set-up with inserts for bike rack		•	•	•
HEATING				
TRUMA Combi 6 heating with CP PLUS control panel		-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	•	RHD PACK	•
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	○	•	○
Heating distributed via the living room table leg (except telescopic leg)		•	•	•
ALDE living area hot water floor heating (only available with ALDE heating)	8	○	-	○
TRUMA windscreen heating duct (not compatible with WEBASTO)		•	•	•
Additional 2 000 W WEBASTO fuel cab heating	8	○	○	○
Heated waste water tank		•	•	•
External heating inspection hatch (drain access, maintenance)		•	•	•
STORAGE				
Transverse storage double floor with internal and external access		•	•	•
Heated, lit double floor		•	•	•
Access to storage area/garage from left and right side		•	•	•
Storage area/garage with left and right lowered floor		•	•	•
Height-adjustable storage area/garage		-	•	•
Storage area ceiling LED lighting rail		•	•	•
STYLE				
NACARAT or LUCEO furniture (with solid maple wood)		•	•	•
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•
Fabric finish on cab bed bottom and inbuilt spotlights with 'Coming Home' mode		•	•	•
ALICANTE fabric upholstery		•	•	•
TEP* upholstery: MONTREAL, MILAN and TORONTO	5	○	○	○
Leather upholstery: AUSTIN	8	○	○	○
TEP* upholstery: PALMA or NOUMEA		•	-	•
Eyelet net curtains on rods		•	•	•
Interior lighting		LED	LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED
Living room and bedroom indirect lighting dimmer		•	-	•
LIVING ROOM				
Magnetic bench seat backs		•	•	•
Laminated table with solid wood moulding		•	•	•
Folding table		•	•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 520 W x 340 H x 80 D		-	•	-
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D		•	-	•
Inbuilt TV unit with backlighting and storage		•	•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•	•
4 assorted cushions in living room style		•	•	•
Machined décor day/night divider		•	•	•
Face-to-face bench seat armrests		•	•	•
KITCHEN				
Worktop extension		•	•	•
Lighting under the worktop		LED	LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•	•
Kitchen unit drawers with white fronts (glossy for NACARAT and matte for LUCEO)		•	•	•
Self-closing drawers with electric central locking		•	•	•
Cutlery tray		•	•	•
Brass kitchen tap with ceramic cartridge		•	•	•
Embossed stainless steel stove top with 2 hobs, independent black covers and piezo ignition		-	-	-
Embossed stainless steel stove top with 3 hobs, independent black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK
Extra-deep refrigerator		•	-	•
Refrigerator grill covers (for winter use)		•	•	•
Inbuilt extractor hood with LED lighting		•	•	•
36-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK
BATHROOM				
Washroom storage unit with two mirror doors and frosted RAPIDO logo		•	•	•
Central XXL bathroom with double partition		•	•	•
Independent shower		•	•	•
Magnetic shower door latches with matte black edge		•	-	•
Shower column with slate grey Plexiglass finish		-	•	-
Shower column with backlit aluminium-style finish		•	-	•
Water-saving shower head		•	•	•
Clothes drying rack		•	•	•
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge		•	•	•
Laminate basin countertop with aluminium-style finish		•	-	•
Black shower duckboard		•	-	•
Cassette toilet with removable tank, telescopic handle and castors		•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•

\* TEP: Polyamide-coated fabric.  
\*\* Operates on 230 V only.  
\*\*\* 140 hp: 25 kg, 180 hp: 15 kg.  
\*\*\*\* 140 hp not available RHD. RHD models only with 180 hp option.  
[A] Possible reduction in registered seats. [B] See back page.  
• = Standard, ○ = Option, - = Not available

A-class models with FIAT AL-KO chassis, extra-wide rear track & storage double floor

A-CLASS		8066dF	8086dF	8096dF
BEDROOM		WEIGHT (KG)		
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•
Permanent electrically assisted height-adjustable bed (* 30 cm)	15	-	•	•
Backlit wall-mounted wardrobes with push lock system		•	•	•
Bed footboard storage drawer		-	•	•
Side storage alcoves with 12 V outlet		-	•	•
Fabric-covered backlit headboard		•	•	•
Adjustable reclining headboard on permanent bed		-	•	•
Retractable central bed base		-	•	•
Adjustable footboard for easier storage access		•	-	-
Mattress topper with shape memory on permanent bed	6	○	○	○
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•
POWER & COMFORT				
92 Ah AGM living area battery (with coupler, separator and booster)		•	•	•
Second living-area battery 92 Ah AGM	27	RHD PACK	RHD PACK	RHD PACK
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	-10	P ENERGIE	P ENERGIE	P ENERGIE
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	P ENERGIE +	P ENERGIE +	P ENERGIE +
'Coming-home' mode with automatic awning light and electric entry step		•	•	•
Living area entry step backlighting when door opens		•	•	•
Control panel		•	•	•
Speakers in the living area		•	•	•
Symphony audio pack		○	○	○
NOVABOX: better access to service area		•	•	•
Inbuilt vacuum cleaner**		•	-	•
Centralised fuse box with protected 'accessories' outlets		•	•	•
External 230 V plug		•	•	•
Internal 230 V plug		6	6	6
Internal 12 V plug		5	5	5
Internal 5 V USB port		6	6	6
Living area and cab carpet	11	RHD PACK	RHD PACK	RHD PACK
Lino protector kit	2	○	○	○
Automatic inverter, for driving with gas heating on (anti-crash system)		P SELECT	P SELECT	P SELECT
Solar panel wiring setup		•	•	•
Centralised water distribution (access to all fittings)		•	•	•
Outside shower with hot/cold water	1	RHD PACK	RHD PACK	RHD PACK
VEHICLE FITTINGS				
2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis)****		•	•	•
2.2-litre 180 hp FIAT engine (requires automatic gearbox) (weight of 180 hp/140 hp)	10	○	○	○
ECO PACK: Stop & Start and electronically controlled fuel pump		•	•	•
AdBlue® tank (litres)		19	19	19
75-litre diesel tank		•	•	•
90-litre diesel tank		• (HEAVY)	• (HEAVY)	• (HEAVY)
FIAT automatic gearbox (requires 16" rims)	15/25***	○	○	○
LIGHT chassis: possibility of 3.65T CVW		•	•	•
HEAVY chassis: CVW 4.4 T (FIAT) (requires 180 hp)	40	○	○	○
ABS braking		•	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking		P SELECT	P SELECT	P SELECT
Traction+ with Hill Descent Control (helps control speed downhill)		•	•	•
3PMSF all season tyres		○	○	○
Cruise control with speed limiter		•	•	•
Driver and passenger air bags		•	•	•
TPMS (automatic tyre pressure monitoring system)		○	○	○
2nd remote key		P SELECT	P SELECT	P SELECT
LED day running lights		•	•	•
Front fog lights	1	RHD PACK	RHD PACK	RHD PACK
Electric de-frosting wing mirrors		P SELECT	P SELECT	P SELECT
Coach-style wing mirrors		•	•	•
Dual-view wing mirrors (fixed wide angle lens)		RHD PACK	RHD PACK	RHD PACK
Reinforced front axle suspension		• (HEAVY)	• (HEAVY)	• (HEAVY)
ALC AL-KO rear suspension	20	○	○	○
ACS front suspension	3	○	○	○
Independent rear wheel suspension (AL-KO)		•	•	•
Stabilising jacks (at the back or in the wheelbase)	5	RHD PACK	RHD PACK	RHD PACK
Stabilising jacks HEAVY model specifics		• (HEAVY)	• (HEAVY)	• (HEAVY)
15" steel rims		-	•	-
16" light alloy rims (+4.5 cm vehicle height)	12	•	○	•
Tow bar [A]: 2 000 kg max. subject to GCW [B] (option of ± 5 kg)		○ 53	○ 53	○ 53
Puncture repair kit		•	•	•
CAB FITTINGS				
Driver's door with power window		•	•	•
Driver's door with 2-point locking		P SELECT	P SELECT	P SELECT
Height-adjustable swivel cab seats with 2 adjustable armrests		P SELECT	P SELECT	P SELECT
Cab seats with built-in seatbelts		•	•	•
Cab seats in fabric matching the living area		•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•
Cup holder		•	•	•
100% digital dashboard		P CONNECT	P CONNECT	P CONNECT
Manual cab air conditioning		•	•	•
Automatic cab air-conditioning		P CONNECT	P CONNECT	P CONNECT
Induction smartphone charger		P CONNECT	P CONNECT	P CONNECT
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•
Central locking on cab bed		•	•	•
Thermoformed dashboard in black full grain leather style		•	•	•
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK
Radio controls on steering wheel	1	RHD PACK	RHD PACK	RHD PACK
Electric power steering		•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P SELECT	P SELECT	P SELECT
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ANDROID AUTO functions		P CONNECT	P CONNECT	P CONNECT
Reversing camera with control screen built into the dashboard		P SELECT	P SELECT	P SELECT
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P SELECT	P SELECT	P SELECT
Double-glazed side windows in cab (except driver's door)	10	○	○	○
Without cab bed, with telescopic living room table leg for bed position		○	○	○

All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE DISTINCTION

## TECHNICAL DATA

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



High beds  
ALDE Standard

**i66**



Option ALDE

**i96**

#### VEHICLE DIMENSIONS (M)

Overall length	7,54	7,54
Overall width	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height	2,94	2,94

#### SEATS

Seats with seatbelts	2+2	2+2
Registered (driving) seats	4*	3**
Dining seats	5	5
Berths	2+2	2+2
Berths (with no cab bed option)	2+1	2+1

#### WEIGHT

Gross vehicle weight (GVW)	LIGHT : 3,65 T** HEAVY : 4,4 T	LIGHT : TRUMA 3,5 T / 3,65 T - ALDE 3,65 T*** HEAVY : 4,4 T
Permissible Gross Combined Weight (GCW) [A]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Mass in Running Order (MIRO) (kg)	3265	3210
Payload (kg)	385	290

#### CHASSIS

Chassis	FIAT AL-KO	FIAT AL-KO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6d-Final	EURO 6d-Final
Wheelbase (m)	4,30	4,30
Extra-wide rear track (m)	1,98	1,98

#### STORAGE DOUBLE FLOOR (CM)

Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 62	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes

#### STORAGE AREA/GARAGE (CM)

Width	114	114
Length	217	217
Height	119	89/119
Access right side (H x W)	112 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89
Heated	Yes	Yes

#### HEATING

Type of heating	ALDE	TRUMA Combi 6 EH CP PLUS / OPTION ALDE
-----------------	------	--

#### BED SIZE (MM)

Rear bed	2 x (850 x 2050)	1600 x 1960
King size bed extension	1370 x 2060	-
Extra dinette bed (with no cab bed option)	900/1100 x 2085	900/1100 x 2085
Overcab drop-down bed	1400 x 1910	1400 x 1910

#### AUTONOMY (LITRES)

Fresh water [B]	20/130	20/130
Waste water	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator volume	171	171
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

\* i66: weight downgrade to 3,5 T not possible. GVW 3650 kg = 4 registered seats without towing capability / 3 registered seats with towing capability; 4400 kg = 4 registered seats

\*\* GVW 3500 kg = 3 registered seats without towing capability / 2 registered seats with towing capability; GVW 3650/4400 kg = 4 registered seats

\*\*\* ALDE Option requires GVW = 3650 or 4400 kg (weight downgrade to 3,5 T not possible)

[A] GVW 3500/3650 kg → GCW 5500 kg; 4400 kg → 6000 kg

[B] The tank can be filled to a capacity of 130 L. This increased capacity reduces the payload.

A-class models with FIAT AL-KO chassis, extra-wide rear track & storage double floor

A-CLASS		i66	i96
CONSTRUCTION	WEIGHT (KG)		
NOVATECH Construction		•	•
Impact-resistant polyester panels		•	•
Impact-resistant polyester roof		•	•
Polyester roof covering all edges		•	•
Polyester underfloor external protection		•	•
Bodywork (roof, panels and floor) 100% polyurethane		•	•
Styrofoam® insulation (roof, walls and floor)		•	•
Storage area in robust polyurethane		•	•
BODYWORK AND OPENINGS			
White skirts, bumpers and bodywork		•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•
Living area door 540mm wide		•	•
ULTIMATE LINE embroidery on living area doormat		•	•
Living area flyscreen door		•	•
Remote control locking of the cab and living area doors		•	•
Insulated fixed 'L' single step		•	•
Electric entry step		•	•
Storage area hatch struts		•	•
Storage area compression handles flush with hatch, with 2-point locking		•	•
Living area windows with polyurethane frames		•	•
Double glazed living area windows with non-woven blinds and flyscreen		•	•
Large lengthwise living room skylight		•	•
Living room skylight with wooden finish		•	•
Transparent skylights with blackout blind and flyscreen		•	•
Cab bed skylight		•	•
External right side lighting		LED	LED
Back panel set-up with inserts for bike rack		•	•
HEATING			
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel		-	•
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	•	○
ALDE heating under left cab seat (only available with ALDE heating)		•	•
Heating distributed via the living room table leg (except telescopic leg)		•	•
ALDE living area hot water floor heating (only available with ALDE heating)	6	○	○
TRUMA windscreen heating duct (not compatible with WEBASTO)		-	•
Additional 2 000 W WEBASTO fuel cab heating	8	○	○
Heated waste water tank		•	•
External heating inspection hatch (drain access, maintenance)		•	•
STORAGE			
Transverse storage double floor with internal and external access		•	•
Heated, lit double floor		•	•
Access to storage area/garage from left and right side		•	•
Storage area/garage with left and right lowered floor		•	•
Height-adjustable storage area/garage		-	•
Storage area ceiling LED lighting rail		•	•
STYLE			
NACARAT (with solid maple wood) furniture		•	•
Glossy white overhead cupboard doors		•	•
Living room furniture with back-lit cubby (storage compartments) LED		•	•
Soft touch ceiling fabric		•	•
Fabric finish on cab bed bottom and inbuilt spotlights with 'Coming Home' mode		•	•
ALICANTE fabric upholstery		•	•
TEP* upholstery: MONTREAL, MILAN and TORONTO		•	•
Leather upholstery: AUSTIN	8	○	○
TEP* upholstery: PALMA or NOUMEA		•	•
Eyelet net curtains on rods with indirect lighting		•	•
Interior lighting		LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED
Living room and bedroom indirect lighting dimmer		•	•
LIVING ROOM			
Magnetic bench seat backs		•	•
Laminated table with solid wood moulding		•	•
Folding table		•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D		•	•
Inbuilt TV unit with backlighting and storage		•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•
4 assorted cushions in living room style		•	•
Machined décor day/night divider		•	•
Face-to-face bench seat armrests		•	•

\* TEP: Polyamide-coated fabric.  
• = Standard, ○ = Option, - = Not available  
All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# SERIE DISTINCTION

## EQUIPMENT AND COMFORT

### A-CLASS

i66

i96

KITCHEN		WEIGHT (KG)		
Chopping board			•	•
Worktop extension			•	•
Lighting under the worktop			LED	LED
Backlit kitchen window cladding with inbuilt spice rack			•	•
Kitchen unit drawers with glossy white fronts			•	•
Self-closing drawers with electric central locking			•	•
Cutlery tray			•	•
Brass kitchen tap with ceramic cartridge			•	•
Embossed stainless steel stove top with 2 hobs, independent black covers and piezo ignition			-	-
Embossed stainless steel stove top with 3 hobs, independent black covers and piezo ignition			RHD PACK	RHD PACK
Extra-deep refrigerator			•	•
Refrigerator with freezer			•	•
Refrigerator with double hinge door (left or right opening)			•	•
Refrigerator grill covers (for winter use)			•	•
Inbuilt extractor hood with LED lighting			•	•
TEC-Tower: refrigerator/25-litre oven with grill combo	21		RHD PACK	RHD PACK
BATHROOM				
Washroom storage unit with two mirror doors and frosted RAPIDO logo			•	•
Central XXL bathroom with double partition			•	•
Independent shower			•	•
Magnetic shower door latches with matte black edge			•	•
Shower column with backlit aluminium-style finish			•	•
Water-saving shower head			•	•
Clothes drying rack			•	•
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge			•	•
Laminate basin countertop with aluminium-style finish			•	•
Black shower duckboard			•	•
Cassette toilet with removable tank, telescopic handle and castors			•	•
Quick-clean thermoformed toilet cassette compartment			•	•
BEDROOM				
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress			•	•
Permanent electrically assisted height-adjustable bed (≈ 30 cm)			-	•
Backlit wall-mounted wardrobes with push lock system			-	•
Bed footboard storage drawer			-	•
Side storage alcoves with 12 V outlet			-	•
Fabric-covered backlit headboard			•	•
Adjustable reclining headboard on permanent bed			•	•
Retractable central bed base			-	•
Adjustable footboard for easier storage access			•	-
Lighting inside the wardrobe			LED	LED
Mattress topper with shape memory on permanent bed			P EXECUTIVE	P EXECUTIVE
Radio remote control (ON/OFF, volume and stations) in living area			P EXECUTIVE	P EXECUTIVE
Second TV space in bedroom with 12V/coaxial/HDMI wiring			•	•
POWER & COMFORT				
92Ah AGM living area battery (with coupler, separator and booster)			•	•
Second living-area battery 92 Ah AGM	27		RHD PACK	RHD PACK
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	-10		P ENERGIE	P ENERGIE
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13		P ENERGIE +	P ENERGIE +
'Coming-home' mode with automatic awning light and electric entry step			•	•
Living area entry step backlighting when door opens			•	•
Digital control panel with large screen			•	•
Speakers in the living area			•	•
Symphony audio pack			O	O
NOVABOX: better access to service area			•	•
Inbuilt vacuum cleaner*			•	•
Centralised fuse box with protected 'accessories' outlets			•	•
External 230 V plug			•	•
Internal 230 V plug			6	6
Internal 12 V plug			5	5
Internal 5 V USB port			6	6
Living area carpet	12		RHD PACK	RHD PACK
Cab carpet			•	•
Lino protector kit	2		O	O
Automatic FAVEX inverter with remote switch so you can drive with gas heating (anti-crash system)			•	•
Waste water drainage with electric valve control in the storage space			•	•
Solar panel wiring setup			•	•
Centralised water distribution (access to all fittings)			•	•
Outside shower with hot/cold water			•	•

\* Operates on 230 V only.  
• = Standard, O = Option, - = Not available

A-class models with FIAT AL-KO chassis, extra-wide rear track & storage double floor

A-CLASS		i66	i96
VEHICLE FITTINGS		WEIGHT (KG)	
2.2-litre 140 hp FIAT engine (only available for the LIGHT chassis)***		•	•
2.2-litre 180 hp FIAT engine (requires automatic gearbox) (weight of 180 hp/140 hp)	10	○	○
ECO PACK: Stop & Start and electronically controlled fuel pump		•	•
AdBlue® tank (litres)		19	19
75-litre diesel tank		•	•
90-litre diesel tank		• (HEAVY)	• (HEAVY)
FIAT automatic gearbox	15/25**	○	○
LIGHT chassis: possibility of 3.65T GVW		•	•
HEAVY chassis: GVW 4.4 T (FIAT) (requires 180 hp)	40	○	○
ABS braking		•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking		P EXECUTIVE	P EXECUTIVE
Traction+ with Hill Descent Control (helps control speed downhill)		•	•
3PMSF all season tyres		○	○
Cruise control with speed limiter		•	•
Driver and passenger air bags		•	•
TPMS (automatic tyre pressure monitoring system)		○	○
2nd remote key		P EXECUTIVE	P EXECUTIVE
LED day running lights		•	•
Front fog lights	1	P EXECUTIVE	P EXECUTIVE
Electric de-frosting wing mirrors		•	•
Coach-style wing mirrors		•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•
Reinforced front axle suspension		• (HEAVY)	• (HEAVY)
ALC AL-KO rear suspension	20	○	○
ACS front suspension	3	○	○
Independent rear wheel suspension (AL-KO)		•	•
Stabilising jacks (at the back or in the wheelbase)		P EXECUTIVE	P EXECUTIVE
Stabilising jacks HEAVY model specifics		P EXECUTIVE (HEAVY)	P EXECUTIVE (HEAVY)
16" light alloy rims (+4.5 cm vehicle height)		•	•
Tow bar <b>[A]</b> : 2 000 kg max. subject to GCW <b>[B]</b> (option of ± 5 kg)		○ 53	○ 53
Puncture repair kit		•	•
CAB FITTINGS			
Driver's door with 2-point locking		P EXECUTIVE	P EXECUTIVE
Driver's door with sequential electric windows		•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•
Cab seats with built-in seatbelts		•	•
3-point retractable safety belts (cab and living space)		2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•
AGUTI rotating cab seats in fabric matching the living area		•	•
Cup holder		•	•
100% digital dashboard		•	•
Manual cab air conditioning		•	•
Automatic cab air-conditioning		P CONNECT	P CONNECT
Induction smartphone charger		P CONNECT	P CONNECT
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•
Electric foldaway cab bed with slat base and BULTEX® foam mattress		○	○
Central locking on cab bed (not compatible with electric jack)		•	•
Central dashboard in black leather style with white stitching		•	•
Leather steering wheel and gear knob		P EXECUTIVE	P EXECUTIVE
Radio controls on steering wheel		P EXECUTIVE	P EXECUTIVE
Electric power steering		•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO functions		P EXECUTIVE	P EXECUTIVE
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ANDROID AUTO functions		P CONNECT	P CONNECT
Reversing camera with control screen built into the dashboard		P EXECUTIVE	P EXECUTIVE
Electric thermal sliding dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P EXECUTIVE	P EXECUTIVE
Double-glazed side windows in cab (except driver's door)	10	○	○
Without cab bed, with telescopic living room table leg for bed position		○	○

\*\* 140 hp: 25 kg, 180 hp: 15 kg.  
\*\*\* 140 hp not available RHD. RHD models only with 180 hp option.  
**[A]** Possible reduction in registered seats. **[B]** See back page.  
All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE M

## TECHNICAL DATA

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



High beds  
ALDE Standard


### M66

VEHICLE DIMENSIONS (M)	
Overall length	7,54
Overall width	2,35
Overall width with wing mirrors open	2,76
Overall height	2,95
SEATS	
Seats with seatbelts	2+2
Registered (driving) seats	3*
Dining seats	5
Berths	2+2
Berths (with no cab bed option)	2+1
WEIGHT	
Gross vehicle weight (GVW)	LIGHT : 3,88 T HEAVY : 4,5 T
Permissible Gross Combined Weight (GCW)	LIGHT/HEAVY : 5,5 T
Mass in Running Order (MIRO) (kg)	3265
Payload (kg)	615
CHASSIS	
Chassis	MERCEDES AL-KO
Standard engine	2,0 L - 150 hp
Anti-pollution standard	Euro VI E
Wheelbase (m)	4,20
Extra-wide rear track (m)	1,98
STORAGE DOUBLE FLOOR (CM)	
Internal dimensions of main storage	(17,5 - 20) x (58 - 83) x 210
Access right side (H x W)	2 x (23 x 47)
Access left side (H x W)	NOVABOX + 23 x 72
Heated	Yes
STORAGE AREA/GARAGE (CM)	
Width	114
Length	217
Height	119
Access right side (H x W)	112 x 89
Access left side (H x W)	112 x 89
Heated	Yes
HEATING	
Type of heating	ALDE
BED SIZE (MM)	
Rear bed	2 x (850 x 2100)
King size bed extension	1370 x 2060
Extra dinette bed (with no cab bed option)	730/940 x 2085
Overcab drop-down bed	1400 x 1910
AUTONOMY (LITRES)	
Fresh water <b>[A]</b>	20/130
Waste water	110
Type of refrigerator	Absorption
Refrigerator volume	171
Gas bottle capacity	2 x 13 kg propane

\* GVW 3500 kg = 3 registered seats manual gearbox, or automatic gearbox without towing capability / 2 registered seats Automatic gearbox with towing capability ; GVW 3880/4500 kg = 4 registered seats  
**[A]** Fresh water tank can be filled up to 130 L, which results in a lower payload.

A-class models with MERCEDES AL-KO chassis, extra-wide rear track & storage double floor



 Option ALDE

M96

VEHICLE DIMENSIONS (M)	
Overall length	7,54
Overall width	2,35
Overall width with wing mirrors open	2,76
Overall height	2,95
SEATS	
Seats with seatbelts	2+2
Registered (driving) seats	3*
Dining seats	5
Berths	2+2
Berths (with no cab bed option)	2+1
WEIGHT	
Gross vehicle weight (GVW)	LIGHT : 3,5 T HEAVY : 4,5 T
Permissible Gross Combined Weight (GCW)	LIGHT/HEAVY : 5,5 T
Mass in Running Order (MIRO) (kg)	3210
Payload (kg)	290
CHASSIS	
Chassis	MERCEDES AL-KO
Standard engine	2,0 L - 150 hp
Anti-pollution standard	Euro VI E
Wheelbase (m)	4,20
Extra-wide rear track (m)	1,98
STORAGE DOUBLE FLOOR (CM)	
Internal dimensions of main storage	(17,5 - 20) x (58 - 83) x 210
Access right side (H x W)	2 x (23 x 47)
Access left side (H x W)	NOVABOX + 23 x 72
Heated	Yes
STORAGE AREA/GARAGE (CM)	
Width	114
Length	217
Height	89/119
Access right side (H x W)	117 x 89
Access left side (H x W)	112 x 89
Heated	Yes
HEATING	
Type of heating	TRUMA Combi 6 CP PLUS / OPTION ALDE
BED SIZE (MM)	
Rear bed	1600 x 1980
Extra dinette bed (with no cab bed option)	730/940 x 2085
Overcab drop-down bed	1400 x 1910
AUTONOMY (LITRES)	
Fresh water <b>[A]</b>	20/130
Waste water	110
Type of refrigerator	Absorption
Refrigerator volume	171
Gas bottle capacity	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis MERCEDES: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# SERIE M

## EQUIPMENT AND COMFORT

### A-CLASS

M66

M96

CONSTRUCTION	WEIGHT (KG)		
NOVATECH Construction		•	•
Impact-resistant polyester panels		•	•
Impact-resistant polyester roof		•	•
Polyester underfloor external protection		•	•
Floor bodywork with polyurethane		•	•
Styrofoam® insulation (roof, walls and floor)		•	•
Storage area in robust polyurethane		•	•
BODYWORK AND OPENINGS			
White skirts, bumpers and bodywork		•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•
Living area door 540mm wide		•	•
Living area flyscreen door		•	•
Remote control locking of the cab and living area doors		•	•
Insulated fixed 'L' single step		•	•
Electric entry step		•	•
Retractable electric driver's doorstep	10	O	O
Storage area hatch struts		•	•
Storage area compression handles flush with hatch, with 2-point locking		•	•
Living area windows with polyurethane frames		•	•
Double glazed living area windows with non-woven blinds and flyscreen		•	•
Large lengthwise living room skylight		•	•
Living room skylight with wooden finish		•	•
Transparent skylights with blackout blind and flyscreen		•	•
Cab bed skylight		•	•
External right side lighting		LED	LED
Back panel set-up with inserts for bike rack		•	•
HEATING			
TRUMA Combi 6 heating with CP PLUS control panel		-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel	1	-	RHD PACK
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	•	O
Heating distributed via the living room table leg (except telescopic leg)		•	• (ALDE)
Additional MERCEDES heating		•	• (ALDE)
ALDE living area hot water floor heating (only available with ALDE heating)	8	O	O
TRUMA windscreen heating duct (not compatible with WEBASTO)		-	•
Additional 2 000 W WEBASTO fuel cab heating	8	O	O (ALDE)
Heated waste water tank		•	•
External heating inspection hatch (drain access, maintenance)		•	•
STORAGE			
Transverse storage double floor with internal and external access		•	•
Heated, lit double floor		•	•
Access to storage area/garage from left and right side		•	•
Storage area/garage with left and right lowered floor		•	•
Height-adjustable storage area/garage		-	•
Storage area ceiling LED lighting rail		•	•
STYLE			
NACARAT (with solid maple wood) furniture		•	•
Glossy white overhead cupboard doors		•	•
Cab bed bottom with stitched TEP* design and LED lights		•	•
TEP* upholstery: MONTREAL, MILAN and TORONTO		•	•
Leather upholstery: AUSTIN	8	O	O
Eyelet net curtains on rods		•	•
Interior lighting		LED	LED
Ambient lighting in the living room/kitchen/bedroom		LED	LED
Living room and bedroom indirect lighting dimmer		•	•
LIVING ROOM			
Magnetic bench seat backs		•	•
Laminated table with solid wood moulding		•	•
Folding table		•	•
TV space with 12 V/coaxial/HDMI wiring for maximum TV size (mm): 805 W x 500 H x 70 D		•	•
Inbuilt TV unit with backlighting and storage		•	•
Spotlight base under overhead cupboards with inbuilt USB port		•	•
4 assorted cushions in living room style		•	•
Machined décor day/night divider		•	•
Face-to-face bench seat armrests		•	•
KITCHEN			
Worktop extension		•	•
Lighting under the worktop		LED	LED
Backlit kitchen window cladding with inbuilt spice rack		•	•
Kitchen unit drawers with glossy white fronts		•	•
Self-closing drawers with electric central locking		•	•
Cutlery tray		•	•
Brass kitchen tap with ceramic cartridge		•	•
Embossed stainless steel stove top with 2 hobs, independent black covers and piezo ignition		-	-
Embossed stainless steel stove top with 3 hobs, independent black covers and piezo ignition		RHD PACK	RHD PACK
Extra-deep refrigerator		•	•
Refrigerator with freezer		•	•
Refrigerator with double hinge door (left or right opening)		•	•
Refrigerator grill covers (for winter use)		•	•
Stylish extractor hood with touch control façade		P M	P M
TEC-Tower: refrigerator/25-litre oven with grill combo	21	RHD PACK	RHD PACK
BATHROOM			
Washroom storage unit with two mirror doors and frosted RAPIDO logo		•	•
Central XXL bathroom with double partition		•	•
Independent shower		•	•
Shower column with slate grey Plexiglass finish and customisable backlighting		•	•
Water-saving shower head		•	•
Clothes drying rack		•	•
Thermoformed rectangular basin with swivel brass mixer tap and ceramic cartridge		•	•
Laminate basin countertop with aluminium-style finish		•	•
Cassette toilet with removable tank, telescopic handle and castors		•	•
Quick-clean thermoformed toilet cassette compartment		•	•
BEDROOM			
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•
Permanent electrically assisted height-adjustable bed (≈ 30 cm)		-	•
Backlit wall-mounted wardrobes with push lock system		-	•
Bed footboard storage drawer		-	•

\* TEP: Polyamide-coated fabric.

\*\* AUSTIN atmosphere exclusively.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available, P M = PACK M



A-class models with MERCEDES AL-KO chassis, extra-wide rear track & storage double floor

A-CLASS		M66	M96
BEDROOM		WEIGHT (KG)	
Side storage alcoves with 12 V outlet		-	•
Fabric-covered backlit headboard		•	•
Adjustable reclining headboard on permanent bed		-	•
Retractable central bed base		-	•
Adjustable footboard for easier storage access		•	-
Mattress topper with shape memory on permanent bed	6	○	○
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•
POWER & COMFORT			
92 Ah AGM living area battery (with coupler, separator and booster)		•	•
Second living-area battery 92 Ah AGM	27	RHD PACK	RHD PACK
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	-10	P ENERGIE	P ENERGIE
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah, requires a primary LITHIUM living-area battery)	13	P ENERGIE +	P ENERGIE +
'Coming-home' mode with automatic awning light and electric entry step		•	•
Living area entry step backlighting when door opens		•	•
Digital control panel with large screen		•	•
Speakers in the living area		•	•
Symphony audio pack		○	○
NOVABOX: better access to service area		•	•
Centralised fuse box with protected 'accessories' outlets		•	•
External 230 V plug		•	•
Internal 230 V plug		6	6
Internal 12 V plug		6	6
Internal 5 V USB port		7	7
Living area and cab carpet	11	RHD PACK	RHD PACK
Lino protector kit	2	○	○
Automatic inverter, for driving with gas heating on (anti-crash system)		•	•
Solar panel wiring setup		•	•
Centralised water distribution (access to all fittings)		•	•
Outside shower with hot/cold water	1	RHD PACK	RHD PACK
VEHICLE FITTINGS			
2.0-litre 150 hp MERCEDES engine		•	•
2.0-litre 170 hp MERCEDES engine (requires automatic gearbox) (weight of 170 hp/150 hp)	10	○	○
HEAVY DUTY engine		•	•
AdBlue® tank (litres)		22	22
65-litre diesel tank		•	•
93-litre diesel tank		• (HEAVY)	• (HEAVY)
Fuel filter and water separator		P M	P M
Automatic 9-speed MERCEDES gearbox: 9G TRONIC	30	○	○
Electric parking brake		P M	P M
HEAVY chassis: GVW 4.5 T for 150 hp and 170 hp (includes 93-litre tank)	40	○	○
ABS (anti-lock brake system), ASR (traction control), EBV (electronic braking variator) and ESP (electronic stability programme)		•	•
MERCEDES engine compartment insulation and cladding under engine		•	•
Hill start assistance		•	•
DISTRONIC active distance assist		○	○
TEMPOMAT cruise control with limiter		•	•
Front windscreen wipers with rain sensor		○	○
Driver and passenger air bags		•	•
TPMS (automatic tyre pressure monitoring system)		○	○
2nd remote key		•	•
LED day running lights		•	•
Front fog lights		P M	P M
Automatic headlights		P M	P M
Electric de-frosting wing mirrors		•	•
Coach-style wing mirrors		•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•
Reinforced front axle suspension		•	•
Independent rear wheel suspension (AL-KO)		•	•
Stabilising jacks (at the back or in the wheelbase)	5	RHD PACK	RHD PACK
Stabilising jacks HEAVY model specifics		• (HEAVY)	• (HEAVY)
Stability system in the event of cross winds		P M	P M
16" steel rims		•	•
16" light alloy MERCEDES rims	2	○	○
17" light alloy MERCEDES rims	-4	○ (HEAVY)	○ (HEAVY)
Tow bar <b>[A]</b> 2 000 kg max. subject to GCW <b>[B]</b> (option of ± 5 kg)		○ 53	○ 53
Puncture repair kit		•	•
CAB FITTINGS			
Driver's door with power window		•	•
Driver's door with 2-point locking		P M	P M
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•
Cab seats with built-in seatbelts		•	•
3-point retractable safety belts (cab and living space)		2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•**	•**
AGUTI rotating cab seats in fabric matching the living area		•	•
Cup holder		•	•
Fold-down lids on central and side coin trays		P M	P M
MERCEDES MBUX 10.25" multimedia system with GPS navigation and DAB technology		P M	P M
Semi-automatic TEMPOMATIC cab air conditioning		P M	P M
Automatic cab air-conditioning THERMOTRONIC (includes front windscreen wipers with rain sensor)	2	○	○
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•
Central locking on cab bed		•	•
Thermoformed dashboard in black full grain leather style		•	•
Leather steering wheel and gear knob (for automatic gearboxes only leather steering wheel)		P M	P M
Height- and angle-adjustable multi-function steering wheel		P M	P M
Electric power steering		•	•
Reversing camera with control screen built into the dashboard		P M	P M
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P M	P M
Double-glazed side windows in cab (except driver's door)	10	○	○
Without cab bed, with telescopic living room table leg for bed position		○	○

All data (weight / measures) are indicated with a tolerance of 5%.  
Chassis MERCEDES: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.  
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# PACKS (OPTION)



RIGHT HAND DRIVE  
*Special pack*

## RIGHT HAND DRIVE SPECIAL PACK

RAPIDO motorhomes of the 2024 collection based on RHD chassis come with particularly complete equipment, including (depending on the model)\*:

### SAFETY

Traction+ with Hill Descent Control (FIAT)	Radio control on steering wheel
Fog lights**	Outside rear mirrors with double view (wide angle) (A-CLASS)

### COMFORT

Leather steering wheel and gear knob	2nd AGM living area battery**
Carpet kit (cab and living area)	Heated waste water tank**
Oven	Outside shower warm/cold water**
Truma Combi 6EH with CP PLUS** (except ALDE)	Rear steadies**
3 burner kitchen hob** (except C-Series)	

## SELECT PACK

	SERIE C	SERIE 6F	SERIE 8F	SERIE 80dF
Reversing camera with control screen built into the dashboard	•	•	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO	•	•	•	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder (PEUGEOT)	•	•	-	-
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking (FIAT)	•	•	•	•
Electric de-frosting side mirrors	•	•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests	•	•	•	•
Dual-pleat thermal windscreen and cab window roller blinds	•	•	-	-
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade)	-	-	•	-
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)	-	-	-	•
Driver door with 2-point locking	-	-	•	•
Living area door with 2-point locking, fixed window	•	-	-	-
Living area door with 2-point locking, fixed window and inbuilt bin	-	•	•	•
Living area door flyscreen	•	•	•	•
Automatic inverter, for driving with gas heating on (anti-crash system)	-	•	•	•
2nd remote key	•	•	•	•
Second living-area battery 92 Ah AGM	•	-	-	-

## EXECUTIVE PACK

	SERIE DISTINCTION
Reversing camera with control screen built into the dashboard	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO	•
Driver door with 2-point locking	•
Memory foam mattress topper on permanent bed	•
Leather steering wheel and gear knob	•
Radio controls on steering wheel	•
Radio remote control (on/off, volume and stations) in living area	•
Electric dual-pleat thermal sliding windscreen blind: up/down (sunshade) and down/up (privacy screen)	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking	•
Front fog lights	•
Stabilising jacks at the back or in the wheelbase	•
2nd remote key	•

## M PACK

	SERIE M
MERCEDES MBUX 10.25" multimedia system with GPS navigation and DAB technology	•
Height- and angle-adjustable multi-function steering wheel	•
Reversing camera with control screen built into the dashboard	•
Semi-automatic TEMPMATIC cab air conditioning	•
Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox)	•
Fold-down lids on central and side coin trays	•
Electric parking brake	•
Front fog lights	•
Automatic headlights	•
Stability system in the event of cross winds	•
Keyless start	•
Fuel filter and water separator	•
Driver door with 2-point locking	•
Stylish extractor hood with touch control façade	•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)	•

\* See details per model in the technical guide. All mentioned options are included in the vehicle price for Right Hand Drive models. The weight of these options is detailed in the technical specifications, and not included in the GVW – it therefore must be deducted from the payload.

\*\* Except VANS.

## RAPIDO VANS PACK

	VANS
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder (PEUGEOT)	•
ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), Hill Holder, cross wind assist, towing stability control and automatic post-collision braking (FIAT)	•
Height-adjustable swivel cab seats with 2 adjustable armrests	•
Front bumper painted in bodywork colour	•
Automatic inverter, for driving with gas heating on (anti-crash system)	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CAR PLAY/ANDROID AUTO	•
Reversing camera with control screen built into the dashboard	•
2nd remote key	•
Side door with flyscreen	•

## CONTROL PACK

	VANS
Electric folding wing mirrors	•
TPMS: tyre pressure monitoring system	•
Blind spot detector and rear cross traffic alert	•

## CONNECT PACK (FIAT)

	VANS, C, 6F	8F, 80dF	DISTINCTION
PIONEER® DAB multimedia GPS system with large 9" touchscreen and APPLE CAR PLAY/ANDROID AUTO	•	•	•
100% digital dashboard	•	•	-
Keyless start and lock/unlock	•	-	-
Automatic cab air-conditioning	•	•	•
Induction smartphone charger	•	•	•

## ALL BLACK PACK (FIAT)

	VANS, C (EXCEPT FOR C55i, C86i), 6F
100% LED front lights with sequential indicators	•
16" light alloy FIAT rims (+4.5 cm vehicle height)	•
Front fog lights with directional lighting	•
Black skid plate	•

## ENERGY PACK

	SERIES C, 6F, 8F, 80dF, DISTINCTION, M
160 W factory-assembled solar panel	•
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	•

## ENERGY+ PACK

	SERIES C, 6F, 8F, 80dF, DISTINCTION, M
160 W factory-assembled solar panel	•
100 Ah LITHIUM living-area battery (with coupler, separator and booster)	•
Second living-area battery 100 Ah LITHIUM (total capacity = 200 Ah)	•



mediphot - RCS Laval 440 234 599 - Ph. : J. Gonzalez, Getty Images - Published 03/2023 (GB)



[www.rapido.fr](http://www.rapido.fr)

**414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. : +33 (0) 2 43 30 10 70**

In addition to the contractual 2-year warranty for your vehicle and the manufacturers' warranties on original accessories installed during assembly, you enjoy a 5-year warranty on furniture frames and watertightness when you have your vehicle moisture-checked annually during the 4 years after it is first registered. The warranties covering all accessories installed at the dealership are provided by the original manufacturers under their terms and conditions, through the dealer. The chassis warranty is provided by the chassis manufacturer.

Cost of transport is borne by the customer. Motorhomes, campervans and vans are designed for leisure use. Under no circumstances are they intended to be used as a permanent home. Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, décor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer.

RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

**[B]** The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation:  $MPM = (D \times 1000) / [(T \times 9,81) - (1000 \times D)]$ , with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.